Broadway Pantano File

ADEQ Arizona Department of Environmental Quality Memorandum

Date: August 3, 2011 SROSPU11,91

To: Broadway-Pantano Project File

From: Gretchen Wagenseller, Project Manager, Superfund Programs Unit, Southern Regional Office GAW

Subject: Compilation of Broadway-Pantano WQARF Site 2010 Groundwater Monitoring Data

Site-wide groundwater sampling was not performed at the Broadway-Pantano Water Quality Assurance Revolving Fund (WQARF) Site (Site) in 2010. However, the table below shows the monitoring of selected wells that was performed in 2010.

MONITORING EVENT	EVENT DATE
Quarterly volatile organic compound (VOC) sampling/testing of select wells*	February 18
Monitoring of Catalina Village Assisted Living water supply well**	April 28
Quarterly VOC sampling/testing of select wells***	May 20
Quarterly VOC sampling/testing of select wells***	August 18
Downloading of transducer data from and manual gauging of wells	August 19
Quarterly VOC sampling/testing of select wells***	November 16

*BP-5, BP-21, SJ-001, SJ-002, WR-702A, WR-703A, WR-704A
**This was the first time this well was sampled under the ADEQ/City of Tucson work share agreement.
*** BP-5, BP-21, SJ-001, SJ-002, WR-702A, WR-703A, WR-704A, Catalina Village Assisted Living (water supply well)

The quarterly groundwater sampling of select wells was performed by the City of Tucson, and the site-wide well water elevation gauging and transducer data downloading was performed by the Arizona Department of Environmental Quality's contractor, Stantec Consulting. The City of Tucson performed this work under the ADEQ/City of Tucson work share agreement.

Attached are the following reporting documents for the 2010 groundwater monitoring:

- Figure showing approximate tetrachloroethene plume boundaries and well locations for the western part of the Site
- 2010 quarterly volatile organic compound analytical results for select wells table
- Time series tetrachloroethene/trichloroethene graphs and graph data tables for monitor wells BP-21, WR-702A, WR-703A, and WR-704A (updated through 2010)
- Summary of groundwater quality data, selected VOCs and nitrate—2001 through 2010
- Figure 3—August 19, 2010 groundwater well elevation levels contour map
- Well water elevation hydrographs—May 2005 – August 2010
- Groundwater elevation data—2001 through 2010

Enclosures

c: William Ellett/Reading File
City of Tucson—Environmental Services and Water Department

Broadway-Pantano WQARF Site Vicinity

Approximate PCE Concentration - May, 2011



2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	ADEQ-BP-05	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Benzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Bromobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Bromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Bromodichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Bromoform	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Bromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Chlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Chloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Chloroform	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Chloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Dibromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Dibromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Dichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Ethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Isopropylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	m/p-Xylenes	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	ADEQ-BP-05	n-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	n-Propylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	ortho-Xylene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Styrene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Tetrachloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Toluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Total Xylenes	<.0015	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Trichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-05	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	ADEQ-BP-05	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Benzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Bromobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Bromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Bromodichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Bromoform	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Bromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Chlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Chloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Chloroform	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Chloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Dibromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Dibromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Dichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Ethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Isopropylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	m/p-Xylenes	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	ADEQ-BP-05	n-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	n-Propylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	ortho-Xylene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Styrene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Tetrachloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Toluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Total Xylenes	<.0015	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Trichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-05	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	ADEQ-BP-05	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,3-Dichloropropene, Total	<.001	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Benzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Bromobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Bromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Bromodichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Bromoform	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Bromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Chlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Chloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Chloroform	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Chloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Dibromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Dibromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Dichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Ethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Isopropylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	m/p-Xylenes	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	ADEQ-BP-05	n-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	n-Propylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	ortho-Xylene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Styrene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Tetrachloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Toluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Total Trihalomethanes	<.002	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Total Xylenes	<.0015	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Trichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-05	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	ADEQ-BP-05	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Benzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Bromobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Bromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Bromodichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Bromoform	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Bromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Chlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Chloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Chloroform	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Chloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Dibromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Dibromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Dichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Ethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Isopropylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	m/p-Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	ADEQ-BP-05	n-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	n-Propylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	ortho-Xylene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Styrene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Tetrachloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Toluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Total Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Trichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-05	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	ADEQ-BP-21	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Benzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Bromobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Bromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Bromodichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Bromoform	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Bromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Chlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Chloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Chloroform	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Chloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Dibromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Dibromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Dichlorodifluoromethane	.0037	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Dichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Ethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Isopropylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	m/p-Xylenes	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	ADEQ-BP-21	n-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	n-Propylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	ortho-Xylene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Styrene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Tetrachloroethene	.0067	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Toluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Total Xylenes	<.0015	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Trichloroethene	.0006	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Trichlorofluoromethane	.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-BP-21	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	ADEQ-BP-21	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Benzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Bromobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Bromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Bromodichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Bromoform	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Bromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Chlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Chloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Chloroform	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Chloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Dibromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Dibromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Dichlorodifluoromethane	.0031	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Dichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Ethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Isopropylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	m/p-Xylenes	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	ADEQ-BP-21	n-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	n-Propylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	ortho-Xylene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Styrene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Tetrachloroethene	.0051	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Toluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Total Xylenes	<.0015	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Trichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Trichlorofluoromethane	.0006	mg/L	EPA 524.2
5/20/2010	ADEQ-BP-21	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	ADEQ-BP-21	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,3-Dichloropropene, Total	<.001	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Benzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Bromobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Bromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Bromodichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Bromoform	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Bromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Chlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Chloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Chloroform	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Chloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Dibromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Dibromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Dichlorodifluoromethane	.0026	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Dichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Ethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Isopropylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	m/p-Xylenes	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	ADEQ-BP-21	n-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	n-Propylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	ortho-Xylene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Styrene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Tetrachloroethene	.0043	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Toluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Total Trihalomethanes	<.002	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Total Xylenes	<.0015	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Trichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-BP-21	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	ADEQ-BP-21	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Benzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Bromobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Bromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Bromodichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Bromoform	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Bromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Chlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Chloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Chloroform	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Chloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Dibromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Dibromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Dichlorodifluoromethane	.0023	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Dichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Ethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Isopropylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	m/p-Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	ADEQ-BP-21	n-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	n-Propylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	ortho-Xylene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Styrene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Tetrachloroethene	.0042	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Toluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Total Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Trichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-BP-21	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	ADEQ-SJ-01	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Benzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Bromobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Bromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Bromodichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Bromoform	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Bromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Chlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Chloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Chloroform	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Chloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Dibromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Dibromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Dichlorodifluoromethane	.0025	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Dichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Ethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Isopropylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	m/p-Xylenes	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Naphthalene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	n-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	n-Propylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	ortho-Xylene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	ADEQ-SJ-01	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Styrene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Tetrachloroethene	.0073	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Toluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Total Xylenes	<.0015	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Trichloroethene	.0006	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-01	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	ADEQ-SJ-01	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Benzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Bromobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Bromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Bromodichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Bromoform	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Bromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Chlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Chloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Chloroform	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Chloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Dibromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Dibromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Dichlorodifluoromethane	.0024	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Dichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Ethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Isopropylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	m/p-Xylenes	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Naphthalene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	n-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	n-Propylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	ortho-Xylene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	ADEQ-SJ-01	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Styrene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Tetrachloroethene	.0078	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Toluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Total Xylenes	<.0015	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Trichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-01	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	ADEQ-SJ-01	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,3-Dichloropropene, Total	<.001	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Benzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Bromobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Bromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Bromodichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Bromoform	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Bromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Chlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Chloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Chloroform	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Chloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Dibromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Dibromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Dichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Ethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Isopropylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	m/p-Xylenes	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	ADEQ-SJ-01	n-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	n-Propylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	ortho-Xylene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Styrene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Tetrachloroethene	.0013	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Toluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Total Trihalomethanes	<.002	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Total Xylenes	<.0015	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Trichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-01	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	ADEQ-SJ-01	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Benzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Bromobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Bromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Bromodichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Bromoform	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Bromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Chlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Chloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Chloroform	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Chloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Dibromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Dibromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Dichlorodifluoromethane	.0018	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Dichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Ethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Isopropylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	m/p-Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	ADEQ-SJ-01	n-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	n-Propylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	ortho-Xylene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Styrene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Tetrachloroethene	.0072	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Toluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Total Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Trichloroethene	.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-01	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	ADEQ-SJ-02	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Benzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Bromobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Bromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Bromodichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Bromoform	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Bromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Chlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Chloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Chloroform	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Chloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Dibromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Dibromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Dichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Ethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Isopropylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	m/p-Xylenes	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Naphthalene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	n-Butylbenzene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	ADEQ-SJ-02	n-Propylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	ortho-Xylene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Styrene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Tetrachloroethene	.003	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Toluene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Total Xylenes	<.0015	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Trichloroethene	.0007	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
2/18/2010	ADEQ-SJ-02	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	ADEQ-SJ-02	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Benzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Bromobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Bromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Bromodichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Bromoform	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Bromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Chlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Chloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Chloroform	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Chloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Dibromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Dibromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Dichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Ethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Isopropylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	m/p-Xylenes	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	ADEQ-SJ-02	n-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	n-Propylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	ortho-Xylene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Styrene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Tetrachloroethene	.0024	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Toluene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Total Xylenes	<.0015	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Trichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
5/20/2010	ADEQ-SJ-02	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	ADEQ-SJ-02	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,3-Dichloropropene, Total	<.001	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Benzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Bromobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Bromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Bromodichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Bromoform	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Bromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Chlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Chloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Chloroform	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Chloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Dibromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Dibromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Dichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Ethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Isopropylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	m/p-Xylenes	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	ADEQ-SJ-02	n-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	n-Propylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	ortho-Xylene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Styrene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Tetrachloroethene	.0034	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Toluene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Total Trihalomethanes	<.002	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Total Xylenes	<.0015	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Trichloroethene	.0006	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	ADEQ-SJ-02	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	ADEQ-SJ-02	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Benzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Bromobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Bromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Bromodichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Bromoform	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Bromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Chlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Chloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Chloroform	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Chloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Dibromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Dibromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Dichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Ethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Isopropylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	m/p-Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	ADEQ-SJ-02	n-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	n-Propylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	ortho-Xylene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Styrene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Tetrachloroethene	.0032	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Toluene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Total Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Trichloroethene	.0006	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	ADEQ-SJ-02	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
4/28/2010	Catalina Village	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,1,1-Trichloroethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,1,2-Trichloroethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,1-Dichloroethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,1-Dichloroethene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,1-Dichloropropene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2,3-Trichloropropane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2-Dibromoethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2-Dichlorobenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2-Dichloroethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,2-Dichloropropane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,3-Dichlorobenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,3-Dichloropropane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	1,4-Dichlorobenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	2,2-Dichloropropane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	2-Chlorotoluene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	4-Chlorotoluene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	4-Isopropyltoluene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Benzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Bromobenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Bromochloromethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Bromodichloromethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Bromoform	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Bromomethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Carbon Tetrachloride	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Chlorobenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Chloroethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Chloroform	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Chloromethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Dibromochloromethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Dibromomethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Dichlorodifluoromethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Ethylbenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Hexachlorobutadiene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Isopropylbenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	m/p-Xylenes	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Methyl tert-butyl ether	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Methylene Chloride	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Naphthalene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	n-Butylbenzene	<.0005	mg/L	EPA 8260

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
4/28/2010	Catalina Village	n-Propylbenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	ortho-Xylene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Sec-Butylbenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Styrene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	tert-Butylbenzene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Tetrachloroethene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Toluene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Total Trihalomethanes	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Total Xylenes	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Trichloroethene	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Trichlorofluoromethane	<.0005	mg/L	EPA 8260
4/28/2010	Catalina Village	Vinyl Chloride	<.0005	mg/L	EPA 8260

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	Catalina Village	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,3-Dichloropropene, Total	<.001	mg/L	EPA 524.2
8/18/2010	Catalina Village	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Benzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Bromobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Bromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Bromodichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Bromoform	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Bromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Chlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Chloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Chloroform	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Chloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Dibromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Dibromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Dichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Ethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Isopropylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	m/p-Xylenes	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	Catalina Village	n-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	n-Propylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	ortho-Xylene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Styrene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Tetrachloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Toluene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Total Trihalomethanes	<.002	mg/L	EPA 524.2
8/18/2010	Catalina Village	Total Xylenes	<.0015	mg/L	EPA 524.2
8/18/2010	Catalina Village	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Trichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	Catalina Village	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	Catalina Village	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Benzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Bromobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Bromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Bromodichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Bromoform	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Bromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Chlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Chloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Chloroform	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Chloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Dibromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Dibromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Dichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Ethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Isopropylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	m/p-Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	Catalina Village	n-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	n-Propylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	ortho-Xylene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Styrene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Tetrachloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Toluene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Total Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Trichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	Catalina Village	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	WR-702A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Benzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Bromobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Bromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Bromoform	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Bromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Chlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Chloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Chloroform	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Chloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Dibromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Dichlorodifluoromethane	.0046	mg/L	EPA 524.2
2/18/2010	WR-702A	Dichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Ethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	WR-702A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	ortho-Xylene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Styrene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Tetrachloroethene	.009	mg/L	EPA 524.2
2/18/2010	WR-702A	Toluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Total Xylenes	<.0015	mg/L	EPA 524.2
2/18/2010	WR-702A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-702A	Trichloroethene	.0006	mg/L	EPA 524.2
2/18/2010	WR-702A	Trichlorofluoromethane	.0007	mg/L	EPA 524.2
2/18/2010	WR-702A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	WR-702A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Benzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Bromobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Bromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Bromoform	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Bromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Chlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Chloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Chloroform	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Chloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Dibromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Dichlorodifluoromethane	.0035	mg/L	EPA 524.2
5/20/2010	WR-702A	Dichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Ethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	WR-702A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	ortho-Xylene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Styrene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Tetrachloroethene	.0072	mg/L	EPA 524.2
5/20/2010	WR-702A	Toluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Total Xylenes	<.0015	mg/L	EPA 524.2
5/20/2010	WR-702A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-702A	Trichloroethene	.0007	mg/L	EPA 524.2
5/20/2010	WR-702A	Trichlorofluoromethane	.0006	mg/L	EPA 524.2
5/20/2010	WR-702A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	WR-702A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	1,3-Dichloropropene, Total	<.001	mg/L	EPA 524.2
8/18/2010	WR-702A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Benzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Bromobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Bromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Bromoform	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Bromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Chlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Chloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Chloroform	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Chloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Dibromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Dichlorodifluoromethane	.0034	mg/L	EPA 524.2
8/18/2010	WR-702A	Dichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Ethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	WR-702A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	ortho-Xylene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Styrene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Tetrachloroethene	.0067	mg/L	EPA 524.2
8/18/2010	WR-702A	Toluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Total Trihalomethanes	<.002	mg/L	EPA 524.2
8/18/2010	WR-702A	Total Xylenes	<.0015	mg/L	EPA 524.2
8/18/2010	WR-702A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Trichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Trichlorofluoromethane	.0005	mg/L	EPA 524.2
8/18/2010	WR-702A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	WR-702A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Benzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Bromobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Bromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Bromoform	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Bromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Chlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Chloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Chloroform	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Chloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Dibromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Dichlorodifluoromethane	.0035	mg/L	EPA 524.2
11/16/2010	WR-702A	Dichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Ethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	WR-702A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	ortho-Xylene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Styrene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Tetrachloroethene	.0074	mg/L	EPA 524.2
11/16/2010	WR-702A	Toluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Total Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Trichloroethene	.0006	mg/L	EPA 524.2
11/16/2010	WR-702A	Trichlorofluoromethane	.0005	mg/L	EPA 524.2
11/16/2010	WR-702A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	WR-703A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Benzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Bromobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Bromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Bromoform	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Bromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Chlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Chloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Chloroform	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Chloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Dibromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Dichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Ethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	WR-703A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	ortho-Xylene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Styrene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Tetrachloroethene	.0009	mg/L	EPA 524.2
2/18/2010	WR-703A	Toluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Total Xylenes	<.0015	mg/L	EPA 524.2
2/18/2010	WR-703A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Trichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-703A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	WR-703A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Benzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Bromobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Bromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Bromoform	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Bromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Chlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Chloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Chloroform	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Chloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Dibromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Dichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Ethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	WR-703A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	ortho-Xylene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Styrene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Tetrachloroethene	.0016	mg/L	EPA 524.2
5/20/2010	WR-703A	Toluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Total Xylenes	<.0015	mg/L	EPA 524.2
5/20/2010	WR-703A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Trichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-703A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	WR-703A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	1,3-Dichloropropene, Total	<.001	mg/L	EPA 524.2
8/18/2010	WR-703A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Benzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Bromobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Bromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Bromoform	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Bromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Chlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Chloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Chloroform	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Chloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Dibromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Dichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Ethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	WR-703A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	ortho-Xylene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Styrene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Tetrachloroethene	.0006	mg/L	EPA 524.2
8/18/2010	WR-703A	Toluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Total Trihalomethanes	<.002	mg/L	EPA 524.2
8/18/2010	WR-703A	Total Xylenes	<.0015	mg/L	EPA 524.2
8/18/2010	WR-703A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Trichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-703A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	WR-703A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Benzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Bromobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Bromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Bromoform	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Bromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Chlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Chloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Chloroform	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Chloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Dibromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Dichlorodifluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Dichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Ethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	WR-703A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	ortho-Xylene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Styrene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Tetrachloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Toluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Total Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Trichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Trichlorofluoromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-703A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly

Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	WR-704A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Benzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Bromobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Bromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Bromoform	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Bromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Chlorobenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Chloroethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Chloroform	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Chloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Dibromomethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Dichlorodifluoromethane	.0033	mg/L	EPA 524.2
2/18/2010	WR-704A	Dichloromethane	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Ethylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
2/18/2010	WR-704A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	ortho-Xylene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Styrene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Tetrachloroethene	.0057	mg/L	EPA 524.2
2/18/2010	WR-704A	Toluene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Total Xylenes	<.0015	mg/L	EPA 524.2
2/18/2010	WR-704A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Trichloroethene	<.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Trichlorofluoromethane	.0005	mg/L	EPA 524.2
2/18/2010	WR-704A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	WR-704A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Benzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Bromobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Bromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Bromoform	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Bromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Chlorobenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Chloroethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Chloroform	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Chloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Dibromomethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Dichlorodifluoromethane	.004	mg/L	EPA 524.2
5/20/2010	WR-704A	Dichloromethane	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Ethylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
5/20/2010	WR-704A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	ortho-Xylene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Styrene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Tetrachloroethene	.0064	mg/L	EPA 524.2
5/20/2010	WR-704A	Toluene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Total Xylenes	<.0015	mg/L	EPA 524.2
5/20/2010	WR-704A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Trichloroethene	.0005	mg/L	EPA 524.2
5/20/2010	WR-704A	Trichlorofluoromethane	.0006	mg/L	EPA 524.2
5/20/2010	WR-704A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	WR-704A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	1,3-Dichloropropene, Total	<.001	mg/L	EPA 524.2
8/18/2010	WR-704A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Benzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Bromobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Bromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Bromoform	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Bromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Chlorobenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Chloroethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Chloroform	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Chloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Dibromomethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Dichlorodifluoromethane	.0041	mg/L	EPA 524.2
8/18/2010	WR-704A	Dichloromethane	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Ethylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
8/18/2010	WR-704A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	ortho-Xylene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Styrene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Tetrachloroethene	.0074	mg/L	EPA 524.2
8/18/2010	WR-704A	Toluene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Total Trihalomethanes	<.002	mg/L	EPA 524.2
8/18/2010	WR-704A	Total Xylenes	<.0015	mg/L	EPA 524.2
8/18/2010	WR-704A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Trichloroethene	.0005	mg/L	EPA 524.2
8/18/2010	WR-704A	Trichlorofluoromethane	.0006	mg/L	EPA 524.2
8/18/2010	WR-704A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	WR-704A	1,1,1,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,1,1-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,1,2,2-Tetrachloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,1,2-Trichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,1-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,1-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,1-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2,3-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2,3-Trichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2,4-Trichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2,4-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2-Dibromo-3-chloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2-Dibromoethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2-Dichloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,3,5-Trimethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,3-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,3-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,3-Dichloropropene, Total	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	1,4-Dichlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	2,2-Dichloropropane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	2-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	4-Chlorotoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	4-Isopropyltoluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Benzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Bromobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Bromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Bromodichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Bromoform	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Bromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Carbon Tetrachloride	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Chlorobenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Chloroethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Chloroform	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Chloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	cis-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	cis-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Dibromochloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Dibromomethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Dichlorodifluoromethane	.0043	mg/L	EPA 524.2
11/16/2010	WR-704A	Dichloromethane	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Ethylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Hexachlorobutadiene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Isopropylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	m/p-Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Methyl-tert-Butyl Ether	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Naphthalene	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.

2010 Quarterly
Volatile Organic Compound Analytical Results for Select Wells

Sample Date	Point	Synonym/Field/CMS Name	TEXTVALUE	Units	Method
11/16/2010	WR-704A	n-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	n-Propylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	ortho-Xylene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Sec-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Styrene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	tert-Butylbenzene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Tetrachloroethene	.0085	mg/L	EPA 524.2
11/16/2010	WR-704A	Toluene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Total Trihalomethanes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Total Xylenes	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	trans-1,2-Dichloroethene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	trans-1,3-Dichloropropene	<.0005	mg/L	EPA 524.2
11/16/2010	WR-704A	Trichloroethene	.0007	mg/L	EPA 524.2
11/16/2010	WR-704A	Trichlorofluoromethane	.0007	mg/L	EPA 524.2
11/16/2010	WR-704A	Vinyl Chloride	<.0005	mg/L	EPA 524.2

The highlighted tetrachloroethene and trichloroethene are the main constituents of concern at this site.


BP-21 PCE
PCE (ppb)
10
9
8
7
6
5
4
3
2
1
0
WCS Back in Service
April 25, 2007
WCS Auto Shutdown
Sept 17, 2006
WCS Down
Periodically in
August 2010
Began Sampling with 3.5 ft HDPE
Bailer on May 20, 2009
Sampled With Depth Specific
Bailer Between Sept. 21, 2005
and Oct 31, 2008
Jan-05
Apr-05
Jul-05
Oct-05
Jan-06
Apr-06
Jul-06
Oct-06
Jan-07
Apr-07
Jul-07
Oct-07
Jan-08
Apr-08
Jul-08
Oct-08
Jan-09
Apr-09
Jul-09
Oct-09
Jan-10
Apr-10
Jul-10
Oct-10
Jan-11
Date
5 feet DBW
25 feet DBW
50 feet DBW
5 ppb limit

Date	5 feet DBW	25 feet DBW	50 feet DBW	5 ppb limit
1/1/2005				5
9/21/2005		5.8	5.4	5
11/17/2005		3.8	2.5	5
1/25/2006		3.1	2.1	5
4/5/2006		4.2	3.1	5
9/27/2006		2.8		5
11/16/2006		4.6	5.1	5
2/5/2007		6.5	6.5	5
4/26/2007		7.5	8.2	5
8/9/2007		6.5	6.4	5
11/19/2007	8.3	7.9	7.8	5
4/8/2008	9.3	9.8	9.5	5
7/29/2008	7.3	7.9	7.5	5
10/31/2008	7.7	7.7	7.9	5
5/20/2009	6.9			5
8/19/2009	6.1			5
11/18/2009	6			5
2/18/2010	6.7			5
5/20/2010	5.1			5
8/18/2010	4.3			5
11/16/2010	4.2			5
12/31/2010				5

Note: July 08 value is average of 2 samples (6.9 + 7.6)
Oct 08 value is average of 2 samples (7.8 + 7.6)


Monitor Well WR-702A
10
8
6
4
2
0
2009
2009.5
2010
2010.5
2011
Year
5 ppb
TETRACHLOROETHENE (UG/L)
TRICHLOROETHENE (UG/L)

Graph Data

Point ID	Log Numbe	Date	DecDate	5 ppb	TETRACHLOROETHENE (UG/L)	TRICHLOROETHENE (UG/L)
		1/1/2009	2009.001	5		
WR-702A	L20216-03	2/10/2009	2009.111	5	8.2	0.7
WR-702A	L20790-03	5/20/2009	2009.382	5	7.9	0.7
WR-702A	L21301-05	8/19/2009	2009.631	5	10.1	0.8
WR-702A	L21301-06	8/19/2009	2009.631	5	9.6	0.8
WR-702A		11/18/2009	2009.879	5	9.2	0.7
WR-702A		2/18/2010	2010.134	5	9	0.6
WR-702A		5/20/2010	2010.384	5	7.2	0.7
WR-702A		8/18/2010	2010.63	5	6.7	0
WR-702A		11/16/2010	2010.877	5	7.4	0.6
WR-702A		12/31/2010	2010.999	5		


Monitor Well WR-703A
10
8
6
4
2
0
2009
2009.5
2010
2010.5
2011
Year
5 ppb
TETRACHLOROETHENE (UG/L)
TRICHLOROETHENE (UG/L)

Graph Data

Point ID	Log Number	Date	DecDate	5 ppb	TETRACHLOROETHENE (UG/L)	TRICHLOROETHENE (UG/L)
		1/1/2009	2009.001	5		
WR-703A	L20216-02	2/10/2009	2009.111	5	0	0
WR-703A	L20790-02	5/20/2009	2009.382	5	0	0
WR-703A	L21301-01	8/19/2009	2009.631	5	1.4	0
WR-703A	L21301-02	8/19/2009	2009.631	5	1.4	0
WR-703A		11/18/2009	2009.879	5	0.6	0
WR-703A		2/18/2010	2010.134	5	0.9	0
WR-703A		5/10/2010	2010.384	5	1.6	0
WR-703A		8/18/2010	2010.63	5	0.6	0
WR-703A		11/16/2010	2010.877	5	0	0
		12/31/2010	2010.999	5		


Monitor Well WR-704A
10
8
6
4
2
0
2009
2009.5
2010
2010.5
2011
Year
5 ppb
TETRACHLOROETHENE (UG/L)
TRICHLOROETHENE (UG/L)

Graph Data

Point ID	Log Number	Date	DecDate	5 ppb	TETRACHLOROETHENE (UG/L)	TRICHLOROETHENE (UG/L)
		1/1/2009	2009.001	5		
WR-704A	L20216-01	2/10/2009	2009.111	5	0	0
WR-704A	L20790-01	5/20/2009	2009.382	5	1.2	0
WR-704A	L21301-03	8/19/2009	2009.631	5	2.2	0
WR-704A	L21301-04	8/19/2009	2009.631	5	2.2	0
WR-704A		11/18/2009	2009.879	5	3.1	0
WR-704A		2/18/2010	2010.134	5	5.7	0
WR-704A		5/20/2010	2010.384	5	6.4	0
WR-704A		8/18/2010	2010.63	5	7.4	0
WR-704A		11/16/2010	2010.877	5	8.5	0.7
		12/31/2010	2010.999	5		

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
Mayo	WH	WH	11/6/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
411-P	Well Head	WH	12/3/2003		**4.2**	**0.64**	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	3/29/2004		**4.5**	**0.73**	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	5/11/2004		**3.5**	**0.66**	<0.50	<0.50	**0.51**	<3.0	<0.50	**2.5**	NA	NA	NA	NA
		WH	8/24/2004		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		WH	9/9/2004 (7)		**4.5**	**0.7**	<0.50	<0.50	**0.5**	<0.50	<0.50	**1.1**	NA	NA	NA	NA
		WH	11/17/2004		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		WH	12/6/2004 (7)		**5.4**	**0.9**	<0.50	<0.50	**0.6**	<0.50	<0.50	**1.7**	NA	NA	NA	NA
		WH	2/18/2005		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		WH	3/14/2005 (7)		**5.3**	**1.0**	<0.50	NA	**0.7**	<0.50	<0.50	**2.0**	NA	NA	NA	NA
		WH	5/17/2005		**4.2**	**0.84**	<0.50	<0.50	**0.66**	<3.0	<0.50	**2.3**	NA	NA	NA	NA
		WH	9/19/2005		**6.2**	**1.1**	<0.50	<0.50	**0.78**	<3.0	<0.50	**3.1**	NA	**1.0**	<0.20	**1.0**
		WH	11/17/2005		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		WH	1/26/2006		**2.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.1**	<0.020	**1.1**
		WH	2/15/2006(7)		**5.9**	**1.2**	<0.50	<0.50	**0.8**	<0.50	<0.50	**1.7**	NA	NA	NA	NA
		WH	3/1/2006(7)		**6.0**	**1.1**	<0.50	<0.50	**0.8**	<0.50	<0.50	**1.6**	NA	NA	NA	NA
		WH	4/7/2006		**4.0**	**1.0**	<1.0	<1.0	<1.0	<5.0	<1.0	**1.9**	NA	**2.1**	<0.020	**2.1**
		WH	9/28/2006		**2.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**2.2**	<0.020	**2.2**
		WH	10/2/2006 (7)		<0.50	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.4**	NA	NA	NA	NA
		WH	11/16/2006		**3.7**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.9**	<0.020	**1.9**
		WH	1/5/2007 (7)		**8.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1**	NA	NA	NA	NA
		WH	2/6/2007		**5.5**	**1.3**	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.9**	<0.020	1.9
		WH	4/27/2007		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		WH	8/7/2007		**4.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	11/14/2007		**3.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	12/3/2007 (7)		**4.7**	**0.8**	<0.50	<0.50	**0.7**	<0.50	<0.50	**1.4**	NA	NA	NA	NA
		WH	12/3/2007 (2,7)		**4.6**	**0.8**	<0.50	<0.50	**0.6**	<0.50	<0.50	**1.2**	NA	NA	NA	NA
		WH	3/3/2008 (7)		**3.4**	**0.5**	<0.50	<0.50	<0.50	<0.50	<0.50	**0.9**	NA	NA	NA	NA
		WH	3/3/2008 (2,7)		**3.5**	**0.7**	<0.50	<0.50	**0.6**	<0.50	<0.50	**1.0**	NA	NA	NA	NA
		WH	4/9/2008		**2.7**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	11/5/2008	X	**3.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
416-P	Well Head	WH	12/3/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	12/3/2003 [2]		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	3/29/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**12**	NA	NA
		WH	5/13/2004		**0.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**13**	NA	NA
		WH	7/15/2004[4]		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	**11**	<0.020	NA
		WH	8/24/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**12**	<0.020	**12**
		WH	9/22/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**13**	<0.020	NA
		WH	11/16/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**14**[5]	NA	**14**
		WH	2/18/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**13**	<0.020	**13**
		WH	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**14**	<0.020	**14**
		WH	9/19/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**15**	<0.020	**15**
		WH	11/14/2005		<2.0	<2.0	<5.0	<2.0	<2.0	<5.0	<2.0	<5.0	NA	**14**	<0.020	**15**
		WH	1/26/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**13**	<0.020	**13**
		WH	4/7/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**15**	<0.020	**15**
		WH	9/28/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**14**	<0.020	**14**
		WH	11/16/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**14**	<0.020	**14**
		WH	4/27/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**9.7**	<0.020	**9.7**
		WH	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**13**	<0.010	**13**
		WH	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	**13**	<0.010	**13**
		WH	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	**13**	<0.010	**13**

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-1 WCS	5	5	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
	50	50	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	11/25/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	12/3/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**5.0**	<0.020	**5.0**
		50	3/29/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		50	8/24/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**4.7**	<0.020	**4.7**
		50	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**2.8**(5)	NA	**2.8**
		50	2/17/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**5.1**	<0.020	**5.1**
		50	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**4.0**	<0.020	**4.0**
		50	9/20/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**5.3**	<0.020	**5.3**
		50	11/15/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**6.6**	<0.020	**6.6**
		50	1/23/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**7.1**	<0.020	**7.1**
		50	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**6.5**	<0.020	**6.5**
		50	9/28/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**3.5**	<0.020	**3.5**
		50	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**3.3**	<0.020	**3.3**
		50	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**3.3**	<0.020	**3.3**
		50	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**3.0**	<0.010	**3.0**
		50	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	**6.8**	<0.010	**6.8**
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	**4.2**	<0.010	**4.2**
		50	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	**8.6**	<0.010	**8.6**
		50	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	**3.6**	<0.010	**3.6**
	104-106	104	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		105	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		106	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		106	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		107	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	<1.0	NA	NA
		106	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	**1.1**	NA	NA
		106	5/20/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	**2.5**	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-2 WCS	5	5	1/11/2002		**4.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	NA	NA	NA	NA
		5	1/28/2002		**3.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	NA	NA	NA	NA
		5	2/13/2002		**5.1**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.6**	NA	NA	NA	NA
		5	5/8/2002		**4.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.6**	**180**	NA	NA	NA
		5	8/8/2002		**3.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.7**	**180**	NA	NA	NA
		5	11/25/2002		**2.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**180**	NA	NA	NA
		5	3/19/2003		**1.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**180**	NA	NA	NA
		5	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/13/2007(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	25	25	9/21/2005		**0.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	11/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/3/2006(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	9/28/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.3**	<0.020	**1.3**
		25	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/13/2006(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	8/8/2007(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	1/11/2002		**7.6**	**0.5**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.0**	NA	NA	NA	NA
		50	1/28/2002		**13.0**	**0.8**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.4**	NA	NA	NA	NA
		50	2/13/2002		**13.0**	**1.0**	<0.50	<0.50	<0.50	<1.0	<0.50	**4.7**	NA	NA	NA	NA
		50	5/8/2002		**16.0**	**0.9**	<0.50	<0.50	<0.50	<1.0	<0.50	**4.5**	**160**	NA	NA	NA
		50	8/8/2002		**13.0**	**0.7**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.6**	**180**	NA	NA	NA
		50	11/25/2002		**10.0**	**0.62**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.1**	**170**	NA	NA	NA
		50	3/19/2003		**9.5**	**0.53**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.7**	**170**	NA	NA	NA
		50	12/2/2003		**18.0**	**1.3**	<0.50	<0.50	**0.58**	<3.0	<0.50	**12**	NA	**2.4**	<0.020	**2.4**
		50	3/29/2004		**17.0**	**1.4**	<0.50	<0.50	**0.61**	<3.0	<0.50	**12**	NA	NA	<0.020	**2.4**
		50	5/12/2004		**20.0**	**1.5**	<0.50	<0.50	**0.66**	<3.0	<0.50	**14**	NA	<2.5	NA	NA
		50	8/25/2004		**16.0**	**1.3**	<0.50	<0.50	**0.58**	<3.0	<0.50	**7.1**	NA	**2.9**	<0.020	**2.9**
		50	11/18/2004		**19.0**	**1.6**	<0.50	<0.50	**0.60**	<3.0	<0.50	**8.9**	NA	**2.4(5)**	NA	**2.4**
		50	2/18/2005		**9.4**	**1.3**	<1.0	<1.0	<1.0	<5.0	<1.0	**3.3**	NA	**2.6**	<0.020	**2.6**
		50	2/18/2005(2)		**9.4**	**1.3**	<1.0	<1.0	<1.0	<5.0	<1.0	**3.6**	NA	NA	NA	NA
		50	5/18/2005		**8.6**	**0.77**	<0.50	<0.50	<0.50	<3.0	<0.50	**4.9**	NA	**2.4**	<0.020	**2.4**
		50	9/21/2005		**3.4**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**3.1**	NA	**1.7**	<0.020	**1.7**
		50	11/17/2005		**1.4**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.6**	<0.020	**1.6**
		50	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.5**	<0.020	**1.5**
		50	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.5**	<0.020	**1.5**
		50	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.1**	NA	**1.5**	<0.020	**1.5**
		50	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.9**	<0.020	**1.9**
		50	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-2 WCS	100-107	100	1/11/2002		**8.2**	**0.5**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.0**	NA	NA	NA	NA
		104	1/28/2002		**12.0**	**0.6**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.8**	NA	NA	NA	NA
		105	2/13/2002		**8.3**	**0.6**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.4**	NA	NA	NA	NA
		105	5/8/2002		**7.6**	<0.5	<0.50	<0.50	<0.50	<1.0	<0.50	**2.3**	**150**	NA	NA	NA
		106	8/8/2002		**12.0**	**0.7**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.8**	**170**	NA	NA	NA
		106	11/25/2002		**11.0**	**0.58**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.0**	**170**	**1.6**	NA	NA
		107	3/19/2003		**8.7**	**0.51**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.8**	**170**	**1.7**	NA	NA
		105	5/20/2003		**11.0**	**0.7**	<0.50	<0.50	<0.50	<1.0	<0.50	**4.1**	**170**	**1.9**	NA	NA
		100	11/17/2005		**1.3**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		100	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-3 WCS	5	5	7/10/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		5	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
	50	50	7/10/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		50	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		50	12/3/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<0.50	<0.020	<0.50
		50	3/29/2004		**0.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	<0.020	<0.50
		50	3/29/2004 (2)		**0.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	<0.50
		50	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		50	8/24/2004		<5.0	<5.0	<5.0	<5.0	<5.0	<30	<5.0	<20	NA	NA	NA	NA
		50	11/17/2004		**0.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	2/17/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**0.73**	<0.020	**0.73**
		50	2/17/2005(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	5/17/2005		**1.1**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	9/21/2005(2)		**1.4**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.0**	NA	NA	NA	NA
		50	9/21/2005		**1.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/17/2005		**1.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.1**	NA	NA	NA	NA
		50	9/27/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/26/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	98-100	98	7/10/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		98	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		99	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		99	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		100	5/21/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		100	11/17/2005		**1.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		100	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
BP-4 WCS	5	5	1/11/2002		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	1/28/2002		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/13/2002		**1.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		5	5/7/2002		**1.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	**120**	NA	NA	NA
		5	8/7/2002		**2.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.5**	**160**	NA	NA	NA
		5	11/25/2002		**3.2**	**0.56**	<0.50	<0.50	<0.50	<1.0	<0.50	**1.9**	**170**	NA	NA	NA
		5	3/19/2003		**3.1**	**0.58**	<0.50	<0.50	<0.50	<1.0	<0.50	**1.9**	**170**	NA	NA	NA
		5	1/23/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
	50	50	1/11/2002		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	NA	NA	NA	NA
		50	1/28/2002		**1.1**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	NA	NA	NA	NA
		50	2/13/2002		**1.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		50	5/7/2002		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	**120**	NA	NA	NA
		50	8/7/2002		**4.4**	**0.7**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.5**	**130**	NA	NA	NA
		50	11/25/2002		**5.9**	**1.0**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.4**	**140**	NA	NA	NA
		50	3/19/2003		**10.0**	**2.0**	<0.50	<0.50	**1.2**	<1.0	<0.50	**6.4**	**170**	NA	NA	NA
		50	12/2/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.4**	<0.020	**1.4**
		50	3/29/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	**1.4**
		50	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		50	8/24/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.6**	<0.020	**1.6**
		50	11/18/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.9**[5]	NA	**1.9**
		50	2/17/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.7**	<0.020	**1.7**
		50	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.8**	<0.020	**1.8**
		50	9/20/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.3**	NA	**1.7**	<0.020	**1.7**
		50	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.8**	<0.020	**1.8**
		50	11/16/2005[2]		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/23/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.5**	<0.020	**1.5**
		50	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.4**	<0.020	**1.4**
		50	9/28/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.3**	<0.020	**1.3**
		50	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.3**	<0.020	**1.5**
		50	4/26/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.4**	NA	NA	NA	NA
		50	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	91-96	94	1/28/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		94	2/13/2002		**1.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		95	5/7/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		95	8/7/2002		**1.4**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.0**	**120**	NA	NA	NA
		91	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.1**	**130**	NA	NA	NA
		96	3/19/2003		**3.4**	**0.52**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.0**	**130**	NA	NA	NA
	97-103	99	1/11/2002		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		103	5/20/2003		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**190**	NA	NA	NA
		100	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		100	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
BP-5 WCS	5	5	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
	50	50	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		50	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		50	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		50	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		50	12/1/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<0.50	<0.020	<0.50
		50	3/29/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		50	8/24/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	2/16/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	5/18/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	9/21/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/15/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/23/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	9/27/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2006(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	100-102	100	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		100	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		101	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		101	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		102	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		102	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		101	5/20/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
	Grab		12/17/2009(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			2/18/2010(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			5/20/2010(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			8/18/2010(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			11/16/2010(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-7	5	5	1/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	8/5/2002		**1.1**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	1/27/2005		**16.0**	**3.4**	<0.50	<0.50	**1.8**	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	2/17/2005		**5.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.0**	NA	NA	NA	NA
		5	2/17/2005(2)		**2.8**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	3/14/2005		**9.6**	**2.3**	<0.50	<0.50	**1.2**	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	3/14/2005(2)		**7.2**	**2.0**	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/22/2005		**14.0**	**3.9**	<1.0	<1.0	**2.0**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/22/2005 (2)		**23.0**	**4.9**	<0.50	<1.0	**2.3**	<3.0	<0.5	<2.0	NA	NA	NA	NA
		5	5/18/2005		**24.0**	**5.4**	<0.50	<0.50	**2.8**	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	9/21/2005		**32.0**	**6.6**	<0.50	<0.50	**3.5**	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	11/18/2005		**28.0**	**6.1**	<0.50	<0.50	**2.7**	<2.0	<0.50	<1.0	NA	NA	NA	NA
		5	1/25/2006		**23.0**	**6.0**	<1.0	<1.0	**2.8**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/6/2006		**18.0**	**5.5**	<1.0	<1.0	**2.6**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	8/7/2007		**29.0**	**6.0**	<1.0	<1.0	**2.8**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/16/2007		**1.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/16/2007(2)		**2.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/8/2008		**1.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/8/2008(2)		**1.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/4/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/4/2008(2)	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	25	25	12/1/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.2**	<0.020	**1.2**
		25	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		25	11/17/2004		**13.0**	**3.3**	<0.50	<0.50	**1.8**	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	1/27/2005		**1.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	2/17/2005		**18.0**	**4.2**	<1.0	<1.0	**1.9**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	3/14/2005		**1.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	3/14/2005(2)		**1.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	3/14/2005(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/22/2005		**1.8**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/22/2005(2)		**2.6**	**0.58**	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	5/18/2005		**5.2**	**1.2**	<0.50	<0.50	**0.60**	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	5/18/2005(2)		**5.2**	**1.2**	<0.50	<0.50	**0.58**	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	9/21/2005		**33.0**	**6.8**	<0.50	<0.50	**3.6**	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	11/18/2005		**28.0**	**6.3**	<0.50	<0.50	**2.8**	<2.0	<0.50	<1.0	NA	NA	NA	NA
		25	1/25/2006		**25.0**	**5.6**	<1.0	<1.0	**2.8**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	1/25/2006(2)		**24.0**	**6.0**	<1.0	<1.0	**3.1**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/6/2006		**18.0**	**5.0**	<1.0	<1.0	**2.7**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/16/2006		**24.0**	**5.7**	<1.0	<1.0	**3.4**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/27/2007		**2.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	8/7/2007		**29.0**	**5.9**	<1.0	<1.0	**2.8**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	8/7/2007(2)		**28.0**	**6**	<1.0	<1.0	**2.7**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/16/2007		**1.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/8/2008		**1.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	11/4/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-7	50	50	1/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	11/18/2005		**23.0**	**5.1**	<0.50	<0.50	**2.3**	<2.0	<0.50	<1.0	NA	NA	NA	NA
		50	1/25/2006		**13.0**	**3.4**	<1.0	<1.0	**1.6**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/6/2006		**11.0**	**3.2**	<1.0	<1.0	**1.6**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/16/2006		**14.0**	**3.1**	<1.0	<1.0	**1.6**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/27/2007		<1.0	<1.0	<1.0	<1.0	**1.1**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/27/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	8/7/2007		**16.0**	**3.3**	<1.0	<1.0	**1.5**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/16/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/4/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	100-105	100	1/11/2002		<0.5	<0.5	<0.5	<0.5	<0.5	<1.0	<0.5	<0.5	NA	NA	NA	NA
		104	1/28/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		104	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		104	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		105	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		105	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		100	1/25/2006		**13.0**	**3.0**	<1.0	<1.0	**1.6**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		100	4/6/2006		**8.1**	**2.3**	<1.0	<1.0	**1.2**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		100	8/7/2007		**11.0**	**2.2**	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-8	5	5	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	1/27/2005		**2.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	2/18/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	3/14/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	3/14/2005(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/22/2005		**11.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**4.9**	NA	NA	NA	NA
		5	5/18/2005		**12.0**	**0.65**	<0.50	<0.50	<0.50	<3.0	<0.50	**4.4**	NA	NA	NA	NA
		5	9/21/2005		**4.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.9**	NA	NA	NA	NA
		5	11/18/2005		**15.0**	**1.0**	<0.50	<0.50	<0.50	<2.0	<0.50	**4.4**	NA	NA	NA	NA
		5	1/25/2006		**1.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/6/2006		**2.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.9**	NA	NA	NA	NA
		5	8/7/2007		**2.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**<5.0**	NA	NA	NA	NA
		5	11/16/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/4/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	25	25	12/1/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.6**	<0.020	**1.6**
		25	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		25	11/17/2004		**16.0**	**0.63**	<0.50	<0.50	<0.50	<3.0	<0.50	**5.0**	NA	NA	NA	NA
		25	1/27/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	1/27/2005 (2)		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	2/18/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	3/14/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	3/14/2005(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/22/2005		**9.8**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**3.7**	NA	NA	NA	NA
		25	4/22/2005(2)		**10.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**3.8**	NA	NA	NA	NA
		25	5/18/2005		**9.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**3.0**	NA	NA	NA	NA
		25	9/21/2005(2)		**15.0**	**0.92**	<0.50	<0.50	<0.50	<3.0	<0.50	**7.3**	NA	NA	NA	NA
		25	9/21/2005		**16.0**	**0.94**	<0.50	<0.50	<0.50	<3.0	<0.50	**7.2**	NA	NA	NA	NA
		25	11/18/2005		**14.0**	**0.92**	<0.50	<0.50	<0.50	<2.0	<0.50	**4.0**	NA	NA	NA	NA
		25	11/18/2005 (2)		**14.0**	**0.88**	<0.50	<0.50	<0.50	<2.0	<0.50	**3.9**	NA	NA	NA	NA
		25	1/25/2006		**10.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.3**	NA	NA	NA	NA
		25	4/6/2006		**9.1**	**1.1**	<1.0	<1.0	<1.0	<5.0	<1.0	**4.5**	NA	NA	NA	NA
		25	11/16/2006		**11.0**	**1.4**	<1.0	<1.0	<1.0	<5.0	<1.0	**3.4**	NA	NA	NA	NA
		25	4/27/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	8/7/2007		**14.0**	**1.6**	<1.0	1.1	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/16/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/8/2008(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	11/4/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	11/4/2008(2)	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-8	50	50	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	11/18/2005		**14.0**	**0.85**	<0.50	<0.50	<0.50	<2.0	<0.50	**3.8**	NA	NA	NA	NA
		50	1/25/2006		**8.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.0**	NA	NA	NA	NA
		50	4/6/2006		**4.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.2**	NA	NA	NA	NA
		50	11/16/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/16/2006(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/27/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/27/2007(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	8/7/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/16/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/4/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	96-100	97	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		96	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		97	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		97	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		97	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		97	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		100	1/25/2006		**4.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		100	4/6/2006		**3.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.6**	NA	NA	NA	NA
		100	4/6/2006(2)		**3.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.2**	NA	NA	NA	NA
		100	8/7/2007		**5.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-9	5	5	1/11/2002		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/13/2002		**1.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/8/2002		**2.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**210**	NA	NA	NA
		5	8/7/2002		**2.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**220**	NA	NA	NA
		5	3/19/2003		**2.1**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**2.4**	**220**	NA	NA	NA
		5	12/3/2003		**3.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.1**	NA	**1.6**	<0.020	NA
		5	5/12/2004		**2.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.3**	NA	<2.5	NA	NA
		5	11/18/2004		**3.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	5/17/2005		**3.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**4.5**	NA	NA	NA	NA
		5	11/18/2005		**3.8**	<0.50	<0.50	<0.50	<0.50	<2.0	<0.50	**2.7**	NA	NA	NA	NA
		5	4/6/2006		**3.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**3.4**	NA	NA	NA	NA
		5	11/15/2006		**3.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/26/2007		**4.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**4.9**	NA	NA	NA	NA
		5	11/16/2007		**3.7**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/9/2008		**3.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/4/2008	X	**4.8**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	1/11/2002		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/13/2002		**1.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/8/2002		**1.5**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	**190**	NA	NA	NA
		50	8/7/2002		**1.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.1**	**200**	NA	NA	NA
		50	3/19/2003		**1.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**2.1**	**190**	**5.1**	<0.020	NA
	100-108	100	1/11/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		107	2/13/2002		**1.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		108	5/8/2002		**1.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**180**	NA	NA	NA
		108	8/7/2002		**1.4**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.9**	**190**	NA	NA	NA
		108	3/19/2003		**1.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.9**	**190**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-10	5	5	12/12/2001		**49.0**	**2.5**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.1**	NA	NA	NA	NA
		5	1/2/2002		**46.0**	**2.2**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.2**	NA	NA	NA	NA
		5	2/14/2002		**43.0**	**2.1**	<0.50	<0.50	<0.50	<1.0	<0.50	**4.4**	NA	NA	NA	NA
		5	5/9/2002		**36.0**	**1.2**	<0.50	<0.50	<0.50	<1.0	<0.50	**4.0**	**230**	NA	NA	NA
		5	8/8/2002		**20.0**	**0.6**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.5**	**220**	NA	NA	NA
		5	3/19/2003		**8.5**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**3.0**	**210**	NA	NA	NA
		5	11/15/2007		**3.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/10/2008		**3.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/5/2008	X	**4.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	25	25	12/3/2003		**7.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**4.1**	NA	NA	NA	NA
		25	5/13/2004		**5.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**4.0**	NA	<2.5	NA	NA
		25	5/13/2004 (2)		**6.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**4.0**	NA	<2.5	NA	NA
		25	11/19/2004		**6.3**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.2**	NA	NA	NA	NA
		25	11/19/2004 (2)		**6.1**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.3**	NA	NA	NA	NA
		25	5/17/2005		**5.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.6**	NA	NA	NA	NA
		25	11/18/2005		**4.9**	<0.50	<0.50	<0.50	<0.50	<2.0	<0.50	**2.4**	NA	NA	NA	NA
		25	4/6/2006		**2.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.3**	NA	NA	NA	NA
		25	11/15/2006		**3.7**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.6**	NA	NA	NA	NA
		25	4/26/2007		**4.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**<1.0**	NA	NA	NA	NA
		25	11/15/2007		**2.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/10/2008		**2.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	11/5/2008	X	**3.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	12/12/2001		**50.0**	**2.5**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.1**	NA	NA	NA	NA
		50	1/2/2002		**49.0**	**2.2**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.2**	NA	NA	NA	NA
		50	2/14/2002		**47.0**	**2.0**	<0.50	<0.50	<0.50	<1.0	<0.50	**4.4**	NA	NA	NA	NA
		50	5/9/2002		**38.0**	**1.2**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.8**	**230**	NA	NA	NA
		50	8/8/2002		**28.0**	**0.8**	<0.50	<0.50	<0.50	<1.0	<0.50	**4.1**	**220**	NA	NA	NA
		50	3/19/2003		**8.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**3.1**	**200**	NA	NA	NA
		50	11/18/2005		**4.7**	<0.50	<0.50	<0.50	<0.50	<2.0	<0.50	**2.3**	NA	NA	NA	NA
		50	11/18/2005 (2)		**4.8**	<0.50	<0.50	<0.50	<0.50	<2.0	<0.50	**2.0**	NA	NA	NA	NA
		50	4/6/2006		**3.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**3.0**	NA	NA	NA	NA
		50	11/15/2006		**3.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.2**	NA	NA	NA	NA
		50	4/26/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/15/2007		**2.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/10/2008		**2.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/5/2008	X	**2.7**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	99-100	100	12/14/2001		**46.0**	**2.4**	<0.50	<0.50	<0.50	<1.0	<0.50	**2.2**	NA	NA	NA	NA
		100	1/2/2002		**49.0**	**2.2**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.2**	NA	NA	NA	NA
		99	2/14/2002		**45.0**	**2.0**	<0.50	<0.50	<0.50	<1.0	<0.50	**4.3**	NA	NA	NA	NA
		100	5/9/2002		**36.0**	**1.2**	<0.50	<0.50	<0.50	<1.0	<0.50	**3.9**	**230**	NA	NA	NA
		99	8/8/2002		**28.0**	**0.8**	<0.50	<0.50	<0.50	**1.0**	<0.50	**4.1**	**210**	NA	NA	NA
		99	3/19/2003		**8.4**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**3.1**	**200**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-11	17-19	18	9/13/2001		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	NA	NA	NA	NA
		18	11/6/2001		**1.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.7**	NA	NA	NA	NA
		18	2/13/2002		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.7**	NA	NA	NA	NA
		19	12/3/2003		**0.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**4.6**	<0.020	**4.6**
		18	5/12/2004		**0.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**0.83**	NA	<2.5	NA	NA
		17	11/18/2004		**5.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**4.0**	NA	NA	NA	NA
		18	5/17/2005		**0.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		18	5/17/2005		**0.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		18	11/17/2005		**0.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		18	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		18	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		18	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		18	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		18	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		18	10/30/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	63	63	9/13/2001		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	NA	NA	NA	NA
	50	50	11/6/2001		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		50	2/13/2002		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.7**	NA	NA	NA	NA
		50	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**210**	NA	NA	NA
		50	8/7/2002		<0.5	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.5	**210**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.58**	**210**	NA	NA	NA
	108-110	110	9/13/2001		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	NA	NA	NA	NA
		108	11/6/2001		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		108	2/13/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		109	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**210**	NA	NA	NA
		108	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**210**	NA	NA	NA
		108	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.56**	**220**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-15	5	5	12/12/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		5	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	12/1/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.9**	<0.020	**1.9**
		5	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		5	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	5/18/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	12/12/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	12/1/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		50	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/18/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	96-100	100	12/12/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		96	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		97	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**190**	NA	NA	NA
		97	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		98	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-16 WCS	5	5	7/10/2002		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	8/6/2002		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		5	3/18/2003		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**180**	NA	NA	NA
		5	12/1/2003		**1.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**4.4**	<0.020	**4.4**
		5	5/12/2004		**1.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		5	8/25/2004		**2.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	11/18/2004		**2.3**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	11/18/2004(2)		**2.4**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	2/17/2005		**1.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	5/17/2005		**1.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	9/21/2005		**3.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**3.4**	NA	NA	NA	NA
		5	11/17/2005		**1.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<4.0	NA	NA	NA	NA
		5	1/24/2006		**1.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.1**	NA	NA	NA	NA
		5	4/5/2006		**1.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.2**	NA	NA	NA	NA
		5	11/15/2006		**2.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.6**	NA	NA	NA	NA
		5	2/5/2007		**2.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/26/2007		**2.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.5**	NA	NA	NA	NA
		5	8/8/2007		**2.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/12/2007		**1.7**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/7/2008		**2.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	10/30/2008	X	**1.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	7/10/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	8/6/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**170**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**180**	NA	NA	NA
		50	12/1/2003		**0.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	3/30/2004		**0.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/12/2004		**0.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		50	8/25/2004		**0.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/18/2004		**1.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	2/17/2005		**2.7**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.6**	NA	NA	NA	NA
		50	5/17/2005		**1.1**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	9/21/2005		**1.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**3.0**	NA	NA	NA	NA
		50	11/17/2005		**1.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<4.0	NA	NA	NA	NA
		50	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/15/2006		**1.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.1**	NA	NA	NA	NA
		50	2/5/2007		**1.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.2**	NA	NA	NA	NA
		50	4/26/2007		**1.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**3.0**	NA	NA	NA	NA
		50	8/8/2007		**1.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/7/2008		**1.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	10/30/2008	X	**1.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	100	100	7/10/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		100	8/6/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**180**	NA	NA	NA
		100	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**180**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-19	5	5	2/24/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
	25	25	12/1/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<0.50	<0.020	<0.50
		25	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		25	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	2/24/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
	101	101	2/24/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		101	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-20 WCS	5	5	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
	25	25	9/21/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	11/15/2005		**0.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/4/2006(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	9/27/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	9/27/2006(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	7/28/2008(2)	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	9/21/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/15/2005		**0.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	8/8/2007(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	75	75	11/15/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
BP-21 WCS	5	5	1/25/2006		2.8	<1.0	<1.0	<1.0	<1.9	<5.0	<1.0	1.4	NA	NA	NA	NA
		5	11/19/2007		8.3	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/8/2008		9.3	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	5.0	NA	NA	NA	NA
		5	4/8/2008[2]		9.3	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	5.4	NA	NA	NA	NA
		5	7/29/2008	X	6.9	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	6.6	NA	NA	NA	NA
		5	7/29/2008[2]	X	7.6	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	6.8	NA	NA	NA	NA
		5	10/31/2008	X	7.8	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	6.1	NA	NA	NA	NA
		5	10/31/2008[2]	X	7.6	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	25	25	9/21/2005		5.8	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	4.0	NA	NA	NA	NA
		25	11/17/2005		3.8	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	2.9	NA	NA	NA	NA
		25	1/25/2006		3.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	1.4	NA	NA	NA	NA
		25	4/5/2006		4.2	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	9/27/2006		2.8	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/16/2006		4.6	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	2.9	NA	NA	NA	NA
		25	2/5/2007		6.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	3.7	NA	NA	NA	NA
		25	4/26/2007		7.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	2.7	NA	NA	NA	NA
		25	8/9/2007		6.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	11/19/2007		7.9	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/8/2008		9.8	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	5.0	NA	NA	NA	NA
		25	7/29/2008	X	7.9	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	7.0	NA	NA	NA	NA
		25	10/31/2008	X	7.7	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	9/21/2005		5.4	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	3.4	NA	NA	NA	NA
		50	11/17/2005		2.5	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/17/2005 [2]		2.4	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/25/2006		2.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/5/2006		3.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	2.7	NA	NA	NA	NA
		50	11/16/2006		5.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	2.6	NA	NA	NA	NA
		50	2/5/2007		6.3	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	3.4	NA	NA	NA	NA
		50	2/5/2007 [2]		6.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	4.2	NA	NA	NA	NA
		50	4/26/2007		8.2	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	3.2	NA	NA	NA	NA
		50	8/9/2007		6.4	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/19/2007		7.8	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		9.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	5.2	NA	NA	NA	NA
		50	7/29/2008	X	7.4	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	6.3	NA	NA	NA	NA
		50	10/31/2008	X	7.9	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	75	75	11/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
	100	100	10/31/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	Purge		11/19/2007[11]		6.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
			11/19/2007[2,11]		8.2	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	Grab		5/20/2009[7]		6.9	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	4.3	NA	NA	NA	NA
			8/19/2009[7]		6.1	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	3.0	NA	NA	NA	NA
			8/19/2009[2][7]		5.9	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	2.8	NA	NA	NA	NA
			11/23/2009[7]		6.0	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.8	NA	NA	NA	NA
			2/18/2010[7]		6.7	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	3.7	NA	NA	NA	NA
			5/20/2010[7]		5.1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.1	NA	NA	NA	NA
			8/18/2010[7]		4.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.6	NA	NA	NA	NA
			11/16/2010[7]		4.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.3	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-22	5	5	5/24/2006		**2.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	9/28/2006		**1.2**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
	25	25	5/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	9/28/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/25/2007[2]		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	10/30/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	5/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	9/28/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	75	75	5/24/2006		**1.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		75	9/28/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		75	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		75	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		75	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-23	5	5	5/24/2006		**22.0**	**1.0**	<1.0	<1.0	<1.0	<5.0	<1.0	**4.5**	NA	NA	NA	NA
		5	9/28/2006		**11.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
	25	25	5/24/2006		**21.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**4.4**	NA	NA	NA	NA
		25	9/28/2006		**12.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/16/2006		**21.0**	**1.1**	<1.0	<1.0	<1.0	<5.0	<1.0	**5.0**	NA	NA	NA	NA
		25	4/27/2007		**24**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**6.5**	NA	NA	NA	NA
		25	11/20/2007		**18**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/10/2008		**23**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**5.2**	NA	NA	NA	NA
		25	11/4/2008	X	**19**	**2.8**	<1.0	<1.0	**2.2**	<5.0	<1.0	**14**	NA	NA	NA	NA
		25	11/4/2008(2)	X	**32**	**1.8**	<1.0	<1.0	<1.0	<5.0	<1.0	**8.4**	NA	NA	NA	NA
	50	50	5/24/2006		**21.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**4.7**	NA	NA	NA	NA
		50	9/28/2006		**12.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/16/2006(2)		**20.0**	**1.0**	<1.0	<1.0	<1.0	<5.0	<1.0	**5.3**	NA	NA	NA	NA
		50	11/16/2006		**20.0**	**1.1**	<1.0	<1.0	<1.0	<5.0	<1.0	**4.9**	NA	NA	NA	NA
		50	4/27/2007		**24**	**1.2**	<1.0	<1.0	<1.0	<5.0	<1.0	**6.3**	NA	NA	NA	NA
		50	11/20/2007		**24**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**6.6**	NA	NA	NA	NA
			4/10/2008		**23**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0				
	75	75	5/24/2006		**20.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**3.9**	NA	NA	NA	NA
		75	9/28/2006		**13.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		75	11/16/2006		**21.0**	**1.0**	<1.0	<1.0	<1.0	<5.0	<1.0	**5.1**	NA	NA	NA	NA
		75	4/27/2007		**29**	**1.1**	<1.0	<1.0	<1.0	<5.0	<1.0	**6.4**	NA	NA	NA	NA
		75	11/20/2007		**24**	**1.1**	<1.0	<1.0	<1.0	<5.0	<1.0	**7.2**	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-24A	5	5	1/21/2008		**31**	**5.1**	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/9/2008		**30**	**5.2**	<1.0	<1.0	<1.0	<5.0	<1.0	**5.8**	NA	NA	NA	NA
		5	7/29/2008	X	**30**	**4.7**	<1.0	<1.0	<1.0	<5.0	<1.0	**14**	NA	NA	NA	NA
		5	7/29/2008[2]	X	**32**	**4.9**	<1.0	<1.0	<1.0	<5.0	<1.0	**16**	NA	NA	NA	NA
		5	11/5/2008	X	**22**	**3.8**	<1.0	<1.0	<1.0	<5.0	<1.0	**11**	NA	NA	NA	NA
	10	10	1/21/2008		NA	NA	NA	NA	NA	NA	NA	NA	**170**	**1.9**	<0.10	NA
	15-20	20	1/21/2008		**33**	**4.9**	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		20	1/21/2008[2]		**34**	**5.2**	<1.0	<1.0	<1.0	<5.0	<1.0	**5.1**	NA	NA	NA	NA
		20	4/9/2008		**29**	**4.9**	<1.0	<1.0	<1.0	<5.0	<1.0	**7.7**	NA	NA	NA	NA
		15	11/5/2008	X	**23**	**4.0**	<1.0	<1.0	<1.0	<5.0	<1.0	**12**	NA	NA	NA	NA
BP-24B	50	50	1/21/2008		**9.4**	**3.1**	<1.0	<1.0	**1.6**	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/9/2008		**15**	**4.8**	<1.0	<1.0	**2.7**	<5.0	<1.0	**21**	NA	NA	NA	NA
		50	4/9/2008[2]		**10**	**3.9**	<1.0	<1.0	**2.0**	<5.0	<1.0	**10**	NA	NA	NA	NA
		50	11/5/2008	X	**19**	**6.2**	<1.0	<1.0	**3.4**	<5.0	<1.0	**24**	NA	NA	NA	NA
		50	11/5/2008[2]	X	**18**	**5.8**	<1.0	<1.0	**3.5**	<5.0	<1.0	**25**	NA	NA	NA	NA
	60	60	1/21/2008		NA	NA	NA	NA	NA	NA	NA	NA	**140**	**0.97**	<0.10	NA
	70	70	1/21/2008		**7.8**	**2.4**	<1.0	<1.0	**1.2**	<5.0	<1.0	<5.0	NA	NA	NA	NA
		70	4/9/2008		**7.6**	**2.5**	<1.0	<1.0	**1.5**	<5.0	<1.0	**8.6**	NA	NA	NA	NA
		70	11/5/2008	X	**8.4**	**2.9**	<1.0	<1.0	**1.5**	<5.0	<1.0	**14**	NA	NA	NA	NA
BP-24C	105	105	1/21/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		105	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		105	11/5/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	115	115	1/21/2008		NA	NA	NA	NA	NA	NA	NA	NA	**110**	**0.95**	<0.10	NA
	125	125	1/21/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		125	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		125	11/5/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
BP-25	5	5	6/2/2008		1.7	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/4/2008	X	**4.5**	<1.0	<1.0	<1.0	**1.8**	<5.0	<1.0	<5.0	NA	NA	NA	NA
	30	30	6/2/2008		**16**	**2.4**	<1.0	<1.0	**2.4**	<5.0	<1.0	<5.0	NA	NA	NA	NA
		30	6/2/2008(2)		**14**	**2.1**	<1.0	<1.0	**2.0**	<5.0	<1.0	<5.0	NA	NA	NA	NA
		30	11/4/2008	X	**23**	**3.4**	<1.0	<1.0	**2.6**	<5.0	<1.0	**16**	NA	NA	NA	NA
		30	11/4/2008(2)	X	**23**	**3.4**	<1.0	<1.0	**2.8**	<5.0	<1.0	**17**	NA	NA	NA	NA
	55	55	6/2/2008		**12**	**1.8**	<1.0	<1.0	**1.8**	<5.0	<1.0	<5.0	NA	NA	NA	NA
		55	11/4/2008	X	**34**	**1.8**	<1.0	<1.0	<1.0	<5.0	<1.0	**9.0**	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
C-022A	5	5	11/6/2001		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/13/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	NA	NA	NA	NA
		5	5/8/2002		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**110**	NA	NA	NA
		5	8/7/2002		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	**110**	NA	NA	NA
		5	3/19/2003		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.79**	**100**	NA	NA	NA
		5	7/30/2001(1)		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
	22-25	25	12/3/2003		**0.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**0.61**	<0.020	NA
		25	5/13/2004		**0.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		25	11/19/2004		**1.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	5/18/2005		**2.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.7**	NA	NA	NA	NA
		25	11/17/2005		**3.8**	**0.51**	<0.50	<0.50	<0.50	<3.0	<0.50	**6.2**	NA	NA	NA	NA
		25	4/6/2006		**2.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**3.5**	NA	NA	NA	NA
		25	11/15/2006		**4.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**6.5**	NA	NA	NA	NA
		25	11/15/2006(2)		**4.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**6.3**	NA	NA	NA	NA
		25	4/26/2007		**5.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**5.8**	NA	NA	NA	NA
		25	11/15/2007		**8.9**	1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**14**	NA	NA	NA	NA
		22	4/9/2008		**7.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**5.7**	NA	NA	NA	NA
		25	11/5/2008	X	**9.4**	**1.2**	<1.0	<1.0	<1.0	<5.0	<1.0	**8.8**	NA	NA	NA	NA
	50	50	5/12/2004		**0.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
C-026A WCS	5	5	8/2/2001		**5.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**2.0**	NA	NA	NA	NA
		5	11/7/2001		**5.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.7**	NA	NA	NA	NA
		5	2/13/2002		**5.5**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**2.2**	NA	NA	NA	NA
		5	5/8/2002		**3.5**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.0**	**130**	NA	NA	NA
		5	8/7/2002		**5.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.8**	**130**	NA	NA	NA
		5	11/26/2002		**5.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.8**	**130**	NA	NA	NA
		5	3/19/2003		**5.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.8**	**110**	NA	NA	NA
		5	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	10	10	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	20	20	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	25	25	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	30	30	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	40	40	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	49-50	50	8/2/2001		**5.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.7**	NA	NA	NA	NA
		50	11/7/2001		**5.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.7**	NA	NA	NA	NA
		50	11/7/2001		**5.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.7**	NA	NA	NA	NA
		50	2/13/2002		**5.1**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**2.1**	NA	NA	NA	NA
		50	5/8/2002		**3.4**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.1**	**130**	NA	NA	NA
		49	8/7/2002		**5.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.7**	**130**	NA	NA	NA
		50	11/26/2002		**5.5**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.9**	**140**	NA	NA	NA
		50	3/19/2003		**5.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.8**	**130**	NA	NA	NA
		50	12/2/2003		**0.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**4.8**	<0.020	NA
		50	3/29/2004		**0.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	**4.8**
		50	3/29/2004(2)		**0.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	**4.8**
		50	8/24/2004		**0.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	2/17/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	9/20/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/15/2005		0.8	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/3/2006(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	9/27/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/26/2007		**9.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**3.2**	NA	NA	NA	NA
		50	8/9/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	8/9/2007(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	7/28/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	60	60	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	70	70	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	80	80	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	90	90	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	95	95	11/7/2001		**5.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.7**	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
C-026A WCS	100	100	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	110	110	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	120	120	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	130	130	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	140	140	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	150-153	150	8/2/2001		**4.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.8**	NA	NA	NA	NA
		151	2/13/2002		**5.4**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**2.2**	NA	NA	NA	NA
		152	5/8/2002		**3.4**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.9**	**130**	NA	NA	NA
		152	8/7/2002		**5.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.6**	**130**	NA	NA	NA
		153	11/26/2002		**5.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.9**	**130**	<1.0	NA	NA
		153	3/19/2003		**4.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.7**	**110**	<1.0	NA	NA
		150	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	160	160	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	170	170	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	180	180	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	190	190	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	196	196	10/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	202	202	5/21/2003		**1.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.5	**140**	**3.8**	NA	NA
C-026B WCS	WH	WH	12/2/2003		**3.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**0.94**	<0.020	**0.94**
		WH	3/29/2004		**3.1**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	5/12/2004		**3.3**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	8/24/2004		**3.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.2**	<0.020	**1.2**
		WH	11/17/2004		**4.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.0**(5)	NA	**1.0**
		WH	2/17/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**0.99**	<0.020	**0.99**
		WH	5/17/2005		**3.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.5**	NA	**1.2**	<0.020	**1.2**
		WH	9/20/2005(2)		**3.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.9**	NA	NA	NA	NA
		WH	9/20/2005		**3.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.9**	NA	**1.1**	<0.020	**1.1**
		WH	11/14/2005		**2.7**	<2.0	<5.0	<2.0	<2.0	<5.0	2	<5.0	NA	**1.2**	<0.020	**1.2**
		WH	1/26/2006		**1.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.1**	<0.020	**1.1**
		WH	1/26/2006(2)		**1.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.2**	<0.020	**1.2**
		WH	4/7/2006		**1.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	**1.2**	<0.010	**1.2**
		WH	11/14/2006(8)		NS	NS	NS	NS	NS	NS	NS	NS	NA	NS	NS	NS
		WH	4/26/2007		**3.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		WH	8/7/2007		**1.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	8/16/2007(13)		**1.4**	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
		WH	9/27/2007(14)		**7.1**	**0.62**	NA	NA	NA	NA	NA	3.7	NA	NA	NA	NA
		WH	9/27/2007(15)		**5.3**	<0.5	NA	NA	NA	NA	NA	2.2	NA	NA	NA	NA
		WH	11/14/2007		**1.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	7/29/2008	X	**1.0**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	11/5/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	93	93	11/26/2002		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**78**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
C-056A	5	5	8/2/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/5/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**90**	NA	NA	NA
		5	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**90**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**90**	NA	NA	NA
	50	50	8/2/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	11/5/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**94**	NA	NA	NA
		50	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**90**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**92**	NA	NA	NA
		50	12/3/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<0.50	<0.020	<0.50
		50	12/3/2003 (2)		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
	158-162	158	8/2/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		159	11/5/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		159	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		161	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**96**	NA	NA	NA
		161	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**94**	NA	NA	NA
		162	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**94**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
C-058A WCS	5	5	8/2/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/5/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
	50	50	8/2/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	11/5/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		50	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	2/17/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	9/20/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/16/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	139-143	139	8/2/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		140	11/5/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		142	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		143	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
	148	148	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
D-021A	1	1.3	2/13/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
	5	5	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/14/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/14/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/13/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<2.0	NA	NA	NA	NA
		5	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/16/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	10/30/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	10/30/2008(2)	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	25	25	12/2/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**0.82**	<0.020	**0.82**
		25	5/13/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		25	11/19/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/16/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	11/14/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/13/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		50	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
	105	105	11/14/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
	130	130	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		130	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
	159	159	11/14/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
D-022A	5	5	8/1/2001(1)		**120.0**	**18.0**	<0.50	<0.50	**10.0**	<1.0	<0.50	**5.3**	NA	NA	NA	NA
		5	11/7/2001		**110.0**	**18.0**	<0.50	<0.50	**10.0**	<1.0	<0.50	**4.7**	NA	NA	NA	NA
		5	2/13/2002		**110.0**	**18.0**	<0.50	<0.50	**9.1**	<1.0	<0.50	**5.5**	NA	NA	NA	NA
		5	5/8/2002		**110.0**	**19.0**	<0.50	<0.50	**11.0**	<1.0	<0.50	**5.3**	**230**	NA	NA	NA
		5	8/8/2002		**120.0**	**20.0**	<0.50	<0.50	**9.8**	<1.0	**1.7**	**5.5**	**250**	NA	NA	NA
		5	3/20/2003		**110.0**	**20.0**	<0.50	<0.50	**12.0**	<1.0	<0.50	**5.8**	**220**	NA	NA	NA
		5	12/3/2003		**85.0**	**21.0**	<0.50	<0.50	**14.0**	<3.0	<0.50	**11**	NA	<0.50	<0.020	NA
		5	5/13/2004		**83.0**	**20**	<0.50	<0.50	**13**	<3.0	0.60	**10**	NA	<2.5	NA	NA
		5	11/19/2004		**79.0**	**20**	<0.50	<0.50	**15**	<3.0	0.62	**8**	NA	NA	NA	NA
		5	5/18/2005		**72.0**	**20**	<0.50	<0.50	**14**	<3.0	<0.50	**9.2**	NA	NA	NA	NA
		5	11/21/2005		**69.0**	**19**	<0.50	<0.50	**16**	<3.0	**0.66**	**9.1**	NA	NA	NA	NA
		5	1/26/2006		**51.0**	**15.0**	<1.0	<1.0	**13.0**	<5.0	<1.0	**4.6**	NA	NA	NA	NA
		5	4/7/2006		**48.0**	**15.0**	<1.0	<1.0	**12.0**	<5.0	<1.0	**8.8**	NA	NA	NA	NA
		5	11/17/2006		**72.0**	**20.0**	<1.0	<1.0	**15.0**	<5.0	<1.0	**7.6**	NA	NA	NA	NA
		5	4/30/2007		**70**	**18**	<1.0	<1.0	**13**	<5.0	<1.0	**6.8**	NA	NA	NA	NA
		5	4/30/2007(2)		**76**	**18**	<1.0	<1.0	**13**	<5.0	<1.0	**7.6**	NA	NA	NA	NA
		5	11/20/2007		**53**	**14**	<1.0	<1.0	**13**	<5.0	<1.0	**7.6**	NA	NA	NA	NA
		5	4/10/2008		**51**	**11**	<1.0	<1.0	**7.6**	<5.0	<1.0	**6.2**	NA	NA	NA	NA
		5	4/10/2008(2)		**49**	**11**	<1.0	<1.0	**8.4**	<5.0	<1.0	**7.2**	NA	NA	NA	NA
		5	11/5/2008	X	**45**	**11**	<1.0	<1.0	**8.0**	<5.0	<1.0	**5.1**	NA	NA	NA	NA
		5	11/5/2008(2)	X	**46**	**11**	<1.0	<1.0	**8.5**	<5.0	<1.0	**5.3**	NA	NA	NA	NA
	25	25	11/21/2005		**71.0**	**19**	<0.50	<0.50	**16**	<3.0	**0.64**	**9.3**	NA	NA	NA	NA
		25	1/26/2006		**55.0**	**15.0**	<1.0	<1.0	**12.0**	<5.0	<1.0	**4.7**	NA	NA	NA	NA
	50	50	8/1/2001(1)		**110.0**	**19.0**	<0.50	<0.50	**11.0**	<1.0	<0.50	**5.4**	NA	NA	NA	NA
		50	11/7/2001		**110.0**	**19.0**	<0.50	<0.50	**10.0**	<1.0	<0.50	**4.8**	NA	NA	NA	NA
		50	2/13/2002		**110.0**	**19.0**	<0.50	<0.50	**11.0**	<1.0	<0.50	**5.9**	NA	NA	NA	NA
		50	5/8/2002		**110.0**	**19.0**	<0.50	<0.50	**11.0**	<1.0	<0.50	**5.2**	**230**	NA	NA	NA
		50	8/8/2002		**120.0**	**18.0**	<0.50	<0.50	**8.5**	<1.0	**1.5**	**5.3**	**250**	NA	NA	NA
		50	3/20/2003		**99.0**	**19.0**	<0.50	<0.50	**12.0**	<1.0	<0.50	**5.7**	**220**	NA	NA	NA
	100-104	104	8/1/2001(1)		**110.0**	**21.0**	<0.50	<0.50	**12.0**	<1.0	<0.50	**5.8**	NA	NA	NA	NA
		103	11/7/2001		**110.0**	**20.0**	<0.50	<0.50	**11.0**	<1.0	<0.50	**5.0**	NA	NA	NA	NA
		100	2/13/2002		**110.0**	**19.0**	<0.50	<0.50	**10.0**	<1.0	<0.50	**5.7**	NA	NA	NA	NA
		100	5/8/2002		**100.0**	**19.0**	<0.50	<0.50	**11.0**	<1.0	<0.50	**5.2**	**230**	NA	NA	NA
		100	8/8/2002		**110.0**	**20.0**	<0.50	<0.50	**12.0**	<1.0	**0.6**	**5.6**	**250**	NA	NA	NA
		100	3/20/2003		**97.0**	**20.0**	<0.50	<0.50	**11.0**	<1.0	<0.50	**5.4**	**230**	NA	NA	NA
		100	4/7/2006		**46.0**	**14.0**	<1.0	<1.0	**11.0**	<5.0	<1.0	**8.8**	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
D-039A	5	5	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.0**	NA	NA	NA	NA
		5	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.7**	NA	NA	NA	NA
		5	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.5	NA	NA	NA	NA
		5	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.5	**150**	NA	NA	NA
		5	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**160**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**160**	NA	NA	NA
	10	10	12/2/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**3.8**	<0.020	**3.8**
		10	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		10	11/18/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		10	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		10	11/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		10	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		10	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		10	4/23/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		10	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		10	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		10	10/30/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
D-040A	5	5	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/7/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
	10	10	12/2/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**5.5**	<0.020	**5.5**
		10	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		10	11/18/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		10	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		10	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		10	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		10	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		10	4/23/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		10	11/12/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		10	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		10	10/30/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	11/7/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		50	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
	95-97	95	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		95	11/7/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		97	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		98	5/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		96	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		97	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
R-068A	5	5	2/14/2002		**290.0**	**68.0**	<0.50	**1.7**	**77.0**	**3.1**	**3.0**	**10.0**	NA	NA	NA	NA
		5	5/9/2002		**260.0**	**62.0**	<0.50	**1.8**	**81.0**	**1.9**	**2.8**	**8.3**	**490**	NA	NA	NA
		5	8/8/2002		**230.0**	**53.0**	<0.50	**1.4**	**70.0**	<1.0	**2.6**	**8.2**	**440**	NA	NA	NA
		5	3/20/2003		**220.0**	**49.0**	<0.50	**0.81**	**76.0**	<1.0	**2.1**	**6.9**	**460**	NA	NA	NA
		5	12/3/2003		**160.0**	**46.0**	<0.50	**0.83**	**70.0**	<3.0	**2**	**13**	NA	**1.1**	<0.020	NA
		5	5/13/2004		**150.0**	**39.0**	<0.50	**0.66**	**57**	<3.0	**1.7**	**11**	NA	<2.5	NA	NA
		5	11/19/2004		**120.0**	**33.0**	<0.50	<0.50	**48**	<3.0	**1.4**	**7.1**	NA	NA	NA	NA
		5	5/18/2005		**110.0**	**32**	<0.50	**0.52**	**42**	<3.0	**1.3**	**8.7**	NA	NA	NA	NA
		5	11/21/2005		**45.0**	**18**	<0.50	**0.59**	**75**	<3.0	**1.2**	**4.2**	NA	NA	NA	NA
		5	4/6/2006		**73.0**	**21.0**	<1.0	<1.0	**28.0**	<5.0	<1.0	**7.0**	NA	NA	NA	NA
		5	11/17/2006		**92.0**	**22.0**	<1.0	<1.0	**28.0**	<5.0	**1.1**	**6.1**	NA	NA	NA	NA
		5	4/30/2007		**100**	**23**	<1.0	<1.0	**28**	<5.0	**1.1**	**6.6**	NA	NA	NA	NA
		5	11/20/2007		**99**	**22**	<1.0	<1.0	**29**	<5.0	<1.0	**8.9**	NA	NA	NA	NA
		5	4/10/2008		**110**	**22**	<1.0	<1.0	**23**	<5.0	<1.0	**5.8**	NA	NA	NA	NA
		5	11/6/2008	X	**86**	**18**	<1.0	<1.0	**22**	<5.0	<1.0	**7.4**	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
R-069B	5	5	2/14/2002		**58.0**	**18.0**	**3.1**	**1.5**	**5.3**	**5.8**	**0.8**	**37.0**	NA	NA	NA	NA
		5	5/9/2002		**53.0**	**18.0**	**3.1**	**1.7**	**5.6**	**6.0**	**0.8**	**30.0**	**490**	NA	NA	NA
		5	8/8/2002		**53.0**	**18.0**	**3.3**	**2.2**	**5.8**	**7.1**	**0.9**	**29.0**	**280**	NA	NA	NA
		5	3/20/2003		**36.0**	**12.0**	**1.0**	**0.9**	**4.1**	**2.9**	<0.50	**21.0**	**410**	NA	NA	NA
		5	12/3/2003		**31.0**	**11.0**	<0.50	<0.50	**4.5**	<3.0	<0.50	**25.0**	NA	**1.6**	<0.020	NA
		5	5/13/2004		**19.0**	**6.3**	<0.50	<0.50	**2.9**	<3.0	<0.50	**25**	NA	<2.5	NA	NA
		5	11/19/2004		**15.0**	**5.4**	<0.50	<0.50	**2.8**	<3.0	<0.50	**10**	NA	NA	NA	NA
		5	5/18/2005		**7.4**	**2.2**	<0.50	<0.50	**0.94**	<3.0	<0.50	**5.9**	NA	NA	NA	NA
		5	11/21/2005		**16.0**	**6.4**	<0.50	<0.50	**4.2**	<3.0	<0.50	**8.7**	NA	NA	NA	NA
		5	4/6/2006		**6.2**	**3.2**	<1.0	<1.0	**2.0**	<5.0	<1.0	**3.8**	NA	NA	NA	NA
		5	11/16/2006		**10.0**	**3.7**	<1.0	<1.0	**2.8**	<5.0	<1.0	**3.2**	NA	NA	NA	NA
		5	4/27/2007		**9.3**	**3.3**	<1.0	<1.0	**3.0**	<5.0	<1.0	**<1.0**	NA	NA	NA	NA
		5	11/16/2007		**5.7**	**2.2**	<1.0	<1.0	**2.3**	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/10/2008		**7.4**	**2.8**	<1.0	<1.0	**3.0**	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/6/2008	X	**1.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
R-090A WCS	53	53	11/25/2002		<0.50	**0.85**	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
R-091A WCS	60	60	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
R-092A WCS	WH	WH	12/3/2003		**4.9**	**0.58**	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.7**	**0.11**	NA
		WH	3/29/2004		**3.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	5/13/2004		**3.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	8/24/2004		**3.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	11/16/2004		**3.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	2/18/2005		**1.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		WH	5/17/2005		**2.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	5/17/2005		**2.6**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	9/20/2005		**2.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	11/14/2005		**2.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		WH	1/26/2006		**2.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		WH	4/7/2006		**1.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		WH	11/14/2006 (8)		NS	NS	NS	NS	NS	NS	NS	NS	NA	NA	NA	NA
		WH	4/27/2007		**3.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		WH	8/7/2007		**1.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	11/14/2007		**1.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	4/8/2008		**1.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	7/29/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		WH	11/5/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	5	5	11/26/2002		**4.9**	**0.53**	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	3/20/2003		**1.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
	50	50	11/26/2002		**5.1**	**0.57**	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	3/20/2003		**4.0**	**0.52**	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	12/3/2003		**9.9**	**0.93**	<0.50	<0.50	<0.50	<3.0	<0.50	<0.50	NA	NA	NA	NA
		50	3/30/2004		**5.1**	**0.59**	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
	115	115	5/21/2003 (3)		**15.0**	**1.3**	<0.50	<0.50	<0.50	<1.0	<0.50	**1.2**	**140**	NA	NA	NA
	142-147	142	11/26/2002		**6.3**	**0.72**	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**140**	NA	NA	NA
		147	3/20/2003		**3.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
SE-001 WCS	5	5	7/26/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/5/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		5	8/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**170**	NA	NA	NA
		5	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
	26-28	26	12/3/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**3.6**	<0.020	**3.6**
		27	3/29/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		27	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		28	8/24/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		28	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		27	2/16/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		27	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		27	9/20/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		27	11/15/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		27	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		27	4/3/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		27	11/13/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		27	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		27	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		27	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		27	10/30/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
SJ-001 WCS	5	5	7/26/2001		11.0	1.1	<0.50	<0.50	<0.50	<1.0	<0.50	1.2	NA	NA	NA	NA
		5	11/8/2001		11.0	1.2	<0.50	<0.50	<0.50	<1.0	<0.50	1.2	NA	NA	NA	NA
		5	2/13/2002		10.0	1.3	<0.50	<0.50	<0.50	<1.0	<0.50	1.6	NA	NA	NA	NA
		5	5/8/2002		10.0	1.1	<0.50	<0.50	<0.50	<1.0	<0.50	1.3	170	NA	NA	NA
		5	8/8/2002		11.0	1.1	<0.50	<0.50	<0.50	1.4	<0.50	1.4	170	NA	NA	NA
		5	11/25/2002		9.0	0.97	<0.50	<0.50	<0.50	<1.0	<0.50	1.5	170	NA	NA	NA
		5	3/19/2003		7.6	0.85	<0.50	<0.50	<0.50	<1.0	<0.50	1.5	170	NA	NA	NA
		5	9/21/2005		4.6	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	3.1	NA	NA	NA	NA
		5	11/18/2005		4.0	<0.50	<0.50	<0.50	<0.50	<2.0	<0.50	1.7	NA	NA	NA	NA
		5	11/18/2005 (2)		3.9	<0.50	<0.50	<0.50	<0.50	<2.0	<0.50	1.8	NA	NA	NA	NA
		5	1/25/2006		3.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	1.1	NA	NA	NA	NA
		5	4/5/2006		2.8	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	1.5	NA	NA	NA	NA
		5	9/27/2006		2.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	1.3	NA	NA	NA	NA
		5	11/16/2006		3.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/26/2007		4.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	3.6	NA	NA	NA	NA
		5	8/8/2007		3.7	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/16/2007		4.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/10/2008		3.6	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/5/2008	X	5.7	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	22-23	23	12/2/2003		6.9	0.75	<0.50	<0.50	<0.50	<3.0	<0.50	2.7	NA	2.4	<0.020	2.4
		22	3/30/2004		5.0	0.63	<0.50	<0.50	<0.50	<3.0	<0.50	2.4	NA	<2.5	NA	NA
		22	5/12/2004		5.5	0.66	<0.50	<0.50	<0.50	<3.0	<0.50	2.7	NA	<2.5	NA	NA
		22	8/25/2004		5.1	0.65	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		22	11/18/2004		5.8	0.68	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		22	2/17/2005		4.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		22	5/18/2005		4.9	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	2.3	NA	NA	NA	NA
		22	5/18/2005		4.5	0.53	<0.50	<0.50	<0.50	<3.0	<0.50	2.2	NA	NA	NA	NA
		22	9/21/2005		5.5	0.61	<0.50	<0.50	<0.50	<3.0	<0.50	3.5	NA	NA	NA	NA
		22	11/18/2005		4.8	0.51	<0.50	<0.50	<0.50	<2.0	<0.50	1.9	NA	NA	NA	NA
		22	1/25/2006		3.3	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	1.1	NA	NA	NA	NA
		22	4/5/2006		3.3	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	2.4	NA	NA	NA	NA
		22	11/16/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		22	4/26/2007		4.8	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	3.9	NA	NA	NA	NA
		22	8/8/2007		4.3	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		22	11/16/2007		4.6	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	5.7	NA	NA	NA	NA
		22	11/16/2007 (2)		4.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	5.4	NA	NA	NA	NA
		22	4/10/2008		4.2	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		22	11/5/2008	X	7.6	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	Grab		12/17/2009 (7)		7.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	2.6	NA	NA	NA	NA
			2/18/2010 (7)		7.3	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	2.5	NA	NA	NA	NA
			5/20/2010 (7)		7.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.4	NA	NA	NA	NA
			8/18/2010 (7)		1.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			11/16/2010 (7)		7.2	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.8	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
SJ-002 WCS	5	5	7/26/2001		5.0	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/6/2001		3.9	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/13/2002		3.4	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/8/2002		3.4	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	140	NA	NA	NA
		5	8/8/2002		3.3	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	150	NA	NA	NA
		5	11/25/2002		2.2	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	140	NA	NA	NA
		5	3/19/2003		2.1	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	140	NA	NA	NA
		5	9/21/2005		7.2	1.2	<0.50	<0.50	0.58	<3.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/18/2005		6.7	1.4	<0.50	<0.50	0.50	<2.0	<0.50	<1.0	NA	NA	NA	NA
		5	1/25/2006		4.8	1.1	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	1/25/2006(2)		3.4	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/5/2006		6.5	1.5	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/5/2006(2)		6.2	1.5	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	9/27/2006		6.8	2.0	<1.0	<1.0	1.1	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/16/2006		13	2.7	<1.0	<1.0	1.2	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	2/5/2007		16	2.8	<1.0	<1.0	1.7	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	2/5/2007 (2)		16	3.0	<1.0	<1.0	1.5	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/27/2007		18	3.7	<1.0	<1.0	1.7	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	8/9/2007		15	3.2	<1.0	<1.0	1.3	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/20/2007		13	2.7	<1.0	<1.0	1.3	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/10/2008		10	2.2	<1.0	<1.0	1.2	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	7/29/2008	X	9.0	2.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/5/2008	X	11	2.2	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	22-23	23	12/2/2003		3.3	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	6.1	<0.020	6.1
		23	12/2/2003 (2)		3.3	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		22	3/30/2004		3.3	0.55	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	6.1	<0.020	6.1
		23	5/12/2004		3.2	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		23	8/25/2004		3.1	0.53	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		23	8/25/2004 (2)		3.1	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		23	11/18/2004		4.7	0.68	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		23	2/17/2005		1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	1.3	NA	NA	NA	NA
		23	5/18/2005		4.7	0.73	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		23	9/21/2005		5.7	1.1	<0.50	<0.50	0.55	<3.0	<0.50	<2.0	NA	NA	NA	NA
		23	11/18/2005		5.8	1.2	<0.50	<0.50	<0.50	<2.0	<0.50	<1.0	NA	NA	NA	NA
		23	1/25/2006		3.5	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		23	4/5/2006		5.2	1.3	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		23	11/16/2006		12.0	2.5	<1.0	<1.0	1.2	<5.0	<1.0	<1.0	NA	NA	NA	NA
		23	2/5/2007		14.0	2.4	<1.0	<1.0	1.5	<5.0	<1.0	<1.0	NA	NA	NA	NA
		23	4/27/2007		16.0	3.2	<1.0	<1.0	1.9	<5.0	<1.0	<1.0	NA	NA	NA	NA
		23	8/9/2007		15	3.1	<1.0	<1.0	1.3	<5.0	<1.0	<5.0	NA	NA	NA	NA
		23	11/20/2007		9.8	2.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		23	4/10/2008		10	2.2	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		23	7/29/2008	X	6.2	1.5	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		23	11/5/2008	X	11	2.6	<1.0	<1.0	1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	Grab		12/17/2009(7)		4.3	0.9	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			2/18/2010(7)		3.0	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			5/20/2010(7)		2.4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			8/18/2010(7)		3.4	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			11/16/2010(7)		3.2	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-177A	5	5	7/31/2001 (1)		**1.5**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.1**	NA	NA	NA	NA
		5	11/7/2001		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.9**	NA	NA	NA	NA
		5	2/13/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		5	12/2/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**0.52**	<0.020	**0.52**
		5	12/2/2003 (2)		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		5	11/18/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	2/16/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	3/14/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/22/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	9/20/2005		**3.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**7.3**	NA	NA	NA	NA
		5	11/17/2005		**3.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**6.0**	NA	NA	NA	NA
		5	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/5/2006 (2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
	25	25	2/16/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	3/14/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/22/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		25	9/20/2005		**4.3**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**9.4**	NA	NA	NA	NA
		25	11/17/2005		**2.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**6.2**	NA	NA	NA	NA
		25	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		25	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	4/10/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		25	11/6/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	7/31/2001 (1)		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.9**	NA	NA	NA	NA
		50	11/7/2001		**0.5**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		50	2/13/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		50	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	11/17/2005		**2.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**6.2**	NA	NA	NA	NA
		50	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	1/25/2006 (2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/10/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/6/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	75		4/10/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	100	100	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		100	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
	111-112	112	7/31/2001 (1)		**1.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		111	11/7/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		111	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		112	2/13/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		112	5/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		112	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
WR-178A WCS	5	5	8/1/2001(1)		**9.1**	**0.7**	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	NA	NA	NA	NA
		5	11/7/2001		**4.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		5	2/13/2002		**4.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	NA	NA	NA	NA
		5	5/8/2002		**2.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**130**	NA	NA	NA
		5	8/7/2002		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		5	11/26/2002		**3.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.72**	**140**	NA	NA	NA
		5	3/19/2003		**3.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.84**	**120**	NA	NA	NA
		5	11/15/2005 (2)		**0.9**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	11/15/2005		**0.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	1/24/2006		**1.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	8/1/2001(1)		**7.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.5**	NA	NA	NA	NA
		50	11/7/2001		**2.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/13/2002		**2.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		50	5/8/2002		**1.4**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		50	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
		50	11/26/2002		**1.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		50	3/19/2003		**2.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.69**	**130**	NA	NA	NA
		50	12/2/2003		**1.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<0.50	<0.020	<0.50
		50	3/30/2004		**1.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/13/2004		**1.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	8/25/2004		**1.3**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	8/25/2004 (2)		**1.3**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/18/2004		**1.5**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	2/17/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	5/18/2005		**1.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	9/20/2005(2)		**0.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	9/20/2005		**0.8**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/15/2005		**0.7**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	106-112	109	8/1/2001(1)		**4.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	NA	NA	NA	NA
		109	11/7/2001		**1.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		110	2/13/2002		**2.1**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		110	5/8/2002		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		100	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
		110	11/26/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		112	3/19/2003		**2.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	**120**	NA	NA	NA
		106	5/20/2003		**3.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	**160**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-179A WCS	5	5	7/31/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	7/31/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/7/2001		**0.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		5	2/13/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		5	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		5	12/2/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**3.4**	<0.020	**3.4**
		5	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		5	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	4/4/2006		<1.0	**12**	<1.0	<1.0	**1.1**	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	5/18/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	10/30/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	7/31/2001(1)		**2.1**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.2**	NA	NA	NA	NA
		50	11/7/2001		**1.8**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.1**	NA	NA	NA	NA
		50	2/13/2002		**0.5**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/8/2002		**0.7**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**130**	NA	NA	NA
		50	8/7/2002		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.8**	**150**	NA	NA	NA
		50	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
		50	12/2/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		50	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2006(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/7/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	10/30/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	117-119	117	7/31/2001(1)		**2.1**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.2**	NA	NA	NA	NA
		117	11/7/2001		**1.3**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	NA	NA	NA	NA
		118	2/13/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		119	5/8/2002		**0.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.6**	**120**	NA	NA	NA
		118	8/7/2002		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.9**	**140**	NA	NA	NA
		119	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-180A WCS	5	5	7/30/2001[1]		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
		5	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
	50	50	7/30/2001[1]		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
		50	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		50	12/3/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<0.50	<0.020	<0.50
		50	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		50	8/24/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/17/2004[2]		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	2/16/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	9/21/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		50	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	9/27/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		50	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	120-122	121	7/30/2001[1]		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		120	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		121	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		121	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		121	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		122	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
WR-181A	5	5	7/25/2001		1.4	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.3	NA	NA	NA	NA
		5	11/7/2001		2.6	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.3	NA	NA	NA	NA
		5	2/13/2002		2.0	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.2	NA	NA	NA	NA
		5	5/8/2002		2.4	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	0.7	96	NA	NA	NA
		5	8/7/2002		5.5	0.5	<0.50	<0.50	<0.50	<1.0	<0.50	1.7	120	NA	NA	NA
		5	11/26/2002		3.9	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	3/19/2003		2.2	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	100	NA	NA	NA
		5	12/1/2003		0.6	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<0.50	<0.020	<0.50
		5	12/1/2003(2)		0.6	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	5/13/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		5	11/18/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	11/16/2005		4.5	0.98	<0.50	<0.50	<0.50	<3.0	<0.50	2.1	NA	NA	NA	NA
		5	1/25/2006		1.2	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	1/25/2006(2)		1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/15/2006		4.1	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/26/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/26/2007(2)		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	50	50	7/25/2001		1.3	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.2	NA	NA	NA	NA
		50	11/7/2001		2.1	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.2	NA	NA	NA	NA
		50	2/13/2002		2.2	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.4	NA	NA	NA	NA
		50	5/8/2002		2.2	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	0.7	94	NA	NA	NA
		50	8/7/2002		5.1	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.7	110	NA	NA	NA
		50	11/26/2002		3.0	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	0.79	NA	NA	NA	NA
		50	3/19/2003		2.1	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	90	NA	NA	NA
		50	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
	123-124	124	7/25/2001		0.8	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	0.8	NA	NA	NA	NA
		123	11/7/2001		1.6	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.1	NA	NA	NA	NA
		123	2/13/2002		2.0	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.4	NA	NA	NA	NA
		123	5/8/2002		2.0	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	0.7	94	NA	NA	NA
		123	8/7/2002		4.8	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	1.7	120	NA	NA	NA
		123	11/26/2002		3.4	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	0.87	NA	NA	NA	NA
		123	3/19/2003		2.1	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	88	NA	NA	NA
		124	1/25/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-186A	5	5	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		5	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		5	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
		5	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
	50	50	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		50	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		50	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**160**	NA	NA	NA
	91-92	92	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		91	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		92	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		91	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		92	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
	100	100	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [6]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-207A	5	5	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		50	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		50	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**150**	NA	NA	NA
		50	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**140**	NA	NA	NA
	101-102	102	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		101	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		101	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		102	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		101	8/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.5**	**130**	NA	NA	NA
WR-207B	5	5	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**0.59**	**140**	NA	NA	NA
		5	1/24/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		5	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.3**	NA	NA	NA	NA
	50	50	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA
	106	106	3/19/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**140**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					5	5	2	5	70	5	100	NE	NE	10	1	10
WR-273A	5	5	7/25/2001		71.0	14.0	5.0	0.7	2.4	1.2	1.0	22.0	NA	NA	NA	NA
		5	2/13/2002		96.0	19.0	7.4	1.2	4.4	2.5	1.2	26.0	NA	NA	NA	NA
		5	5/8/2002		90.0	14.0	8.1	1.8	12.0	5.1	1.0	32.0	380	NA	NA	NA
		5	8/8/2002		130.0	24.0	6.8	1.3	4.1	2.4	1.3	21.0	270	NA	NA	NA
		5	3/19/2003		130.0	28.0	5.8	1.3	4.1	1.7	1.4	21.0	270	NA	NA	NA
		5	12/3/2003		94.0	19.0	12	1.9	11	5.1	1.3	50.0	NA	2.2	<0.020	NA
		5	5/13/2004		100.0	27	6.6	1.6	4.8	<3.0	1.2	32	NA	<2.5	NA	NA
		5	11/19/2004		91.0	18	9.8	2.4	14	6.4	1.1	38	NA	NA	NA	NA
		5	11/19/2004(2)		87.0	17	9.7	2.3	13	6.3	0.98	36	NA	NA	NA	NA
		5	5/18/2005		89.0	19	7.4	2.1	9.1	4.3	0.83	34	NA	NA	NA	NA
		5	11/21/2005		64.0	15	6.2	3.1	13	5.4	0.84	50	NA	NA	NA	NA
		5	4/7/2006		60.0	16.0	2.6	1.2	5.7	<5.0	<1.0	24.0	NA	NA	NA	NA
		5	4/7/2006(2)		48.0	15.0	2.4	1.2	5.9	<5.0	<1.0	25.0	NA	NA	NA	NA
		5	11/17/2006		60.0	13.0	<1.0	<1.0	6.7	<5.0	<1.0	25.0	NA	NA	NA	NA
		5	4/30/2007		79	20	1.2	<1.0	6.4	<5.0	<1.0	22	NA	NA	NA	NA
		5	11/20/2007(12)		39	12	<1.0	<1.0	5.8	<5.0	<1.0	34	NA	NA	NA	NA
		5	4/9/2008		55	18	<1.0	<1.0	6.4	<5.0	<1.0	46	NA	NA	NA	NA
		5	11/4/2008	X	44	15	<1.0	<1.0	5.6	<5.0	<1.0	39	NA	NA	NA	NA
WR-274A	5	5	7/25/2001		57.0	9.9	<0.50	<0.50	2.1	<1.0	<0.50	7.3	NA	NA	NA	NA
		5	11/7/2001		59.0	11.0	<0.50	<0.50	2.2	<1.0	<0.50	4.8	NA	NA	NA	NA
		5	2/14/2002		53.0	10.0	<0.50	<0.50	2.1	<1.0	<0.50	7.6	NA	NA	NA	NA
		5	5/9/2002		45.0	9.5	<0.50	<0.50	2.1	<1.0	<0.50	5.1	NA	NA	NA	NA
		5	8/8/2002		44.0	10.0	<0.50	<0.50	2.6	<1.0	<0.50	4.9	290	NA	NA	NA
		5	3/20/2003		23.0	5.3	<0.50	<0.50	1.7	<1.0	<0.50	1.7	260	NA	NA	NA
		5	12/3/2003		48.0	9.4	<0.50	<0.50	2.6	<3.0	<0.50	9.8	NA	1.6	<0.020	NA
		5	5/13/2004		51.0	10	<0.50	<0.50	2.8	<3.0	<0.50	10	NA	<2.5	NA	NA
		5	11/19/2004		47.0	10	<0.50	<0.50	3.2	<3.0	<0.50	4.5	NA	NA	NA	NA
		5	5/18/2005		58.0	14	<0.50	<0.50	3.6	<3.0	<0.50	9.4	NA	NA	NA	NA
		5	1/26/2006		75.0	17.0	<1.0	<1.0	6.8	<5.0	<1.0	4.9	NA	NA	NA	NA
		5	4/7/2006		57.0	17.0	<1.0	<1.0	7.0	<5.0	<1.0	10.0	NA	NA	NA	NA
		5	11/17/2006		110.0	25.0	<1.0	<1.0	12.0	<5.0	<1.0	8.4	NA	NA	NA	NA
		5	11/17/2006(2)		110.0	25.0	<1.0	<1.0	12.0	<5.0	<1.0	8.4	NA	NA	NA	NA
		5	4/30/2007		140	32	<1.0	<1.0	17	<5.0	<1.0	12	NA	NA	NA	NA
		5	11/20/2007		130	30	<1.0	<1.0	19	<5.0	<1.0	11	NA	NA	NA	NA
		5	11/20/2007(2)		140	31	<1.0	<1.0	19	<5.0	<1.0	17	NA	NA	NA	NA
		5	4/10/2008		140	32	<1.0	<1.0	16	<5.0	<1.0	8.6	NA	NA	NA	NA
		5	11/6/2008	X	120	30	<1.0	<1.0	17	<5.0	<1.0	11	NA	NA	NA	NA
WR-275A	5	5	7/25/2001		79.0	16.0	<0.50	<0.50	7.8	<1.0	<0.50	4.3	NA	NA	NA	NA
		5	11/8/2001		59.0	12.0	<0.50	<0.50	6.0	<1.0	<0.50	4.8	NA	NA	NA	NA
		5	2/14/2002		50.0	8.3	<0.50	<0.50	4.2	<1.0	<0.50	7.1	NA	NA	NA	NA
		5	5/9/2002		46.0	8.2	<0.50	<0.50	4.3	<1.0	<0.50	5.7	240	NA	NA	NA
		5	8/8/2002		49.0	8.7	<0.50	<0.50	4.3	<1.0	<0.50	5.2	230	NA	NA	NA
		5	3/20/2003		38.0	7.9	<0.50	<0.50	3.9	<1.0	<0.50	5.6	230	NA	NA	NA
		5	12/3/2003		41.0	9.0	<0.50	0.5	4.2	<3.0	<0.50	10	NA	0.58	<0.020	NA
		5	5/13/2004		34.0	8.2	<0.50	0.51	3.7	<3.0	<0.50	13	NA	NA	NA	NA
		5	11/19/2004		38.0	8.7	<0.50	0.58	3.4	<3.0	0.50	8.8	NA	NA	NA	NA
		5	5/18/2005		39.0	8.5	<0.50	0.58	2.4	<3.0	0.55	11	NA	NA	NA	NA
		5	11/21/2005		30.0	7.1	<0.50	0.53	2.3	<3.0	<0.50	10	NA	NA	NA	NA
		5	4/6/2006		18.0	5.8	<1.0	<1.0	1.6	<5.0	<1.0	10.0	NA	NA	NA	NA
		5	11/16/2006		20.0	5.3	<1.0	<1.0	1.6	<5.0	<1.0	5.6	NA	NA	NA	NA
		5	4/27/2007		20	5.3	<1.0	<1.0	2.0	<5.0	<1.0	9.2	NA	NA	NA	NA
		5	4/27/2007(2)		20	5.6	<1.0	<1.0	1.9	<5.0	<1.0	9.4	NA	NA	NA	NA
		5	11/16/2007		16	4.3	<1.0	<1.0	<1.0	<5.0	<1.0	8.9	NA	NA	NA	NA
		5	4/10/2008		15	4.0	<1.0	<1.0	<1.0	<5.0	<1.0	5.2	NA	NA	NA	NA
		5	4/10/2008(2)		15	4.3	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/6/2008	X	8.9	2.9	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-352A WCS	5	5	11/15/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
	86-88	88	12/1/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<0.50	<0.020	<0.50
		87	3/29/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		87	5/11/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		87	5/11/2004(2)		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		89	8/24/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		86	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		87	2/16/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		87	5/18/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		87	9/20/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		87	11/15/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		87	1/23/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		87	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		87	9/27/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		87	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		87	4/25/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		87	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		87	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		87	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	114	114	5/20/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
	118-121	118	7/30/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		118	11/5/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		118	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		118	5/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		118	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
		121	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**110**	NA	NA	NA
		120	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**100**	NA	NA	NA
WR-353A	103	103	12/2/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**1.0**	<0.020	**1.0**
		103	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	<2.5	NA	NA
		103	11/18/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		103	5/17/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		103	11/16/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		103	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		103	11/15/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		103	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		103	11/14/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		103	4/9/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		103	11/4/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	130-131	131	7/25/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		131	2/12/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		131	5/8/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		130	8/7/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA
		131	3/18/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**130**	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-354A WCS	5	5	7/26/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	11/6/2001		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	2/11/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	NA	NA	NA	NA
		5	5/6/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	8/5/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	11/25/2002		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
		5	3/17/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	<0.50	**120**	NA	NA	NA
	29-31	30	12/1/2003		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	**6.2**	<0.020	**6.2**
		29	3/29/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		29	5/12/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		29	5/12/2004(2)		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		31	8/24/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		30	11/17/2004		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		31	2/17/2005		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.3**	NA	NA	NA	NA
		29	5/18/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		29	9/20/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		29	11/15/2005		<0.50	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		29	1/23/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		29	4/4/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		29	9/27/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		29	11/14/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		29	2/5/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		29	4/24/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	NA	NA	NA	NA
		29	8/8/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		29	11/13/2007		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		29	4/8/2008		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		29	11/3/2008	X	<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) [8]	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-358A	5	5	3/20/2003		**27.0**	**4.2**	**1.3**	<0.5	**2.4**	<1.0	<0.5	**19**	**180**	NA	NA	NA
	25	25	12/3/2003		**33.0**	**5.4**	**2.3**	<0.50	**3.3**	<3.0	<0.50	**37.0**	NA	**2.7**	<0.020	NA
		25	5/13/2004		**34.0**	**6.0**	**3.2**	**0.64**	**3.9**	<3.0	<0.50	**43**	NA	<2.5	NA	NA
		25	11/18/2004		**41.0**	**7.0**	**3.2**	**0.82**	**4.6**	<3.0	<0.50	**36**	NA	NA	NA	NA
		25	5/18/2005 [2]		**42.0**	**6.5**	**3.2**	**0.77**	**3.8**	<3.0	<0.50	**44**	NA	NA	NA	NA
		25	5/18/2005		**42.0**	**6.3**	**3.4**	**0.71**	**3.7**	<3.0	<0.50	**44**	NA	NA	NA	NA
		25	11/21/2005		**46.0**	**8.0**	**4**	**1.00**	**5.7**	<3.0	<0.50	**46**	NA	NA	NA	NA
		25	11/21/2005[2]		**45.0**	**7.8**	**3.8**	**0.98**	**5.6**	<3.0	<0.50	**48**	NA	NA	NA	NA
		25	1/26/2006		**40.0**	**6.8**	**3.7**	<1.0	**4.7**	<5.0	<1.0	**25.0**	NA	NA	NA	NA
		25	4/6/2006		**28.0**	**6.9**	**2.7**	<1.0	**4.7**	<5.0	<1.0	**41.0**	NA	NA	NA	NA
		25	11/16/2006		**55.0**	**11.0**	**4.6**	**1.3**	**7.7**	<5.0	<1.0	**51.0**	NA	NA	NA	NA
		25	4/30/2007		**65**	**12**	**4.7**	**1.6**	**10**	<5.0	<1.0	**59**	NA	NA	NA	NA
		25	11/20/2007		**67**	**12**	**6.7**	**1.8**	**11**	<5.0	<1.0	**65**	NA	NA	NA	NA
		25	11/20/2007[2]		**71**	**13**	**7.4**	**1.8**	**12**	<5.0	1.1	**90**	NA	NA	NA	NA
		25	4/10/2008		**71**	**13**	**4.3**	**1.5**	**9.4**	<5.0	<1.0	**53**	NA	NA	NA	NA
		25	11/6/2008	X	**73**	**14**	**5.6**	**1.9**	**12**	<5.0	<1.0	**76**	NA	NA	NA	NA
	50	50	2/14/2002		**17.0**	**2.7**	**0.7**	<0.50	**1.5**	<1.0	<0.50	**15.0**	NA	NA	NA	NA
		50	5/9/2002		**23.0**	**3.5**	**1.0**	<0.50	**2.1**	<1.0	<0.50	**16.0**	**190**	NA	NA	NA
		50	8/8/2002		**21.0**	**3.1**	**0.9**	<0.50	**1.9**	**1.7**	<0.50	**14.0**	**190**	NA	NA	NA
WR-367A	5	5	8/2/2001[1]		**10.0**	**1.9**	<0.50	**1.4**	<0.50	<1.0	<0.50	**2.6**	NA	NA	NA	NA
		5	11/8/2001		**13.0**	**2.3**	<0.50	**1.6**	<0.50	<1.0	<0.50	**2.6**	NA	NA	NA	NA
		5	2/13/2002		**14.0**	**2.8**	<0.50	**1.9**	<0.50	**1.4**	<0.50	**3.3**	NA	NA	NA	NA
		5	5/8/2002		**20.0**	**3.4**	<0.50	**2.3**	<0.50	**1.2**	<0.50	**2.6**	**440**	NA	NA	NA
		5	8/8/2002		**22.0**	**3.6**	<0.50	**2.0**	<0.50	**1.2**	<0.50	**2.8**	**420**	NA	NA	NA
		5	3/20/2003		**25.0**	**3.5**	<0.50	<0.5	<0.50	<1.0	<0.50	**3.2**	**380**	NA	NA	NA
		5	12/1/2003		**41.0**	**2.7**	<0.50	**0.57**	<0.50	<3.0	<0.50	**7.4**	NA	**3.2**	<0.020	**3.2**
		5	5/12/2004		**34.0**	**1.8**	<0.50	**0.56**	<0.50	<3.0	<0.50	**7.7**	NA	<2.5	NA	NA
		5	11/18/2004		**28.0**	**1.1**	<0.50	<0.50	<0.50	<3.0	<0.50	**5.6**	NA	NA	NA	NA
		5	5/18/2005		**20.0**	**0.66**	<0.50	<0.50	<0.50	<3.0	<0.50	**7.0**	NA	NA	NA	NA
		5	11/21/2005		**20.0**	**1.2**	<0.50	**0.53**	<0.50	<3.0	<0.50	**7.5**	NA	NA	NA	NA
		5	4/6/2006		**14.0**	**1.0**	<1.0	**0.53**	<1.0	<5.0	<1.0	**6.7**	NA	NA	NA	NA
		5	11/16/2006		**26.0**	**2.3**	<1.0	**1.2**	<1.0	<5.0	<1.0	**6.0**	NA	NA	NA	NA
		5	4/27/2007		**32**	**1.7**	<1.0	<1.0	<1.0	<5.0	<1.0	**7.2**	NA	NA	NA	NA
		5	11/20/2007		**20**	**1.3**	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/10/2008		**15**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/4/2008	X	**27**	**1.8**	<1.0	<1.0	<1.0	<5.0	<1.0	**5.2**	NA	NA	NA	NA
	50	46	8/2/2001[1]		**11.0**	**2.0**	<0.50	**1.5**	<0.50	<1.0	<0.50	**2.5**	NA	NA	NA	NA
		50	11/21/2005		**20.0**	**1.2**	<0.50	**0.54**	<0.50	<3.0	<0.50	**6.6**	NA	NA	NA	NA
		50	4/6/2006		**14.0**	**1.1**	<1.0	<1.0	<1.0	<5.0	<1.0	**6.5**	NA	NA	NA	NA
		50	11/16/2006		**27.0**	**2.2**	<1.0	**1.1**	<1.0	<5.0	<1.0	**6.3**	NA	NA	NA	NA
		50	4/27/2007		**32**	**2.1**	<1.0	<1.0	<1.0	<5.0	<1.0	**7.5**	NA	NA	NA	NA
		50	11/20/2007[10]		**20**	**1.3**	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	4/10/2008		**7.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/4/2008	X	**27**	**2.8**	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		50	11/4/2008[2]	X	**28**	**3.2**	<1.0	<1.0	<1.0	<5.0	<1.0	**5.5**	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B											
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane	Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**
WR-435A	5	5	11/7/2001		**2.2**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.5**	NA	NA	NA	NA
		5	2/13/2002		**0.9**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.0**	NA	NA	NA	NA
		5	5/7/2002		**2.0**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.5**	**210**	NA	NA	NA
		5	8/8/2002		**3.6**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.9**	**210**	NA	NA	NA
		5	3/18/2003		**2.4**	<0.50	<0.50	<0.50	<0.50	<1.0	<0.50	**1.7**	**220**	NA	NA	NA
		5	12/1/2003		**2.4**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**3.3**	NA	**2.9**	<0.020	**2.9**
		5	5/13/2004		**2.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**3.7**	NA	<2.5	NA	NA
		5	11/18/2004		**2.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.3**	NA	NA	NA	NA
		5	11/18/2004(2)		**2.2**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**2.4**	NA	NA	NA	NA
		5	5/17/2005		**1.4**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	<2.0	NA	NA	NA	NA
		5	11/17/2005		**2.0**	<0.50	<0.50	<0.50	<0.50	<3.0	<0.50	**3.0**	NA	NA	NA	NA
		5	4/5/2006		<1.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**1.5**	NA	NA	NA	NA
		5	11/13/2006		**1.5**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.5**	NA	NA	NA	NA
		5	4/25/2007		**1.6**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.4**	NA	NA	NA	NA
		5	4/25/2007(2)		**1.7**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	**2.3**	NA	NA	NA	NA
		5	11/12/2007		**1.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	11/12/2007(2)		**1.1**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/7/2008		**1.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	4/7/2008(2)		**1.4**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	10/30/2008	X	**1.9**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
		5	10/30/2008(2)	X	**2.3**	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0	<5.0	NA	NA	NA	NA
	38	38	11/7/2001		**0.8**	**0.5**	<0.50	**0.5**	<0.50	<1.0	<0.50	**0.9**	NA	NA	NA	NA
WR-702A	Grab		1/21/2009(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			1/21/2009(2)(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			2/10/2009(7)		**8.2**	**0.7**	<0.5	<0.5	<0.5	<0.5	<0.5	**1.7**	NA	NA	NA	NA
			5/20/2009(7)		**7.9**	**0.7**	<0.5	<0.5	<0.5	<0.5	<0.5	**4.4**	NA	NA	NA	NA
			8/19/2009(7)		**10.1**	**0.8**	<0.5	<0.5	<0.5	<0.5	<0.5	**4.3**	NA	NA	NA	NA
			8/19/2009(2)(7)		**9.6**	**0.8**	<0.5	<0.5	<0.5	<0.5	<0.5	**4.0**	NA	NA	NA	NA
			11/23/2009(7)		**9.2**	**0.7**	<0.5	<0.5	<0.5	<0.5	<0.5	**3.6**	NA	NA	NA	NA
			2/18/2010(7)		**9.0**	**0.6**	<0.5	<0.5	<0.5	<0.5	<0.5	**4.6**	NA	NA	NA	NA
			5/20/2010(7)		**7.2**	**0.7**	<0.5	<0.5	<0.5	<0.5	<0.5	**3.5**	NA	NA	NA	NA
			8/18/2010(7)		**6.7**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	**3.4**	NA	NA	NA	NA
			11/16/2010(7)		**7.4**	**0.6**	<0.5	<0.5	<0.5	<0.5	<0.5	**3.5**	NA	NA	NA	NA
WR-703A	Grab		2/10/2009(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			5/20/2009(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			8/19/2009(7)		**1.4**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			8/19/2009(2)(7)		**1.4**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			11/23/2009(7)		**0.6**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			2/18/2010(7)		**0.9**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			5/20/2010(7)		**1.6**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			8/18/2010(7)		**0.6**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			11/16/2010(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
WR-704A	Grab		2/10/2009(7)		<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	NA	NA	NA	NA
			5/20/2009(7)		**1.2**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	**1.2**	NA	NA	NA	NA
			8/19/2009(7)		**2.2**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	**1.3**	NA	NA	NA	NA
			8/19/2009(2)(7)		**2.2**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	**1.4**	NA	NA	NA	NA
			11/23/2009(7)		**3.1**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	**1.7**	NA	NA	NA	NA
			2/18/2010(7)		**5.7**	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	**3.3**	NA	NA	NA	NA
			5/20/2010(7)		**6.4**	**0.5**	<0.5	<0.5	<0.5	<0.5	<0.5	**4.0**	NA	NA	NA	NA
			8/18/2010(7)		**7.4**	**0.5**	<0.5	<0.5	<0.5	<0.5	<0.5	**4.1**	NA	NA	NA	NA
			11/16/2010(7)		**8.5**	**0.7**	<0.5	<0.5	<0.5	<0.5	<0.5	**4.3**	NA	NA	NA	NA

Summary of Groundwater Quality Data, Selected VOCs and Nitrate
2001 through 2010
Broadway-Pantano WQARF Site

Sample ID	Depth (FBW)		Sample Date	MRRP	Constituent Concentration (µg/L) U.S. Environmental Protection Agency Analytical Method 8260B								Bicarbonate Alkalinity (as $CaCO_3$) SM 2320B (mg/L)	Nitrate (mg/L) (6)	Nitrite (mg/L)	Nitrate-Nitrite (mg/L)
	Sample Interval	Sample Depth			Tetrachloroethene (PCE)	Trichloroethene (TCE)	Vinyl chloride	Benzene	cis-1,2-Dichloroethene	Methylene chloride	trans-1,2-Dichloroethene	Dichlorodifluoromethane				
Aquifer Water Quality Standards					**5**	**5**	**2**	**5**	**70**	**5**	**100**	**NE**	**NE**	**10**	**1**	**10**

Notes:
FBW = Feet below water
MRRP = Most Recent Reporting Period (July 1, 2008 - December 31, 2008)
µg/L = Micrograms per liter
mg/L = Milligrams per liter
NE = Not established
WH = Well head
NA = Not analyzed
NS = Not sampled
(1) = Sample collected prior to purging
(2) = Duplicate sample
(3) = Sample collected from sounding tube while well was pumping
(4) = Sample was analyzed according to EPA Method 524.2 instead of EPA Method 8260B
(5) = Estimated concentration. Sample analyzed for nitrate-nitrite content and results reported as nitrate based on historical data.
(6) = See laboratory report for analytical method
(7) = Samples collected by the City of Tucson; samples analyzed using EPA Method 524.2
(8) = Not sampled due to Western Containment System shut down
(9) = Actual sample depth was 14 feet below top of water column; water column was less than 25 feet deep
(10) = Actual sample depth was 45 feet below top of water column; water column was less than 50 feet deep
(11) = Special purge sample. Other VOCs detected were gasoline indicator chemicals ethylbenzene, total xylenes, and 1,2,4-trimethylbenzene at concentrations ranging from 1.3 to 7.0µg/L.
(12) = The VOC 1,1-dichloroethane was also reported at 1.8µg/L
(13) = Last sample collected by URS before C-026B pump shut down on 8/17/2007
(14) = Sample collected by URS after 3 minute purge at 200 gallons per minute
(15) = Sample collected by URS after 19 minute purge at 400 gallons per minute
***Shaded/Bold Font** = concentrations exceed Arizona Department of Environmental Quality Aquifer Water Quality Standards.*
***Bold Font** = concentration above laboratory reporting limit*
Duplicate samples were identified in the December 2003 GWS event: Duplicate 1 - C056A-120303-50, Duplicate 2 - WR177A-120203-5, Duplicate 3 - WR181-120103-5, Duplicate 4 - SJ002-120203-23, Duplicate 5 - 416P-120303


LEGEND
COT ABANDONED MONITORING WELL
COT INACTIVE PRODUCTION WELL
COT ACTIVE PRODUCTION WELL
- WATER WELL IN PRODUCTION
- LAST-ON/FIRST-OFF WATER PRODUCTION WELL
ADEQ MONITOR WELL
COT MONITOR WELL
PRIVATE WELL (ACTIVE)
AIR INJECTION WELL/MONITOR WELL
WESTERN CONTAINMENT SYSTEM EXTRACTION WELL
WESTERN CONTAINMENT SYSTEM INJECTION WELL
APPROXIMATE BOUNDARY OF BROADWAY NORTH LANDFILL MATERIAL
2220 GROUNDWATER ELEVATION CONTOUR LINE, 4-FT CONTOUR INTERVALS, IN FEET ABOVE AMSL. DASHED WHERE INFERRED.
MEASURED M 2272
ADJUSTED A 2245
FLOW RATE Q 404
N
0 1500 3000
SCALE IN FEET
VINCENT MULLINS LANDFILL (CLOSED)
SPEEDWAY LANDFILL (ACTIVE)
SAHUARA AVENUE
EAST SPEEDWAY BOULEVARD
EAST 5TH STREET
EAST BROADWAY BOULEVARD
CRAYCROFT ROAD
WILMOT ROAD
KOLB ROAD
PRUDENCE ROAD
PANTANO ROAD
PANTANO WASH
BROADWAY NORTH LANDFILL (CLOSED)
BROADWAY SOUTH LANDFILL (CLOSED)
PRUDENCE LANDFILL (CLOSED)
MAYO
SWAIN
RECKHART
REILLY
NEWELL
ALBERTS
BEAL
BARRIO II
FAX HORIZONS
C-049B
C-049A
C-048B
C-048A
C-051B
C-051A
C-046B
C-046A
C-012B
C-056B
C-056A
C-058A
C-058B
C-026A
C-026B
C-114A
C-020B
C-020A
C-021A
C-022A
C-025B
D-049
D-018A
D-021A
D-022A
D-039A
D-040A
D-041A
R-069B
R-068A
R-124A
R-125A
R-091A
R-092A
R-093A
WR-703A 2216.66
WR-702A 2218.08
WR-704A 2213.86
WR-155A NM
WR-352A NM
WR-178A 2239.93
WR-354A 2232.06
WR-179A 2242.62
WR-458A NM
WR-459A NM
WR-186A NM
WR-273A 2246.23
WR-358A 2243.78
WR-353A NM
WR-274A NM
WR-275A NM
WR-177A 2247.71
WR-181A 2247.69
WR-297A
WR-297B 2251.69
WR-367A NM
WR-435A 2256.09
BP-20 2222.46
BP-21 2224.29
BP-3 2223.71
BP-4 2230.23
BP-2 2227.69
BP-1 2226.72
BP-5 2233.52
BP-19 2241.87
BP-24A 2240.63
BP-24B NM
BP-24C NM
BP-7 2243.71
BP-8 2244.57
BP-9 2250.63
BP-25 2246.29
BP-10 NM
BP-23 NM
BP-11 NM
BP-22 NM
BP-15 2241.03
BP-16 2248.36
416-P
411-P NM
SS-001 2225.88
SJ-002 2237.43
SJ-001 2228.19
Water Level and Flow Rate
C-026B 411-P R-093A R-092A R-091A
M NM M NM M 2245.14 M 2214.16 M 2247.57
A 0 A NM A 2238.94 A 2218.56 A 2232.57
Q 0 Q NM Q 282 Q 387 Q 185
2216
2220
2224
2228
2232
2236
2240
2244
2248
2252
2256
Stantec
8211 S. 48th Street
Phoenix, Arizona 85044
Phone: (602) 438-2200 Fax: (602) 431-0582
FOR:
BROADWAY-PANTANO WQARF SITE
TUCSON, ARIZONA
AUGUST 19, 2010 GROUNDWATER CONTOUR MAP
FIGURE: 3
JOB NUMBER 185902025
DRAWN BY CMG
CHECKED BY TAK
APPROVED BY: TAK
DATE: 10/1/2010


05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
33.20
33.40
33.60
33.80
34.00
34.20
34.40
34.60
Feet of Water
BAROMETRIC PRESSURE


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2228.00
2227.00
2226.00
2225.00
2224.00
2223.00
2222.00
2221.00
2220.00
2219.00
2218.00
2217.00
2216.00
2215.00
2214.00
2213.00
2212.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-1


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2229.00
2228.00
2227.00
2226.00
2225.00
2224.00
2223.00
2222.00
2221.00
2220.00
2219.00
2218.00
2217.00
2216.00
2215.00
2214.00
2213.00
2212.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-2

Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2232.00
2231.00
2230.00
2229.00
2228.00
2227.00
2226.00
2225.00
2224.00
2223.00
2222.00
2221.00
2220.00
2219.00
2218.00
2217.00
2216.00
2215.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-4


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2235.00
2234.00
2233.00
2232.00
2231.00
2230.00
2229.00
2228.00
2227.00
2226.00
2225.00
2224.00
2223.00
2222.00
2221.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-5


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
Feet Mean Sea Level
2245.00
2244.00
2243.00
2242.00
2241.00
2240.00
2239.00
2238.00
2237.00
2236.00
2235.00
2234.00
2233.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-7


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
WELL BP-8
Feet Mean Sea Level
2245.50
2244.50
2243.50
2242.50
2241.50
2240.50
2239.50
2238.50
2237.50
2236.50
2235.50
2234.50
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
Feet Mean Sea Level
2252.00
2251.00
2250.00
2249.00
2248.00
2247.00
2246.00
2245.00
2244.00
2243.00
2242.00
2241.00
2240.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-9


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
Feet Mean Sea Level
2249.00
2248.00
2247.00
2246.00
2245.00
2244.00
2243.00
2242.00
2241.00
2240.00
2239.00
2238.00
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-10


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
Feet Mean Sea Level
2249.00
2248.00
2247.00
2246.00
2245.00
2244.00
2243.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-11


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2242.00
2241.00
2240.00
2239.00
2238.00
2237.00
2236.00
2235.00
2234.00
2233.00
2232.00
2231.00
2230.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-15


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2249.00
2248.00
2247.00
2246.00
2245.00
2244.00
2243.00
2242.00
2241.00
2240.00
2239.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-16


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
WELL BP-19
Feet Mean Sea Level
2242.50
2241.50
2240.50
2239.50
2238.50
2237.50
2236.50
2235.50
2234.50
2233.50
2232.50
2231.50
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2224.00
2223.00
2222.00
2221.00
2220.00
2219.00
2218.00
2217.00
2216.00
2215.00
2214.00
2213.00
2212.00
2211.00
2210.00
2209.00
2208.00
2207.00
2206.00
2205.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-20


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2226.00
2225.00
2224.00
2223.00
2222.00
2221.00
2220.00
2219.00
2218.00
2217.00
2216.00
2215.00
2214.00
2213.00
2212.00
2211.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-21


Transducer data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2242.00
2241.00
2240.00
2239.00
2238.00
2237.00
2236.00
2235.00
2234.00
2233.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-24A


Transducer Data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2247.00
2246.00
2245.00
2244.00
2243.00
2242.00
2241.00
2240.00
2239.00
2238.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL BP-25


Transducer Data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2252.00
2251.00
2250.00
2249.00
2248.00
2247.00
2246.00
2245.00
2244.00
2243.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL D-039A


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-026B OFF
Feet Mean Sea Level
2226.50
2225.50
2224.50
2223.50
2222.50
2221.50
2220.50
2219.50
2218.50
2217.50
2216.50
2215.50
2214.50
2213.50
2212.50
2211.50
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL SE-001


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
Feet Mean Sea Level
2238.00
2237.00
2236.00
2235.00
2234.00
2233.00
2232.00
2231.00
2230.00
2229.00
2228.00
2227.00
2226.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL SJ-001


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
Feet Mean Sea Level
2238.50
2237.50
2236.50
2235.50
2234.50
2233.50
2232.50
2231.50
2230.50
2229.50
2228.50
2227.50
2226.50
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL SJ-002


Transducer data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2249.00
2248.00
2247.00
2246.00
2245.00
2244.00
2243.00
2242.00
2241.00
2240.00
2239.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-177A


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
C-26B ON
C-26B OFF
Feet Mean Sea Level
2233.00
2232.00
2231.00
2230.00
2229.00
2228.00
2227.00
2226.00
2225.00
2224.00
2223.00
2222.00
2221.00
2220.00
2219.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-178A


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
Feet Mean Sea Level
2243.50
2242.50
2241.50
2240.50
2239.50
2238.50
2237.50
2236.50
2235.50
2234.50
2233.50
2232.50
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-179A


Transducer Data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2238.50
2237.50
2236.50
2235.50
2234.50
2233.50
2232.50
2231.50
2230.50
2229.50
2228.50
2227.50
2226.50
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-180A


Transducer Data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2248.00
2247.00
2246.00
2245.00
2244.00
2243.00
2242.00
2241.00
2240.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-181A


Transducer Data
Manual Gauging Data
WELL WR-207B
Feet Mean Sea Level
2253.00
2252.00
2251.00
2250.00
2249.00
2248.00
2247.00
2246.00
2245.00
2244.00
2243.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10


Transducer data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2247.00
2246.00
2245.00
2244.00
2243.00
2242.00
2241.00
2240.00
2239.00
2238.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-273A


Transducer Data
Manual Gauging Data
WCS ON
WCS OFF
Feet Mean Sea Level
2233.00
2232.00
2231.00
2230.00
2229.00
2228.00
2227.00
2226.00
2225.00
2224.00
2223.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-354A


Transducer Data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2244.50
2243.50
2242.50
2241.50
2240.50
2239.50
2238.50
2237.50
2236.50
2235.50
2234.50
2233.50
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-358A


Transducer Data
Manual gauging data
WCS ON
WCS OFF
Feet Mean Sea Level
2257.00
2256.00
2255.00
2254.00
2253.00
2252.00
2251.00
2250.00
2249.00
2248.00
05/06
08/06
10/06
01/07
04/07
06/07
09/07
12/07
02/08
05/08
07/08
10/08
01/09
03/09
06/09
09/09
11/09
02/10
05/10
07/10
10/10
12/10
WELL WR-435A

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below ground surface)	Date	Depth to Groundwater (feet)	Saturated Screen Interval (feet)	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
411-P WCS	55-603227	2565.58 [14]	307 - 509	12/3/2003	345.46	163.54	2219.55	NA	NA
		2565.007 [15]		1/29/2004	345.13	163.87	2219.88	0.33	NA
				2/25/2004	345.01	163.99	2220.00	0.12	NA
				3/30/2004	359.35	149.65	2205.66	-14.34	NA
				4/13/2004	357.17	151.83	2207.84	2.18	NA
				5/10/2004	360.22	148.78	2204.79	-3.05	NA
				6/17/2004	345.46	163.54	2219.55	14.76	NA
		2565.424 [19]		7/28/2004	344.89	164.11	2220.53	0.99	NA
				8/24/2004	342.26	166.74	2223.16	2.63	NA
				9/22/2004	345.04	163.96	2220.38	-2.78	NA
				10/19/2004	NM	NA	NA	NA	NA
				11/17/2004	NM	NA	NA	NA	NA
				12/20/2004	357.44	151.56	2207.98	-12.40	NA
				1/27/2005	354.89	154.11	2210.53	2.55	NA
				2/16/2005	345.11	163.89	2220.31	9.78	NA
				3/14/2005	344.87	164.13	2220.55	0.24	NA
				4/22/2005	345.27	163.73	2220.15	-0.40	NA
				5/16/2005	344.02	164.98	2221.40	1.25	NA
				6/10/2005 [20]	343.86	165.14	2221.56	0.16	NA
				6/10/2005 [20]	357.76	151.24	2207.66	-13.90	NA
				7/29/2005 [20]	344.06	164.94	2221.36	13.70	NA
				7/29/2005 [20]	357.35	151.65	2208.07	-13.29	NA
				8/29/2005 [20]	343.67	165.33	2221.75	13.68	NA
				8/29/2005 [20]	357.70	151.30	2207.72	-14.03	NA
				9/19/2005 [20]	344.68	164.32	2220.74	13.02	NA
				9/19/2005 [20]	353.08	155.92	2212.34	-8.40	NA
				10/18/2005	NM	NA	NA	NA	NA
				11/14/2005	NM	NA	NA	NA	NA
				12/6/2005	NM	NA	NA	NA	NA
				1/23/2006	NM	NA	NA	NA	NA
				2/27/2006 [20]	343.55	165.45	2221.87	9.53	NA
				2/27/2006 [20]	357.53	151.47	2207.89	-13.98	NA
				3/20/2006 [20]	341.98	167.02	2223.44	15.55	NA
				3/20/2006 [20]	347.65	161.35	2217.77	-5.67	NA
				4/3/2006 [20]	343.35	165.65	2222.07	4.30	NA
				4/3/2006 [20]	347.76	161.24	2217.66	-4.41	NA
				5/30/2006 [20]	343.60	165.40	2221.82	4.16	NA
				5/30/2006 [20]	355.97	153.03	2209.45	-12.37	NA
				6/16/2006 [20]	343.90	165.10	2221.52	12.07	NA
				6/16/2006 [20]	355.09	153.91	2210.33	-11.19	NA
				8/31/2006	357.90	151.1	2207.52	-2.81	NA
				9/21/2006 [20]	355.04	153.96	2210.38	2.86	NA
				9/21/2006 [20]	344.80	164.2	2220.62	13.10	NA
				11/13/2006 [20]	346.65	162.35	2218.77	8.39	NA
				11/13/2006 [20]	342.24	166.76	2223.18	2.56	NA
				02/06/2007 [20]	356.68	152.32	2208.74	-10.03	NA
				02/06/2007 [20]	342.92	166.08	2222.50	-0.68	NA
				4/23/2007	341.22	167.78	2224.20	1.70	0.00 [24]
				8/6/2007 [20]	356.25	152.75	2209.17	-15.03	-15.03
				8/6/2007 [20]	343.92	165.08	2221.50	-1.00	-2.70
				11/14/2007	NM [26]	NM	NM	NM	NM
				2/21/2008	NM [28]	NM	NM	NM	NM
				4/7/2008 [20]	355.52	153.48	2209.90	NA	-14.30
				4/7/2008 [20]	341.99	167.01	2223.43	NA	-0.77
			[33]	6/17/2008	340.11	168.89	2225.31	1.88	1.11
			[32]	7/30/2008	339.02	169.98	2226.40	1.09	2.20
				10/28/2008 [20]	346.75	162.25	2218.67	NA	-5.53
				10/28/2008 [20]	340.72	168.28	2224.70	-1.70	0.50

Well ID	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BP-1 WCS	55-589345	2535.48	261 - 436	2/11/2002	326.27	109.73	2209.21	NA	NA
				5/6/2002	325.53	110.47	2209.95	0.74	NA
				8/5/2002	324.93	111.07	2210.55	0.60	NA
				11/25/2002	323.60	112.40	2211.88	1.33	NA
				2/13/2003	323.98	112.02	2211.50	-0.38	NA
				3/17/2003	323.76	112.24	2211.72	0.22	NA
				4/15/2003	324.71	111.29	2210.77	-0.95	-0.95
				4/22/2003	324.69	111.31	2210.79	0.02	-0.93
				4/29/2003	324.73	111.27	2210.75	-0.04	-0.97
				5/6/2003	324.77	111.23	2210.71	-0.04	-1.01
				5/13/2003	324.73	111.27	2210.75	0.04	-0.97
				5/20/2003	324.72	111.28	2210.76	0.01	-0.96
				5/27/2003	324.49	111.51	2210.99	0.23	-0.73
				6/3/2003	324.65	111.35	2210.83	-0.16	-0.89
				8/14/2003	324.00	112.00	2211.48	0.65	-0.24
				9/23/2003	324.68	111.32	2210.80	-0.68	-0.92
				12/1/2003	324.44	111.56	2211.04	0.24	-0.68
				1/29/2004	324.47	111.53	2211.01	-0.03	-0.71
				2/25/2004	324.30	111.70	2211.18	0.17	-0.54
				3/29/2004	325.99	110.01	2209.49	-1.69	-2.23
				4/13/2004	324.55	111.45	2210.93	1.44	-0.79
				5/10/2004	324.05	111.95	2211.43	0.50	-0.29
				6/17/2004	323.76	112.24	2211.72	0.29	0.00
		2535.400 [19]		7/28/2004	323.71	112.29	2211.69	-0.03	-0.03
				8/24/2004	323.66	112.34	2211.74	0.05	0.02
				9/21/2004	323.45	112.55	2211.95	0.21	0.23
				10/19/2004	323.41	112.59	2211.99	0.04	0.27
				11/15/2004	323.65	112.35	2211.75	-0.24	0.03
				12/20/2004	324.36	111.64	2211.04	-0.71	-0.68
				1/27/2005	323.49	112.51	2211.91	0.87	0.19
				2/16/2005	324.42	111.58	2210.98	-0.93	-0.74
				3/14/2005	324.11	111.89	2211.29	0.31	-0.43
				4/22/2005	323.79	112.21	2211.61	0.32	-0.11
				5/16/2005	322.66	113.34	2212.74	1.13	1.02
				6/10/2005	322.42	113.58	2212.98	0.24	1.26
				7/29/2005	322.30	113.70	2213.10	0.12	1.38
				8/29/2005	322.32	113.68	2213.08	-0.02	1.36
				9/19/2005	322.49	113.51	2212.91	-0.17	1.19
				10/18/2005	322.28	113.72	2213.12	0.21	1.40
				11/14/2005	322.23	113.77	2213.17	0.05	1.45
				12/6/2005	322.19	113.81	2213.21	0.04	1.49
				1/23/2006	321.93	114.07	2213.47	0.26	1.75
				2/27/2006	321.31	114.69	2214.09	0.62	2.37
				3/20/2006	321.56	114.44	2213.84	-0.25	2.12
				4/3/2006	321.57	114.43	2213.83	-0.01	2.11
				5/30/2006	321.96	114.04	2213.44	-0.39	1.72
				6/16/2006	321.96	114.04	2213.44	0.00	1.72
				7/13/2006	323.14	112.86	2212.26	-1.18	0.54
				8/29/2006	322.97	113.03	2212.43	0.17	0.71
				9/21/2006	322.05	113.95	2213.35	0.92	1.63
				11/13/2006	321.28	114.72	2214.12	0.77	2.40
				2/5/2007	321.91	114.09	2213.49	-0.63	1.77
				4/25/2007	320.97	115.03	2214.43	0.94	0.00[24]
				8/6/2007	321.51	114.49	2213.89	-0.54	-0.54
				11/14/2007	321.18	114.82	2214.22	0.33	-0.21
				2/21/2008	320.37	115.63	2215.03	0.81	0.60
				4/8/2008	319.81	116.19	2215.59	0.56	1.16
				7/28/2008	319.50	116.50	2215.90	0.31	1.47
				10/28/2008	318.59	117.41	2216.81	0.91	2.38
				12/17/2009	312.96	123.04	2222.44	5.63	8.01
				8/19/2010	308.68	127.32	2226.72	4.28	12.29

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well Pipe (feet bgs)	Date	Depth to Groundwater (feet)	Saturated Screen Interval (ft)	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet)	Difference in Water Level Relative to Baseline Event (feet)
BP-2 WCS	55-589349	2540.49	265 - 440	2/12/2002	330.30	109.70	2210.19	NA	NA
				5/6/2002	329.58	110.42	2210.91	0.72	NA
				8/6/2002	329.10	110.90	2211.39	0.48	NA
				11/25/2002	328.64	111.36	2211.85	0.46	NA
				2/13/2003	328.25	111.75	2212.24	0.39	NA
				3/18/2003	327.94	112.06	2212.55	0.31	NA
				4/15/2003	328.75	111.25	2211.74	-0.81	-0.81
				4/22/2003	329.57	110.43	2210.92	-0.82	-1.63
				4/29/2003	329.56	110.44	2210.93	0.01	-1.62
				5/6/2003	329.49	110.51	2211.00	0.07	-1.55
				5/13/2003	329.50	110.50	2210.99	-0.01	-1.56
				5/20/2003	329.45	110.55	2211.04	0.05	-1.51
				5/27/2003	328.36	111.64	2212.13	1.09	-0.42
				6/3/2003	329.40	110.60	2211.09	-1.04	-1.46
				7/25/2003	328.91	111.09	2211.58	0.49	-0.97
				8/14/2003	328.28	111.72	2212.21	0.63	-0.34
				9/23/2003	329.25	110.75	2211.24	-0.97	-1.31
				12/1/2003	328.94	111.06	2211.55	0.31	-1.00
				1/29/2004	329.21	110.79	2211.28	-0.27	-1.27
				2/25/2004	328.91	111.09	2211.58	0.30	-0.97
				3/29/2004	332.86	107.14	2207.63	-3.95	-4.92
				4/13/2004	328.91	111.09	2211.58	3.95	-0.97
				5/10/2004	328.83	111.17	2211.66	0.08	-0.89
				6/17/2004	328.40	111.60	2212.09	0.43	-0.46
		2540.446 [19]		7/28/2004	328.61	111.39	2211.84	-0.25	-0.71
				8/24/2004	328.52	111.48	2211.93	0.09	-0.62
				9/22/2004	328.44	111.56	2212.01	0.08	-0.54
				10/19/2004	328.18	111.82	2212.27	0.26	-0.28
				11/15/2004	328.54	111.46	2211.91	-0.36	-0.64
				12/20/2004	329.23	110.77	2211.22	-0.69	-1.33
				1/27/2005	328.31	111.69	2212.14	0.92	-0.41
				2/16/2005	329.16	110.84	2211.29	-0.85	-1.26
				3/14/2005	328.97	111.03	2211.48	0.19	-1.07
				4/22/2005	328.58	111.42	2211.87	0.39	-0.68
				5/16/2005	327.44	112.56	2213.01	1.14	0.46
				7/29/2005	327.16	112.84	2213.29	0.28	0.74
				8/29/2005	327.18	112.82	2213.27	-0.02	0.72
				9/19/2005	327.28	112.72	2213.17	-0.10	0.62
				10/18/2005	327.20	112.80	2213.25	0.08	0.70
				11/14/2005	327.08	112.92	2213.37	0.12	0.82
				12/6/2005	327.00	113.00	2213.45	0.08	0.90
				1/23/2006	326.77	113.23	2213.68	0.23	1.13
				2/27/2006	326.57	113.43	2213.88	0.20	1.33
				3/20/2006	326.49	113.51	2213.96	0.08	1.41
				4/3/2006	326.46	113.54	2213.99	0.03	1.44
				5/30/2006	326.81	113.19	2213.64	-0.35	1.09
				6/16/2006	326.84	113.16	2213.61	-0.03	1.06
				7/13/2006	327.94	112.06	2212.51	-1.10	-0.04
				8/29/2006	327.83	112.17	2212.62	0.11	0.07
				9/21/2006	325.75	114.25	2214.70	2.08	2.15
				11/13/2006	325.30	114.70	2215.15	0.45	2.60
				2/5/2007	325.89	114.11	2214.56	-0.59	2.01
				4/25/2007	324.93	115.07	2215.52	0.96	0.00[24]
				8/6/2007	326.56	113.44	2213.89	-1.63	-1.63
				11/13/2007	326.28	113.72	2214.17	0.28	-1.35
				2/21/2008	325.33	114.67	2215.12	0.95	-0.40
				4/8/2008	324.77	115.23	2215.68	0.56	0.16
				7/28/2008	324.84	115.16	2215.61	-0.07	0.09
				10/28/2008	323.61	116.39	2216.84	1.23	1.32
				12/17/2009	318.19	121.81	2222.26	5.42	6.74
				8/19/2010	312.77	127.23	2227.68	5.42	12.16

Well ID	[illegible]	[illegible]	[illegible]	Date (1)	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
BP-3 WCS	55-589348	2533.45	255 - 430	8/5/2002	327.19	102.81	2206.26	NA	NA
				11/25/2002	326.10	103.90	2207.35	1.09	NA
				2/13/2003	326.08	103.92	2207.37	0.02	NA
				3/17/2003	325.82	104.18	2207.63	0.26	NA
				4/15/2003	325.65	104.35	2207.80	0.17	0.17
				4/22/2003	325.46	104.54	2207.99	0.19	0.36
				4/29/2003	325.34	104.66	2208.11	0.12	0.48
				5/6/2003	325.34	104.66	2208.11	0.00	0.48
				5/13/2003	325.20	104.80	2208.25	0.14	0.62
				5/20/2003	325.15	104.85	2208.30	0.05	0.67
				5/27/2003	325.12	104.88	2208.33	0.03	0.70
				6/3/2003	325.04	104.96	2208.41	0.08	0.78
				8/14/2003	325.10	104.90	2208.35	-0.06	0.72
				9/23/2003	325.41	104.59	2208.04	-0.31	0.41
				12/1/2003	325.44	104.56	2208.01	-0.03	0.38
				1/29/2004	325.27	104.73	2208.18	0.17	0.55
				2/25/2004	324.99	105.01	2208.46	0.28	0.83
				3/29/2004	326.12	103.88	2207.33	-1.13	-0.30
				4/13/2004	325.30	104.70	2208.15	0.82	0.52
				5/10/2004	324.28	105.72	2209.17	1.02	1.54
				6/17/2004	324.04	105.96	2209.41	0.24	1.78
		2533.478 (19)		7/28/2004	323.92	106.08	2209.56	0.15	1.93
				8/24/2004	323.89	106.11	2209.59	0.03	1.96
				9/21/2004	323.74	106.26	2209.74	0.15	2.11
				10/19/2004	323.72	106.28	2209.76	0.02	2.13
				11/15/2004	323.72	106.28	2209.76	0.00	2.13
				12/20/2004	324.56	105.44	2208.92	-0.84	1.29
				1/27/2005	323.55	106.45	2209.93	1.01	2.30
				2/16/2005	324.47	105.53	2209.01	-0.92	1.38
				3/14/2005	324.18	105.82	2209.30	0.29	1.67
				4/22/2005	323.72	106.28	2209.76	0.46	2.13
				5/16/2005	322.53	107.47	2210.95	1.19	3.32
				6/10/2005	322.29	107.71	2211.19	0.24	3.56
				7/29/2005	322.34	107.66	2211.14	-0.05	3.51
				8/29/2005	322.30	107.70	2211.18	0.04	3.55
				9/19/2005	322.40	107.60	2211.08	-0.10	3.45
				10/18/2005	322.37	107.63	2211.11	0.03	3.48
				11/14/2005	322.20	107.80	2211.28	0.17	3.65
				12/6/2005	322.17	107.83	2211.31	0.03	3.68
				1/23/2006	321.89	108.11	2211.59	0.28	3.96
				2/27/2006	321.63	108.37	2211.85	0.26	4.22
				3/20/2006	321.65	108.35	2211.83	-0.02	4.20
				4/3/2006	321.68	108.32	2211.80	-0.03	4.17
				5/30/2006	322.19	107.81	2211.29	-0.51	3.66
				6/16/2006	322.18	107.82	2211.30	0.01	3.67
				7/13/2006	322.96	107.04	2210.52	-0.78	2.89
				8/29/2006	322.97	107.03	2210.51	-0.01	2.88
				9/21/2006	322.79	107.21	2210.69	0.18	3.06
				11/13/2006	322.75	107.25	2210.73	0.04	3.10
				2/5/2007	323.41	106.59	2210.07	-0.66	2.44
				4/26/2007	322.48	107.52	2211.00	0.93	0.00 (24)
				8/6/2007	321.71	108.29	2211.77	0.77	0.77
				11/13/2007	321.29	108.71	2212.19	0.42	1.19
				2/21/2008	320.34	109.66	2213.14	0.95	2.14
				4/8/2008	319.62	110.38	2213.86	0.72	2.86
				7/28/2008	319.72	110.28	2213.76	-0.10	2.76
				10/28/2008	318.53	111.47	2214.95	1.19	3.95
				12/17/2009	312.64	117.36	2220.84	5.89	9.84
				8/19/2010	309.77	120.23	2223.71	2.87	12.71

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Depth to Water Below Measuring Point (feet)	Groundwater Elev. Elevation (feet amsl)	Change in Water Level Since Last Reading (feet)	Change in Water Level Since First Reading (feet)
BP-4 WCS	55-589347	2547.3	260 - 435	2/12/2002	335.93	99.07	2211.37	NA	NA
				5/6/2002	335.38	99.62	2211.92	0.55	NA
				8/6/2002	334.93	100.07	2212.37	0.45	NA
				11/25/2002	334.44	100.56	2212.86	0.49	NA
				2/13/2003	333.92	101.08	2213.38	0.52	NA
				3/17/2003	333.57	101.43	2213.73	0.35	NA
				4/15/2003	328.76	106.24	2218.54	4.81	4.81
				4/22/2003	328.15	106.85	2219.15	0.61	5.42
				4/29/2003	327.85	107.15	2219.45	0.30	5.72
				5/6/2003	327.62	107.38	2219.68	0.23	5.95
				5/13/2003	327.65	107.35	2219.65	-0.03	5.92
				5/20/2003	327.26	107.74	2220.04	0.39	6.31
				5/27/2003	329.24	105.76	2218.06	-1.98	4.33
				6/3/2003	327.51	107.49	2219.79	1.73	6.06
				7/25/2003	331.10	103.90	2216.20	-3.59	2.47
				8/14/2003	329.95	105.05	2217.35	1.15	3.62
				9/23/2003	330.07	104.93	2217.23	-0.12	3.50
				12/1/2003	330.88	104.12	2216.42	-0.81	2.69
				1/29/2004	329.89	105.11	2217.41	0.99	3.68
				2/25/2004	329.49	105.51	2217.81	0.40	4.08
				3/29/2004	331.62	103.38	2215.68	-2.13	1.95
				4/13/2004	330.13	104.87	2217.17	1.49	3.44
				5/10/2004	328.50	106.50	2218.80	1.63	5.07
				6/17/2004	328.93	106.07	2218.37	-0.43	4.64
		2547.260 (16)		7/28/2004	328.60	106.40	2218.66	0.29	4.93
				8/24/2004	328.51	106.49	2218.75	0.09	5.02
				9/21/2004	328.45	106.55	2218.81	0.06	5.08
				10/19/2004	328.42	106.58	2218.84	0.03	5.11
				11/15/2004	327.82	107.18	2219.44	0.60	5.71
				12/20/2004	328.77	106.23	2218.49	-0.95	4.76
				1/27/2005	327.44	107.56	2219.82	1.33	6.09
				2/16/2005	328.33	106.67	2218.93	-0.89	5.20
				3/14/2005	328.34	106.66	2218.92	-0.01	5.19
				4/22/2005	327.71	107.29	2219.55	0.63	5.82
				5/16/2005	326.56	108.44	2220.70	1.15	6.97
				6/10/2005	326.49	108.51	2220.77	0.07	7.04
				7/29/2005	326.69	108.31	2220.57	-0.20	6.84
				8/29/2005	326.38	108.62	2220.88	0.31	7.15
				9/19/2005	326.47	108.53	2220.79	-0.09	7.06
				10/18/2005	326.67	108.33	2220.59	-0.20	6.86
				11/14/2005	326.22	108.78	2221.04	0.45	7.31
				12/6/2005	326.21	108.79	2221.05	0.01	7.32
				1/23/2006	325.96	109.04	2221.30	0.25	7.57
				2/27/2006	325.81	109.19	2221.45	0.15	7.72
				3/20/2006	325.90	109.10	2221.36	-0.09	7.63
				4/3/2006	325.72	109.28	2221.54	0.18	7.81
				5/30/2006	326.02	108.98	2221.24	-0.30	7.51
				6/16/2006	326.09	108.91	2221.17	-0.07	7.44
				8/29/2006	326.96	108.04	2220.30	-0.87	6.57
				9/21/2006	329.23	105.77	2218.03	-2.27	4.30
				11/13/2006	330.81	104.19	2216.45	-1.58	2.72
				2/5/2007	331.42	103.58	2215.84	-0.61	2.11
				4/26/2007	330.04	104.96	2217.22	1.38	0.00 (24)
				8/6/2007	326.24	108.76	2221.02	3.80	3.80
				11/13/2007	325.81	109.19	2221.45	0.43	4.23
				2/21/2008	324.97	110.03	2222.29	0.84	5.07
				4/8/2008	324.36	110.64	2222.90	0.61	5.68
				7/30/2008	324.81	110.19	2222.45	-0.45	5.23
				10/28/2008	323.15	111.85	2224.11	1.66	6.89
				12/17/2009	318.26	116.74	2229.00	4.89	11.78
				8/19/2010	317.03	117.97	2230.23	1.23	13.01

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below ground surface)	Date	Depth to Water (feet)	Screened Interval Length (feet)	Groundwater Level Elevation (feet amsl)	Change in Water Level since Previous Event (feet)	Change in Water Level Relative to Baseline Event (feet)
BP-5 WCS	55-589346	2570.38	280 - 455	2/11/2002	349.55	105.45	2220.83	NA	NA
				5/6/2002	349.38	105.62	2221.00	0.17	NA
				8/5/2002	349.08	105.92	2221.30	0.30	NA
				11/25/2002	348.10	106.90	2222.28	0.98	NA
				2/13/2003	348.01	106.99	2222.37	0.09	NA
				3/17/2003	347.80	107.20	2222.58	0.21	NA
				4/15/2003	348.96	106.04	2221.42	-1.16	-1.16
				4/22/2003	348.99	106.01	2221.39	-0.03	-1.19
				4/29/2003	349.21	105.79	2221.17	-0.22	-1.41
				5/6/2003	349.43	105.57	2220.95	-0.22	-1.63
				5/13/2003	349.57	105.43	2220.81	-0.14	-1.77
				5/20/2003	349.74	105.26	2220.64	-0.17	-1.94
				5/27/2003	349.81	105.19	2220.57	-0.07	-2.01
				6/3/2003	349.73	105.27	2220.65	0.08	-1.93
				7/25/2003	349.97	105.03	2220.41	-0.24	-2.17
				8/14/2003	349.62	105.38	2220.76	0.35	-1.82
				9/23/2003	349.24	105.76	2221.14	0.38	-1.44
				12/1/2003	348.99	106.01	2221.39	0.25	-1.19
				1/29/2004	348.40	106.60	2221.98	0.59	-0.60
				2/25/2004	348.45	106.55	2221.93	-0.05	-0.65
				3/29/2004	349.88	105.12	2220.50	-1.43	-2.08
				4/13/2004	349.58	105.42	2220.80	0.30	-1.78
				5/10/2004	348.21	106.79	2222.17	1.37	-0.41
				6/17/2004	348.32	106.68	2222.06	-0.11	-0.52
		2570.310 (19)		7/28/2004	348.12	106.88	2222.19	0.13	-0.39
				8/24/2004	347.84	107.16	2222.47	0.28	-0.11
				9/21/2004	347.98	107.02	2222.33	-0.14	-0.25
				10/19/2004	347.74	107.26	2222.57	0.24	-0.01
				11/15/2004	347.69	107.31	2222.62	0.05	0.04
				12/20/2004	348.51	106.49	2221.80	-0.82	-0.78
				1/27/2005	347.39	107.61	2222.92	1.12	0.34
				2/16/2005	348.46	106.54	2221.85	-1.07	-0.73
				3/14/2005	348.04	106.96	2222.27	0.42	-0.31
				4/22/2005	348.07	106.93	2222.24	-0.03	-0.34
				5/16/2005	346.96	108.04	2223.35	1.11	0.77
				6/10/2005	346.87	108.13	2223.44	0.09	0.86
				7/29/2005	347.00	108.00	2223.31	-0.13	0.73
				8/29/2005	347.00	108.00	2223.31	0.00	0.73
				9/19/2005	347.23	107.77	2223.08	-0.23	0.50
				10/18/2005	347.11	107.89	2223.20	0.12	0.62
				11/14/2005	346.76	108.24	2223.55	0.35	0.97
				12/6/2005	346.77	108.23	2223.54	-0.01	0.96
				1/23/2006	346.42	108.58	2223.89	0.35	1.31
				2/27/2006	346.50	108.50	2223.81	-0.08	1.23
				3/20/2006	346.46	108.54	2223.85	0.04	1.27
				4/3/2006	346.42	108.58	2223.89	0.04	1.31
				5/30/2006	346.57	108.43	2223.74	-0.15	1.16
				6/16/2006	346.63	108.37	2223.68	-0.06	1.10
				7/13/2006	348.53	106.47	2221.78	-1.90	-0.80
				8/29/2006	347.69	107.31	2222.62	0.84	0.04
				9/21/2006	347.39	107.61	2222.92	0.30	0.34
				11/13/2006	346.38	108.62	2223.93	1.01	1.35
				2/5/2007	346.84	108.16	2223.47	-0.46	0.89
				4/24/2007	345.73	109.27	2224.58	1.11	0.00(24)
				8/6/2007	346.56	108.44	2223.75	-0.83	-0.83
				11/13/2007	346.47	108.53	2223.84	0.09	-0.74
				2/20/2008	345.71	109.29	2224.60	0.76	0.02
				4/9/2008	345.24	109.76	2225.07	0.47	0.49
				7/30/2008	343.72	111.28	2226.59	1.52	2.01
				10/28/2008	343.40	111.60	2226.91	0.32	2.33
				12/17/2009	339.40	115.60	2230.91	4.00	6.33
				8/19/2010	336.79	118.21	2233.52	2.61	8.94

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well Test (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
BP-7	55-589343	2579.340	281 - 456	2/11/2002	347.08	108.92	2232.26	NA	NA
				5/6/2002	346.69	109.31	2232.65	0.39	NA
				8/5/2002	346.97	109.03	2232.37	-0.28	NA
				3/17/2003	346.49	109.51	2232.85	0.48	NA
				12/1/2003	346.52	109.48	2232.82	-0.03	-0.03
				5/10/2004	345.55	110.45	2233.79	0.97	0.94
				9/21/2004	345.38	110.62	2233.96	0.17	1.11
				11/15/2004	345.70	110.30	2233.64	-0.32	0.79
				1/27/2005	344.82	111.18	2234.52	0.88	1.67
				2/16/2005	345.81	110.19	2233.53	-0.99	0.68
				3/14/2005	345.51	110.49	2233.83	0.30	0.98
				4/22/2005	345.44	110.56	2233.90	0.07	1.05
				5/16/2005	344.23	111.77	2235.11	1.21	2.26
				6/10/2005	344.24	111.76	2235.10	-0.01	2.25
				9/19/2005	345.02	110.98	2234.32	-0.78	1.47
				11/14/2005	344.97	111.03	2234.37	0.05	1.52
				1/23/2006	344.60	111.40	2234.74	0.37	1.89
				4/3/2006	344.33	111.67	2235.01	0.27	2.16
				8/29/2006	345.17	110.83	2234.17	-0.84	1.32
				9/21/2006	345.06	110.94	2234.28	0.11	1.43
				11/13/2006	344.93	111.07	2234.41	0.13	1.56
				2/7/2007	344.66	111.34	2234.68	0.27	1.83
				4/27/2007	344.15	111.85	2235.19	0.51	0.00[24]
				8/6/2007	344.20	111.80	2235.14	-0.05	-0.05
				11/14/2007	343.92	112.08	2235.42	0.28	0.23
				2/19/2008	343.26	112.74	2236.08	0.66	0.89
				4/8/2008	342.87	113.13	2236.47	0.39	1.28
				7/30/2008	343.27	112.73	2236.07	-0.40	0.88
				10/28/2008	341.49	114.51	2237.85	1.78	2.66
				12/17/2009	337.92	118.08	2241.42	3.57	6.23
				8/19/2010	335.63	120.37	2243.71	2.29	8.52
BP-8	55-587095	2602.640	297 - 472	7/24/2001	369.30	102.70	2233.34	NA	NA
				11/5/2001	369.81	102.19	2232.83	-0.51	NA
				2/11/2002	369.49	102.51	2233.15	0.32	NA
				5/6/2002	369.05	102.95	2233.59	0.44	NA
				8/5/2002	369.39	102.61	2233.25	-0.34	NA
				3/17/2003	369.01	102.99	2233.63	0.38	NA
				12/1/2003	368.70	103.30	2233.94	0.31	0.31
				5/10/2004	367.68	104.32	2234.96	1.02	1.33
				9/21/2004	367.36	104.64	2235.28	0.32	1.65
				11/15/2004	367.26	104.74	2235.38	0.10	1.75
				1/27/2005	366.87	105.13	2235.77	0.39	2.14
				2/16/2005	367.89	104.11	2234.75	-1.02	1.12
				3/14/2005	367.62	104.38	2235.02	0.27	1.39
				4/22/2005	367.42	104.58	2235.22	0.20	1.59
				5/16/2005	366.27	105.73	2236.37	1.15	2.74
				6/10/2005	366.28	105.72	2236.36	-0.01	2.73
				9/19/2005	367.08	104.92	2235.56	-0.80	1.93
				11/14/2005	366.99	105.01	2235.65	0.09	2.02
				1/23/2006	366.62	105.38	2236.02	0.37	2.39
				4/3/2006	366.38	105.62	2236.26	0.24	2.63
				8/29/2006	367.31	104.69	2235.33	-0.93	1.70
				9/21/2006	367.22	104.78	2235.42	0.09	1.79
				11/13/2006	367.05	104.95	2235.59	0.17	1.96
				2/7/2007	366.79	105.21	2235.85	0.26	2.22
				4/23/2007	366.35	105.65	2236.29	0.44	0.00[24]
				8/6/2007	366.38	105.62	2236.26	-0.03	-0.03
				11/16/2007	366.15	104.85	2236.49	0.23	0.20
				2/20/2008	365.53	106.47	2237.11	0.62	0.82
				4/8/2008	365.13	106.87	2237.51	0.40	1.22
				7/30/2008	364.56	107.44	2238.08	0.57	1.79
				10/28/2008	363.94	108.06	2238.70	0.62	2.41
				12/12/2008	363.50	108.50	2239.14	0.44	2.85
				12/17/2009	360.42	111.58	2242.22	3.08	5.93
				8/19/2010	358.07	113.93	2244.57	2.35	8.28
BP-9	55-589342	2581.800	280.5 - 455.5	2/12/2002	342.63	112.87	2239.17	NA	NA
				5/6/2002	342.31	113.19	2239.49	0.32	NA
				8/5/2002	342.84	112.66	2238.96	-0.53	NA
				3/17/2003	342.96	112.54	2238.84	-0.12	NA
				12/1/2003	342.40	113.10	2239.40	0.56	0.56
				5/10/2004	341.44	114.06	2240.36	0.96	1.52
				9/22/2004	341.40	114.10	2240.40	0.04	1.56
				11/15/2004	341.07	114.43	2240.73	0.33	1.89
				5/16/2005	340.20	115.30	2241.60	0.87	2.76
				11/14/2005	340.99	114.51	2240.81	-0.79	1.97
				4/4/2006	340.20	115.30	2241.60	0.79	2.76
				8/29/2006	341.05	114.45	2240.75	-0.85	1.91
				9/21/2006	341.07	114.43	2240.73	-0.02	1.89
				11/13/2006	341.00	114.50	2240.80	0.07	1.96
				2/7/2007	340.72	114.78	2241.08	0.28	2.24
				4/26/2007	339.89	115.61	2241.91	0.83	0.00[24]
				8/6/2007	339.92	115.58	2241.88	-0.03	-0.03
				11/16/2007	339.65	115.85	2242.15	0.27	0.24
				2/19/2008	338.90	116.60	2242.90	0.75	0.99
		2581.605 [29]		4/9/2008	338.10	117.40	2243.51	0.61	1.60
				7/29/2008	337.54	117.96	2244.07	0.56	2.16
				10/28/2008	337.21	118.29	2244.40	0.33	2.49
				12/12/2008	336.67	118.83	2244.94	0.54	3.03
				12/17/2009	333.07	122.43	2248.54	3.60	6.63
				8/18/2010	330.98	124.52	2250.63	2.09	8.72

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Since Baseline Event (feet +/-)
BP-10	55-589341	2594.930	285 - 460	2/12/2002	356.10	103.90	2238.83	NA	NA
				5/7/2002	355.86	104.14	2239.07	0.24	NA
				8/6/2002	356.41	103.59	2238.52	-0.55	NA
				3/18/2003	356.36	103.64	2238.57	0.05	NA
				12/2/2003	355.73	104.27	2239.20	0.63	0.63
				5/10/2004	354.80	105.20	2240.13	0.93	1.56
				9/22/2004	354.58	105.42	2240.35	0.22	1.78
				11/16/2004	354.46	105.54	2240.47	0.12	1.90
				5/16/2005	353.41	106.59	2241.52	1.05	2.95
				11/14/2005	354.30	105.70	2240.63	-0.89	2.06
				4/4/2006	353.55	106.45	2241.38	0.75	2.81
				11/13/2006	354.35	105.65	2240.58	-0.80	2.01
				4/23/2007	353.57	106.43	2241.36	0.78	0.00[24]
				11/14/2007	353.21	106.79	2241.72	0.36	0.36
				2/19/2008	352.55	107.45	2242.38	0.66	1.02
		2594.772 [29]		4/10/2008	352.09	107.91	2242.68	0.30	1.32
				7/30/2008	351.32	108.68	2243.45	0.77	2.09
				10/28/2008	351.02	108.98	2243.75	0.30	2.39
				12/12/2008	350.49	109.51	2244.28	0.53	2.92
				12/17/2009	347.15	112.85	2247.62	3.34	6.26
BP-11	55-588207	2606.970	378 - 478	11/5/2001	365.04	100.00 [3]	2241.93	NA	NA
				2/12/2002	364.63	100.00	2242.34	0.41	NA
				5/6/2002	364.24	100.00	2242.73	0.39	NA
				8/6/2002	365.25	100.00	2241.72	-1.01	NA
				3/17/2003	365.05	100.00	2241.92	0.20	NA
				12/2/2003	364.41	100.00	2242.56	0.64	0.64
				5/10/2004	363.44	100.00	2243.53	0.97	1.61
				9/22/2004	363.21	100.00	2243.76	0.23	1.84
				11/15/2004	363.03	100.00	2243.94	0.18	2.02
				5/16/2005	361.99	100.00	2244.98	1.04	3.06
				11/14/2005	362.94	100.00	2244.03	-0.95	2.11
				4/4/2006	362.22	100.00	2244.75	0.72	2.83
				8/29/2006	363.25	100.00	2243.72	-1.03	1.80
				9/21/2006	363.19	100.00	2243.78	0.06	1.86
				11/13/2006	363.11	100.00	2243.86	0.08	1.94
				2/7/2007	362.87	100.00	2244.10	0.24	2.18
				4/25/2007	362.09	100.00	2244.88	0.78	0.00[24]
				8/6/2007	362.11	100.00	2244.86	-0.02	-0.02
				11/12/2007	362.03	100.00	2244.94	0.08	0.06
				2/19/2008	360.91	100.00	2246.06	1.12	1.18
		2606.776 [29]		4/7/2008	360.36	100.00	2246.42	0.36	1.54
				7/29/2008	359.82	100.00	2246.96	0.54	2.08
				10/28/2008	359.57	100.00	2247.21	0.25	2.33
				12/12/2008	359.03	100.00	2247.75	0.54	2.87
				12/17/2009	355.91	100.00	2250.87	3.12	5.99
BP-15	55-589338	2595.450	293.5 - 468.5	2/11/2002	366.73	101.77	2228.72	NA	NA
				5/6/2002	366.18	102.32	2229.27	0.55	NA
				8/5/2002	366.51	101.99	2228.94	-0.33	NA
				3/17/2003	365.87	102.63	2229.58	0.64	NA
				12/1/2003	365.34	103.16	2230.11	0.53	0.53
				5/10/2004	364.08	104.42	2231.37	1.26	1.79
				9/21/2004	363.65	104.85	2231.80	0.43	2.22
				11/15/2004	363.56	104.94	2231.89	0.09	2.31
				5/16/2005	362.45	106.05	2233.00	1.11	3.42
				11/14/2005	363.02	105.48	2232.43	-0.57	2.85
				4/3/2006	362.52	105.98	2232.93	0.50	3.35
				5/30/2006	362.64	105.86	2232.81	-0.12	3.23
				6/16/2006	362.82	105.68	2232.63	-0.18	3.05
				7/13/2006	364.13	104.37	2231.32	-1.31	1.74
				8/29/2006	363.75	104.75	2231.70	0.38	2.12
				9/21/2006	363.56	104.94	2231.89	0.19	2.31
				11/13/2006	363.20	105.30	2232.25	0.36	2.67
				2/7/2007	362.99	105.51	2232.46	0.21	2.88
				4/25/2007	362.51	105.99	2232.94	0.48	0.00[24]
				8/6/2007	362.80	105.70	2232.65	-0.29	-0.29
				11/12/2007	362.66	105.84	2232.79	0.14	-0.15
				2/21/2008	361.87	106.63	2233.58	0.79	0.64
				4/8/2008	361.45	107.05	2234.00	0.42	1.06
				7/30/2008	360.95	107.55	2234.50	0.50	1.56
				10/28/2008	360.30	108.20	2235.15	0.65	2.21
				12/17/2009	357.01	111.49	2238.44	3.29	5.50
				8/19/2010	354.42	114.08	2241.03	2.59	8.09

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
BP-16 WCS	55-589337	2602.56	295 - 470	8/6/2002	365.38	104.62	2237.18	NA	NA
				3/17/2003	365.16	104.84	2237.40	0.22	NA
				12/1/2003	364.53	105.47	2238.03	0.63	0.63
				5/10/2004	363.57	106.43	2238.99	0.96	1.59
		2602.525 [19]		8/24/2004	363.36	106.64	2239.17	0.18	1.76
				9/22/2004	363.27	106.73	2239.26	0.09	1.86
				11/15/2004	363.05	106.95	2239.48	0.22	2.07
				2/16/2005	363.74	106.26	2238.79	-0.69	1.38
				5/16/2005	362.12	107.88	2240.41	1.62	3.01
				9/19/2005	363.09	106.91	2239.44	-0.97	2.03
				11/14/2005	362.94	107.06	2239.59	0.15	2.18
				1/23/2006	362.60	107.40	2239.93	0.34	2.53
				4/4/2006	362.26	107.74	2240.27	0.34	2.87
				5/30/2006	362.35	107.65	2240.18	-0.09	2.78
				6/16/2006	362.50	107.50	2240.03	-0.15	2.63
				7/13/2006	363.00	107.00	2239.53	-0.50	2.13
				8/29/2006	363.37	106.63	2239.16	-0.37	1.76
				9/21/2006	363.25	106.75	2239.28	0.12	1.88
				11/13/2006	363.08	106.92	2239.45	0.17	2.05
				2/7/2007	362.97	107.03	2239.56	0.11	2.16
				4/26/2007	362.25	107.75	2240.28	0.72	0.00 [24]
				8/6/2007	362.45	107.55	2240.08	-0.20	-0.20
				11/12/2007	362.29	107.71	2240.24	0.16	-0.04
				2/19/2008	361.48	108.52	2241.05	0.81	0.77
				4/7/2008	360.87	109.13	2241.66	0.61	1.38
				7/29/2008	360.40	109.60	2242.13	0.47	1.85
				10/28/2008	360.01	109.99	2242.52	0.39	2.24
				12/12/2008	359.55	110.45	2242.98	0.46	2.70
				12/17/2009	356.46	113.54	2246.07	3.09	5.79
				8/18/2010	354.17	115.83	2248.36	2.29	8.08
BP-19	55-596237	2545.44	245 - 420	3/17/2003	313.67	106.33	2231.77	NA	NA
				12/1/2003	314.24	105.76	2231.20	-0.57	-0.57
				5/10/2004	313.43	106.57	2232.01	0.81	0.24
		2545.433 [19]		9/22/2004	313.75	106.25	2231.68	-0.33	-0.09
				11/15/2004	313.45	106.55	2231.98	0.30	0.21
				5/16/2005	312.32	107.68	2233.11	1.13	1.34
				11/14/2005	313.13	106.87	2232.30	-0.81	0.53
				4/3/2006	312.43	107.57	2233.00	0.70	1.23
				8/29/2006	313.17	106.83	2232.26	-0.74	0.49
				9/21/2006	313.18	106.82	2232.25	-0.01	0.48
				11/13/2006	312.99	107.01	2232.44	0.19	0.67
				2/7/2007	312.75	107.25	2232.68	0.24	0.91
				4/24/2007	312.44	107.56	2232.99	0.31	0.00 [24]
				8/6/2007	312.24	107.76	2233.19	0.20	0.20
				11/13/2007	311.98	108.02	2233.45	0.26	0.46
				2/19/2008	311.13	108.87	2234.30	0.85	1.31
				4/9/2008	310.75	109.25	2234.68	0.38	1.69
				7/30/2008	310.30	109.70	2235.13	0.45	2.14
				10/28/2008	309.44	110.56	2235.99	0.86	3.00
				12/17/2009	305.56	114.44	2239.87	3.88	6.88
				8/19/2010	303.56	116.44	2241.87	2.00	8.88
BP-20 WCS		2532.208	280 - 430	9/19/2005	323.75	106.25	2208.46	NA	NA
				10/17/2005	323.53	106.47	2208.68	0.22	NA
				11/14/2005	323.42	106.58	2208.79	0.11	NA
				12/6/2005	323.41	106.59	2208.80	0.01	NA
				1/23/2006	323.13	106.87	2209.08	0.28	NA
				2/27/2006	322.84	107.16	2209.37	0.29	NA
				3/20/2006	322.75	107.25	2209.46	0.09	NA
				4/3/2006	322.76	107.24	2209.45	-0.01	NA
				5/30/2006	323.23	106.77	2208.98	-0.47	NA
				6/16/2006	323.24	106.76	2208.97	-0.01	NA
				7/13/2006	324.25	105.75	2207.96	-1.01	NA
				8/29/2006	324.18	105.82	2208.03	0.07	NA
				9/21/2006	323.76	106.24	2208.45	0.42	NA
				11/13/2006	323.07	106.93	2209.14	0.69	NA
				2/5/2007	323.61	106.39	2208.60	-0.54	NA
				4/25/2007	322.67	107.33	2209.54	0.94	0.00 [24]
				8/6/2007	322.68	107.32	2209.53	-0.01	-0.01
				11/13/2007	322.29	107.71	2209.92	0.39	0.38
				2/21/2008	321.43	108.57	2210.78	0.86	1.24
				4/8/2008	320.79	109.21	2211.42	0.64	1.88
				7/28/2008	320.55	109.45	2211.66	0.24	2.12
				10/28/2008	319.39	110.61	2212.82	1.16	3.28
				12/17/2009	313.42	116.58	2218.79	5.97	9.25
				8/19/2010	309.75	120.25	2222.46	3.67	12.92

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Referenced Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
BP-21 WCS		2533.692	280 - 430	9/19/2005	322.44	107.56	2211.25	NA	NA
				10/17/2005	322.24	107.76	2211.45	0.20	NA
				11/14/2005	322.13	107.87	2211.56	0.11	NA
				12/6/2005	322.11	107.89	2211.58	0.02	NA
				1/23/2006	321.84	108.16	2211.85	0.27	NA
				2/27/2006	321.59	108.41	2212.10	0.25	NA
				3/20/2006	321.53	108.47	2212.16	0.06	NA
				4/3/2006	321.50	108.50	2212.19	0.03	NA
				5/30/2006	322.00	108.00	2211.69	-0.50	NA
				6/16/2006	322.02	107.98	2211.67	-0.02	NA
				8/31/2006	322.86	107.14	2210.83	-0.84	NA
				9/21/2006	322.50	107.50	2211.19	0.36	NA
				11/13/2006	322.06	107.94	2211.63	0.44	NA
				2/6/2007	322.70	107.30	2210.99	-0.64	NA
				4/26/2007	321.71	108.29	2211.98	0.99	0.00[24]
				8/6/2007	321.55	108.45	2212.14	0.16	0.16
				11/19/2007	321.13	108.87	2212.56	0.42	0.58
				2/21/2008	320.23	109.77	2213.46	0.90	1.48
				4/8/2008	319.56	110.44	2214.13	0.67	2.15
				7/29/2008	319.52	110.48	2214.17	0.04	2.19
				10/28/2008	318.31	111.69	2215.38	1.21	3.40
				12/17/2009	312.57	117.43	2221.12	5.74	9.14
				8/18/2010	309.40	120.60	2224.29	3.17	12.31
BP-22	55-211472	2605.692	358 - 438	5/24/2006	360.76	77.24	2244.93	NA	NA
				11/13/2006	360.66	77.34	2245.03	0.10	NA
				4/23/2007	359.48	78.52	2246.21	1.18	0.00[24]
				11/12/2007	359.29	78.71	2246.40	0.19	0.19
				2/19/2008	358.03	79.97	2247.66	1.26	1.45
				4/7/2008	357.35	80.00 [30]	2248.34	0.68	2.13
				10/28/2008	356.97	80.00 [30]	2248.72	0.38	2.51
				12/12/2008	355.98	80.00 [30]	2249.71	0.99	3.50
BP-23	55-211653	2599.658	350 - 440	5/24/2006	358.53	81.47	2241.13	NA	NA
				11/13/2006	358.31	81.69	2241.35	0.22	NA
				4/23/2007	357.25	82.75	2242.41	1.06	0.00[24]
				11/20/2007	356.62	83.38	2243.04	0.63	0.63
				2/19/2008	355.70	84.30	2243.96	0.92	1.55
		2599.904 [29]		4/7/2008	354.21	85.79	2245.69	1.73	3.28
				10/28/2008	354.46	85.54	2245.44	-0.25	3.03
				12/12/2008	353.61	86.39	2246.29	0.85	3.88
BP-24A	55-908056	2567.743	325 - 355	1/21/2008	335.14	19.86	2232.60	NA	NA[26]
				2/19/2008	334.92	20.08	2232.82	0.22	NA[26]
				4/9/2008	334.46	20.54	2233.28	0.46	NA[26]
				7/29/2008	333.92	21.08	2233.82	0.54	NA[26]
				10/28/2008	333.22	21.78	2234.52	0.70	NA[26]
				12/17/2009	329.38	25.62	2238.36	3.84	NA[26]
				8/19/2010	327.11	27.89	2240.63	2.27	NA[26]
BP-24B	55-908057	2568.013	385 - 405	1/21/2008	333.87	20.00 [2]	2234.14	NA	NA[26]
				4/7/2008	332.27	20.00	2235.74	1.60	NA[26]
				10/28/2008	331.87	20.00	2236.14	0.40	NA[26]
BP-24C	55-908058	2568.283	440 - 460	1/21/2008	333.84	20.00 [2]	2234.44	NA	NA[26]
				4/7/2008	332.20	20.00	2236.08	-1.64	NA[26]
				10/28/2008	331.83	20.00	2236.45	-0.37	NA[26]
BP-25	55-908951	2550.156	300 - 375	5/9/2008	310.85	64.15	2239.31	NA	NA[26]
				6/2/2008	310.73	64.27	2239.43	0.12	NA[26]
				7/30/2008	310.34	64.66	2239.82	0.39	NA[26]
				10/28/2008	309.55	65.45	2240.61	0.79	NA[26]
				12/17/2009	305.65	69.35	2244.51	3.90	NA[26]
				8/19/2010	303.87	71.13	2246.29	1.78	NA[26]

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
C-020B		2560.50 [21]	225 - 500	10/30/2002	343.40	156.60	2217.10	NA	NA
				1/10/2003	343.00	157.00	2217.50	0.40	NA
				1/29/2003	343.00	157.00	2217.50	0.00	NA
				4/11/2003	342.90	157.10	2217.60	0.10	NA
				8/6/2003	343.50	156.50	2217.00	-0.60	NA
				10/6/2003	343.40	156.60	2217.10	0.10	NA
				1/7/2004	342.70	157.30	2217.80	0.70	NA
				2/18/2004	342.90	157.10	2217.60	-0.20	NA
				3/16/2004	342.80	157.20	2217.70	0.10	NA
				10/15/2004	342.30	157.70	2218.20	0.50	NA
				2/14/2005	341.80	158.20	2218.70	0.50	NA
				5/19/2005	341.60	158.40	2218.90	0.20	NA
		2562.695 [22]		10/17/2005	338.69	161.31	2224.01	NA	NA
				11/14/2005	338.87	161.13	2223.83	-0.18	NA
				12/6/2005	339.91	160.09	2222.79	-1.04	NA
				1/23/2006	339.57	160.43	2223.13	0.34	NA
				2/27/2006	339.49	160.51	2223.21	0.08	NA
				3/20/2006	339.43	160.57	2223.27	0.06	NA
				4/4/2006	339.48	160.52	2223.22	-0.05	NA
				5/30/2006	339.53	160.47	2223.17	-0.05	NA
				6/16/2006	339.59	160.41	2223.11	-0.06	NA
C-022A	55-620023	2585.24	168 - 391	7/23/2001	355.17	35.83	2230.07	NA	NA
		2585.23 [3]		11/5/2001	355.81	35.19	2229.42	-0.65	NA
				2/12/2002	355.47	35.53	2229.76	0.34	NA
				5/6/2002	355.26	35.74	2229.97	0.21	NA
				8/5/2002	355.38	35.62	2229.85	-0.12	NA
				3/17/2003	354.81	36.19	2230.42	0.57	NA
				12/2/2003	355.07	35.93	2230.16	-0.26	-0.26
				5/10/2004	354.32	36.68	2230.91	0.75	0.49
		2585.258 [15]		9/22/2004	354.26	36.74	2231.00	0.09	0.58
				11/16/2004	354.18	36.82	2231.08	0.08	0.66
				5/16/2005	353.08	37.92	2232.18	1.10	1.76
				11/14/2005	353.62	37.38	2231.64	-0.54	1.22
				4/3/2006	353.07	37.93	2232.19	0.55	1.77
				11/13/2006	353.51	37.49	2231.75	-0.44	1.33
				4/23/2007	352.91	38.09	2232.35	0.60	0.00 [24]
				11/12/2007	352.91	38.09	2232.35	0.00	0.00
				2/20/2008	352.13	38.87	2233.13	0.78	0.78
				4/7/2008	354.21	36.79	2231.05	-2.08	-1.30
				10/28/2008	350.26	40.74	2235.00	3.95	2.65

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date [1]	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
C-026A WCS	55-620027	2539.79 [3]	130 - 537	8/1/2001	330.22	206.78	2209.57	NA	NA
				11/5/2001	329.69	207.31	2210.10	0.53	NA
				2/12/2002	328.73	208.27	2211.06	0.96	NA
				5/6/2002	328.04	208.96	2211.75	0.69	NA
				8/6/2002	327.57	209.43	2212.22	0.47	NA
				11/26/2002	327.28	209.72	2212.51	0.29	NA
				2/13/2003	326.92	210.08	2212.87	0.36	NA
				3/18/2003	326.77	210.23	2213.02	0.15	NA
				4/15/2003	327.35	209.65	2212.44	-0.58	-0.58
				4/22/2003	330.95	206.05	2208.84	-3.60	-4.18
				4/29/2003	330.97	206.03	2208.82	-0.02	-4.20
				5/6/2003	330.99	206.01	2208.80	-0.02	-4.22
				5/13/2003	331.00	206.00	2208.79	-0.01	-4.23
				5/20/2003	330.29	206.71	2209.50	0.71	-3.52
				5/27/2003	328.52	208.48	2211.27	1.77	-1.75
				6/3/2003	330.93	206.07	2208.86	-2.41	-4.16
				7/25/2003	328.81	208.19	2210.98	2.12	-2.04
				8/14/2003	328.66	208.34	2211.13	0.15	-1.89
				9/23/2003	330.21	206.79	2209.58	-1.55	-3.44
				12/2/2003	329.53	207.47	2210.26	0.68	-2.76
				1/29/2004	330.41	206.59	2209.38	-0.88	-3.64
				2/25/2004	327.91	209.09	2211.88	2.50	-1.14
				3/29/2004	332.34	204.66	2207.45	-4.43	-5.57
				4/13/2004	330.27	206.73	2209.52	2.07	-3.50
				5/10/2004	330.21	206.79	2209.58	0.06	-3.44
				6/17/2004	330.07	206.93	2209.72	0.14	-3.30
		2540.153 [10]		7/28/2004	330.33	206.67	2209.82	0.10	-3.20
				8/24/2004	330.38	206.62	2209.77	-0.05	-3.25
				9/22/2004	330.08	206.92	2210.07	0.30	-2.95
				10/19/2004	329.73	207.27	2210.42	0.35	-2.60
				11/17/2004	326.71	210.29	2213.44	3.02	0.42
				12/20/2004	330.94	206.06	2209.21	-4.23	-3.81
				1/27/2005	329.76	207.24	2210.39	1.18	-2.63
				2/17/2005	330.67	206.33	2209.48	-0.91	-3.54
				3/14/2005	330.46	206.54	2209.69	0.21	-3.33
				4/22/2005	330.06	206.94	2210.09	0.40	-2.93
				5/16/2005	328.97	208.03	2211.18	1.09	-1.84
				6/10/2005	328.63	208.37	2211.52	0.34	-1.50
				7/29/2005	328.61	208.39	2211.54	0.02	-1.48
				8/29/2005	328.67	208.33	2211.48	-0.06	-1.54
				9/19/2005	328.83	208.17	2211.32	-0.16	-1.70
				10/18/2005	328.66	208.34	2211.49	0.17	-1.53
				11/14/2005	328.64	208.36	2211.51	0.02	-1.51
				12/6/2005	328.51	208.49	2211.64	0.13	-1.38
				1/23/2006	328.28	208.72	2211.87	0.23	-1.15
				2/27/2006	328.10	208.90	2212.05	0.18	-0.97
				3/20/2006	328.43	208.57	2211.72	-0.33	-1.30
				4/3/2006	328.40	208.60	2211.75	0.03	-1.27
				5/30/2006	328.33	208.67	2211.82	0.07	-1.20
				6/16/2006	328.34	208.66	2211.81	-0.01	-1.21
				8/31/2006	329.82	207.18	2210.33	-1.48	-2.69
				9/21/2006	324.62	212.38	2215.53	5.20	2.51
				11/13/2006	324.12	212.88	2216.03	0.50	3.01
				4/24/2007	323.57	213.43	2216.58	0.55	0.00[24]
				8/6/2007	328.04	208.96	2212.11	-4.47	-4.47
				11/14/2007	327.83	209.17	2212.32	0.21	-4.26
				2/20/2008	326.99	210.01	2213.16	0.84	-3.42
				4/7/2008	325.95	211.05	2214.20	1.04	-2.38
				6/17/2008	321.70	215.30	2218.45	4.25	1.87
				7/28/2008	326.52	210.48	2213.63	-4.82	-2.95
				10/28/2008	325.28	211.72	2214.87	1.24	-1.71

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
C-026B WCS	55-620028	2539.20 (4)	280 - 520	11/26/2002	327.35	192.65	2211.85	NA	NA
		(5)		2/13/2003	326.23	193.77	2212.97	1.12	NA
				3/18/2003	325.71	194.29	2213.49	0.52	NA
				4/15/2003	326.97	193.03	2212.23	-1.26	-1.26
				4/22/2003	NM	NA	NA	NA	NA
				4/29/2003	NM	NA	NA	NA	NA
				5/6/2003	NM	NA	NA	NA	NA
				5/13/2003	NM	NA	NA	NA	NA
				5/20/2003	NM	NA	NA	NA	NA
				5/27/2003	NM	NA	NA	NA	NA
		2540.20 (11)		6/3/2003	370.24	149.76	2169.96	-42.27	-43.53
				7/18/2003	348.75	171.25 (12)	2191.45	21.49	-22.04
				8/14/2003	NM	NA	NA	NA	NA
				9/23/2003	354.90	165.10 (13)	2185.30	-6.15	-28.19
		2539.35 (14)		12/2/2003	348.55	171.45	2190.80	5.50	-22.69
				1/29/2004	354.70	165.30	2184.65	-6.15	-28.84
		(15)		2/25/2004	353.00	167.00	2186.35	1.70	-27.14
		(15)		3/29/2004	368.00	152.00	2171.35	-15.00	-42.14
		(15)		4/13/2004	365.00	155.00	2174.35	3.00	-39.14
		(15)		5/10/2004	367.00	153.00	2172.35	-2.00	-41.14
		(15)		6/17/2004	368.00	152.00	2171.35	-1.00	-42.14
		2539.244 (15, 16)		7/28/2004	368.00	152.00	2171.24	-0.11	-42.25
		(15)		8/24/2004	368.00	152.00	2171.24	0.00	-42.25
		(15)		9/21/2004	369.05	150.95	2170.19	-1.05	-43.30
		(15)		10/19/2004	368.00	152.00	2171.24	1.05	-42.25
		(15)		11/15/2004	369.00	151.00	2170.24	-1.00	-43.25
		(15)		12/20/2004	369.00	151.00	2170.24	0.00	-43.25
		(15)		1/27/2005	370.00	150.00	2169.24	-1.00	-44.25
		(15)		2/17/2005	370.00	150.00	2169.24	0.00	-44.25
		(15)		3/14/2005	370.00	150.00	2169.24	0.00	-44.25
		(15)		4/22/2005	370.00	150.00	2169.24	0.00	-44.25
		(15)		5/16/2005	371.00	149.00	2168.24	-1.00	-45.25
		(15)		6/10/2005	371.00	149.00	2168.24	0.00	-45.25
		(15)		7/29/2005	372.00	148.00	2167.24	-1.00	-46.25
		(15)		8/29/2005	372.00	148.00	2167.24	0.00	-46.25
		(15)		9/19/2005	373.00	147.00	2166.24	-1.00	-47.25
		(15)		10/18/2005	373.00	147.00	2166.24	0.00	-47.25
		(15)		11/14/2005	373.00	147.00	2166.24	0.00	-47.25
		(15)		12/6/2006	376.00	144.00	2163.24	-3.00	-50.25
		(15)		1/23/2006	376.00	144.00	2163.24	0.00	-50.25
		(15)		2/27/2006	377.00	143.00	2162.24	-1.00	-51.25
		(15)		3/20/2006	377.00	143.00	2162.24	0.00	-51.25
		(15)		4/3/2006	377.00	143.00	2162.24	0.00	-51.25
		(15)		5/30/2006	378.00	142.00	2161.24	-1.00	-52.25
		(15)		6/16/2006	379.00	141.00	2160.24	-1.00	-53.25
		(15)		8/29/2006	381.00	139.00	2158.24	-2.00	-55.25
		(15)		9/21/2006	326.00	194.00	2213.24	55.00	-0.25
		(15)		11/13/2006	324.00	196.00	2215.24	2.00	1.75
		(15)		2/5/2007	324.00	196.00	2215.24	0.00	1.75
		(15)		4/23/2007	323.00	197.00	2216.24	1.00	0.00 (24)
		(15)		8/6/2007	375.00	145.00	2164.24	-52.00	-52.00
		(15)		11/14/2007	374.00	146.00	2165.24	1.00	-51.00
		(15)		2/20/2008	376.00	144.00	2163.24	-2.00	-53.00
		(15)		4/7/2008	378.00	142.00	2161.24	-2.00	-55.00
		(15)		7/29/2008	378.00	142.00	2161.24	0.00	-55.00
		(15)		10/28/2008	378.00	142.00	2161.24	0.00	-55.00
		(15)		12/17/2009	375.00	145.00	2164.24	3.00	-52.00

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
C-056A	55-619992	2532.43	125 - 484	8/1/2001	321.22	162.78	2211.21	NA	NA
		2532.42 [3]		11/5/2001	320.92	163.08	2211.50	0.29	NA
				2/11/2002	319.74	164.26	2212.68	1.18	NA
				5/6/2002	318.82	165.18	2213.60	0.92	NA
				8/5/2002	318.24	165.76	2214.18	0.58	NA
				3/17/2003	317.45	166.55	2214.97	0.79	NA
				12/1/2003	317.83	166.17	2214.59	-0.38	-0.38
				2/25/2004	317.60	166.40	2214.82	0.23	-0.15
				3/30/2004	328.53	155.47	2203.89	-10.93	-11.08
				4/13/2004	318.72	165.28	2213.70	9.81	-1.27
				5/10/2004	317.30	166.70	2215.12	1.42	0.15
				6/17/2004	317.31	166.69	2215.11	-0.01	0.14
				7/28/2004	317.16	166.84	2215.26	0.15	0.29
				8/24/2004	317.11	166.89	2215.31	0.05	0.34
				9/21/2004	317.11	166.89	2215.31	0.00	0.34
				7/29/2005	315.84	168.16	2216.58	1.27	1.61
				8/29/2005	315.73	168.27	2216.69	0.11	1.72
				9/19/2005	315.80	168.20	2216.62	-0.07	1.65
				10/17/2005	315.67	168.33	2216.75	0.13	1.78
		2532.301 [23]		11/14/2005	315.57	168.43	2216.73	-0.02	1.76
				12/6/2005	315.48	168.52	2216.82	0.09	1.85
				1/23/2006	315.24	168.76	2217.06	0.24	2.09
				2/27/2006	315.03	168.97	2217.27	0.21	2.30
				3/20/2006	314.94	169.06	2217.36	0.09	2.39
				4/3/2006	314.85	169.15	2217.45	0.09	2.48
				5/30/2006	314.95	169.05	2217.35	-0.10	2.38
				6/16/2006	315.24	168.76	2217.06	-0.29	2.09
				8/31/2006	316.41	167.59	2215.89	-1.17	0.92
				9/21/2006	316.23	167.77	2216.07	0.18	1.10
				2/21/2008	313.83	170.17	2218.47	2.40	NA [31]
C-058A WCS	55-619994	2542.54	140 - 488	8/1/2001	344.04	143.96	2198.50	NA	NA
				11/5/2001	342.65	145.35	2199.89	1.39	NA
				2/11/2002	341.14	146.86	2201.40	1.51	NA
				5/6/2002	340.07	147.93	2202.47	1.07	NA
				8/5/2002	339.95	148.05	2202.59	0.12	NA
				3/17/2003	334.67	153.33	2207.87	5.28	NA
				12/1/2003	337.92	150.08	2204.62	-3.25	-3.25
				2/25/2004	337.22	150.78	2205.32	0.70	-2.55
				3/30/2004	350.92	137.08	2191.62	-13.70	-16.25
				4/13/2004	338.01	149.99	2204.53	12.91	-3.34
				5/10/2004	336.23	151.77	2206.31	1.78	-1.56
				6/17/2004	335.95	152.05	2206.59	0.28	-1.28
		2542.439 [19]		7/28/2004	335.81	152.19	2206.63	0.04	-1.24
				8/24/2004	335.75	152.25	2206.69	0.06	-1.18
				9/21/2004	335.78	152.22	2206.66	-0.03	-1.21
				10/19/2004	335.70	152.30	2206.74	0.08	-1.13
				11/17/2004	335.84	152.16	2206.60	-0.14	-1.27
				12/20/2004	336.77	151.23	2205.67	-0.93	-2.20
				1/27/2005	335.53	152.47	2206.91	1.24	-0.96
				2/17/2005	336.41	151.59	2206.03	-0.88	-1.84
				3/14/2005	336.13	151.87	2206.31	0.28	-1.56
				4/22/2005	335.61	152.39	2206.83	0.52	-1.04
				5/16/2005	334.36	153.64	2208.08	1.25	0.21
				6/10/2005	334.11	153.89	2208.33	0.25	0.46
				7/29/2005	334.42	153.58	2208.02	-0.31	0.15
				8/29/2005	334.35	153.65	2208.09	0.07	0.22
				9/19/2005	334.49	153.51	2207.95	-0.14	0.08
				10/18/2005	334.45	153.55	2207.99	0.04	0.12
				11/14/2005	334.33	153.67	2208.11	0.12	0.24
				12/6/2005	334.18	153.82	2208.26	0.15	0.39
				1/23/2006	333.79	154.21	2208.65	0.39	0.78
				2/27/2006	333.58	154.42	2208.86	0.21	0.99
				3/20/2006	333.85	154.15	2208.59	-0.27	0.72
				4/3/2006	334.01	153.99	2208.43	-0.16	0.56
				5/30/2006	334.63	153.37	2207.81	-0.62	-0.06
				6/16/2006	334.64	153.36	2207.80	-0.01	-0.07
				11/13/2006	335.13	152.87	2207.31	-0.49	-0.56
				4/25/2007	334.91	153.09	2207.53	0.22	0.00 [24]
				11/16/2007	333.17	154.83	2209.27	1.74	1.74
				2/20/2008	332.16	155.84	2210.28	1.01	2.75
				4/7/2008	330.62	157.38	2211.82	1.54	4.29
				10/28/2008	330.62	157.38	2211.82	0.00	4.29

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date[1]	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
C-114A WCS	55-619959	2552.12 [14]	290 - 510	12/3/2003	336.61	173.39	2215.51	NA	NA
		2550.96 [17]		1/29/2004	336.89	173.11	2214.07	-1.44	NA
		[17]		2/25/2004	336.80	173.20	2214.16	0.09	NA
		[17]		3/29/2004	337.01	172.99	2213.95	-0.21	NA
		[17]		4/13/2004	336.87	173.13	2214.09	0.14	NA
		[17]		5/11/2004	336.77	173.23	2214.19	0.10	NA
		[17]		6/17/2004	336.99	173.01	2213.97	-0.22	NA
		[17]		7/28/2004	336.74	173.26	2214.22	0.25	NA
		[17]		8/24/2004	336.68	173.32	2214.28	0.06	NA
		[17]		9/21/2004	336.67	173.33	2214.29	0.01	NA
		[17]		10/19/2004	336.44	173.56	2214.52	0.23	NA
		[17]		11/15/2004	336.69	173.31	2214.27	-0.25	NA
		[17]		12/20/2004	336.52	173.48	2214.44	0.17	NA
		[17]		1/27/2005	336.43	173.57	2214.53	0.09	NA
		[17]		2/16/2005	336.32	173.68	2214.64	0.11	NA
		[17]		3/14/2005	336.19	173.81	2214.77	0.13	NA
		[17]		4/22/2005	336.14	173.86	2214.82	0.05	NA
		[17]		5/16/2005	336.20	173.80	2214.76	-0.06	NA
		[17]		6/10/2005	336.24	173.76	2214.72	-0.04	NA
		[17]		7/29/2005	336.05	173.95	2214.91	0.19	NA
		[17]		8/29/2005	336.12	173.88	2214.84	-0.07	NA
		[17]		9/19/2005	336.08	173.92	2214.88	0.04	NA
		[17]		10/18/2005	336.07	173.93	2214.89	0.01	NA
		[17]		11/14/2005	335.94	174.06	2215.02	0.13	NA
D-021A	55-620059	2578.98	153 - 538	11/5/2001	351.10	186.90	2227.88	NA	NA
				2/14/2002	350.39	187.61	2228.59	0.71	NA
				5/6/2002	350.23	187.77	2228.75	0.16	NA
				8/5/2002	NM	NA	NA	NA	NA
				3/17/2003	349.62	188.38	2229.36	0.61	NA
				12/1/2003	349.82	188.18	2229.16	-0.20	-0.20
				5/13/2004	349.04	188.96	2229.94	0.78	0.58
		2578.719 [19]		9/21/2004	347.66	190.34	2231.06	1.12	1.70
				11/15/2004	348.42	189.58	2230.30	-0.76	0.94
				5/16/2005	347.42	190.58	2231.30	1.00	1.94
				11/14/2005	347.77	190.23	2230.95	-0.35	1.59
				4/3/2006	347.36	190.64	2231.36	0.41	2.00
				4/24/2007	347.28	190.72	2231.44	0.08	0.00[24]
				11/16/2007	347.22	190.78	2231.50	0.06	0.06
				2/20/2008	346.57	191.43	2232.15	0.65	0.71
				4/7/2008	346.12	191.88	2232.60	0.45	1.16
				10/28/2008	344.74	193.26	2233.98	1.38	2.54
D-022A	55-620060	2575.58	168 - 448	7/23/2001	339.29	108.71	2236.29	NA	
				11/6/2001	340.17	107.83	2235.41	-0.88	NA
		2578.82 [5]		2/12/2002	343.14	104.86	2235.68	0.27	NA
				5/7/2002	343.03	104.97	2235.79	0.11	NA
				8/5/2002	343.29	104.71	2235.53	-0.26	NA
				3/18/2003	343.41	104.59	2235.41	-0.12	NA
				12/2/2003	342.97	105.03	2235.85	0.44	0.44
				5/10/2004	342.38	105.62	2236.44	0.59	1.03
				9/22/2004	342.02	105.98	2236.80	0.36	1.39
				11/15/2004	341.92	106.08	2236.90	0.10	1.49
				5/16/2005	341.01	106.99	2237.81	0.91	2.40
				11/14/2005	341.76	106.24	2237.06	-0.75	1.65
				1/23/2006	341.48	106.52	2237.34	0.28	1.93
				4/4/2006	341.55	106.45	2237.27	-0.07	1.86
				11/13/2006	341.79	106.21	2237.03	-0.24	1.62
				4/23/2007	340.97	107.03	2237.85	0.82	0.00[24]
				11/20/2007	340.44	107.56	2238.38	0.53	0.53
				2/20/2008	340.25	107.75	2238.57	0.19	0.72
				4/7/2008	338.46	109.54	2240.36	1.79	2.51
				10/28/2008	338.17	109.83	2240.65	0.29	2.80
				12/12/2008	337.64	110.36	2241.18	0.53	3.33
D-039A	55-620074	2618.06	194 - 393	7/23/2001	378.15	14.85	2239.91	NA	NA
				11/5/2001	378.79	14.21	2239.27	-0.64	NA
				2/11/2002	378.01	14.99	2240.05	0.78	NA
				5/6/2002	377.58	15.42	2240.48	0.43	NA
				8/5/2002	378.46	14.54	2239.60	-0.88	NA
				3/17/2003	378.14	14.86	2239.92	0.32	NA
				12/2/2003	377.43	15.57	2240.63	0.71	0.71
				5/10/2004	376.32	16.68	2241.74	1.11	1.82
				9/21/2004	375.90	17.10	2242.16	0.42	2.24
				11/15/2004	375.85	17.15	2242.21	0.05	2.29
				5/16/2005	374.82	18.18	2243.24	1.03	3.32
				11/14/2005	375.80	17.20	2242.26	-0.98	2.34
				4/4/2006	375.78	17.22	2242.28	0.02	2.36
				11/13/2006	376.22	16.78	2241.84	-0.44	1.92
				4/23/2007	375.27	17.73	2242.79	0.95	0.00[24]
				11/12/2007	375.40	17.60	2242.66	-0.13	-0.13
				2/20/2008	375.00	18.00	2243.06	0.40	0.27
				4/7/2008	372.96	20.04	2245.10	2.04	2.31
				7/29/2008	374.14	18.86	2243.92	-1.18	1.13
				10/28/2008	373.43	19.57	2244.63	0.71	1.84
				12/12/2008	372.53	20.47	2245.53	0.90	2.74
				12/17/2009	369.61	23.39	2248.45	2.92	5.66
				8/19/2010	367.41	25.59	2250.65	2.20	7.86

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
D-040A	55-620075	2637.04	288 - 496	7/24/2001	395.82	100.18	2241.22	NA	NA
				11/5/2001	395.51	100.49	2241.53	0.31	NA
				2/11/2002	394.04	101.96	2243.00	1.47	NA
				5/6/2002	393.45	102.55	2243.59	0.59	NA
				8/5/2002	395.49	100.51	2241.55	-2.04	NA
				3/17/2003	394.09	101.91	2242.95	1.40	NA
				12/2/2003	393.18	102.82	2243.86	0.91	0.91
				5/10/2004	392.34	103.66	2244.70	0.84	1.75
				9/21/2004	391.66	104.34	2245.38	0.68	2.43
				11/15/2004	391.55	104.45	2245.49	0.11	2.54
				5/16/2005	390.53	105.47	2246.51	1.02	3.56
				11/14/2005	391.82	104.18	2245.22	-1.29	2.27
				4/4/2006	391.33	104.67	2245.71	0.49	2.76
				11/13/2006	392.31	103.69	2244.73	-0.98	1.78
				4/23/2007	391.20	104.80	2245.84	1.11	0.00[24]
				11/12/2007	391.49	104.51	2245.55	-0.29	-0.29
				2/20/2008	390.49	105.51	2246.55	1.00	0.71
				4/7/2008	389.63	106.37	2247.41	0.86	1.57
				10/28/2008	389.48	106.52	2247.56	0.15	1.72
				12/12/2008	388.47	107.53	2248.57	1.01	2.73
D-041A				11/15/2005	394.47			NA	NA
				4/4/2006	393.97			NA	NA
				11/13/2006	394.96			NA	NA
				4/23/2007	393.54			NA	NA
				11/12/2007	Dry			NA	NA
				2/20/2008	392.59			NA	NA
				4/7/2008	391.17			NA	NA
				10/28/2008	391.92			NA	NA
		2642.16 [33]		12/12/2008	390.92		2251.24	NA	NA
R-068A	55-578599	2577.60 [6]	240 - 368	2/14/2002	340.50	27.50	2237.10	NA	NA
				5/9/2002	340.26	27.74	2237.34	0.24	NA
				8/8/2002	340.54	27.46	2237.06	-0.28	NA
				3/20/2003	340.61	27.39	2236.99	-0.07	NA
				12/2/2003	339.96	28.04	2237.64	0.65	0.65
				5/13/2004	339.30	28.70	2238.30	0.66	1.31
		[18]		9/22/2004	NM	NA	NA	NA	NA
				11/16/2004	338.99	29.01	2238.61	0.31	1.62
				5/16/2005	338.01	29.99	2239.59	0.98	2.60
				11/14/2005	338.83	29.17	2238.77	-0.82	1.78
				4/3/2006	337.97	30.03	2239.63	0.86	2.64
				11/13/2006	338.61	29.39	2238.99	-0.64	2.00
				4/23/2007	337.81	30.19	2239.79	0.80	0.00[24]
				11/20/2007	337.20	30.80	2240.40	0.61	0.61
				2/20/2008	336.43	31.57	2241.17	0.77	1.38
		2577.89 [29]		4/8/2008	335.10	32.90	2242.79	1.62	3.00
				10/29/2008	334.84	33.16	2243.05	0.26	3.26
R-069B	55-578601	2563.05 [6]	256 - 365	2/14/2002	326.30	38.70	2236.75	NA	NA
				5/9/2002	326.17	38.83	2236.88	0.13	NA
				8/8/2002	326.40	38.60	2236.65	-0.23	NA
				3/20/2003	326.45	38.55	2236.60	-0.05	NA
				12/2/2003	324.90	40.10	2238.15	1.55	1.55
				5/13/2004	324.31	40.69	2238.74	0.59	2.14
		[18]		9/22/2004	NM	NA	NA	NA	NA
				11/16/2004	324.10	40.90	2238.95	0.21	2.35
				5/16/2005	323.09	41.91	2239.96	1.01	3.36
				11/21/2005	324.17	40.83	2238.88	-1.08	2.28
				4/3/2006	323.24	41.76	2239.81	0.93	3.21
				11/13/2006	324.39	40.61	2238.66	-1.15	2.06
				4/23/2007	323.25	41.75	2239.80	1.14	0.00[24]
				11/16/2007	322.29	42.71	2240.76	0.96	0.96
				2/20/2008	321.30	43.70	2241.75	0.99	1.95
		2561.56 [29]		4/8/2008	320.12	44.88	2241.44	-0.31	1.64
				10/29/2008	319.75	45.25	2241.81	0.37	2.01

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date (1)	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
R-090A WCS	55-587017	2549.67	290 - 490	11/25/2002	335.79	154.21	2213.88	NA	NA
				2/13/2003	335.37	154.63	2214.30	0.42	NA
				3/17/2003	335.10	154.90	2214.57	0.27	NA
				4/15/2003	273.73	216.27	2275.94	61.37	61.37
		2549.67 (9)		4/22/2003	NM	NA	NA	NA	NA
				4/29/2003	271.95	218.05	2277.72	1.78	63.15
		2552.57 (10)		5/6/2003	256.20	233.80	2296.37	18.65	81.80
				5/13/2003	274.13	215.87	2278.44	-17.93	63.87
				5/20/2003	213.39	276.61	2339.18	60.74	124.61
				5/27/2003	324.75	165.25	2227.82	-111.36	13.25
				6/3/2003	112.39	377.61	2440.18	212.36	225.61
				7/18/2003	329.44	160.56	2223.13	-217.05	8.56
				8/14/2003	329.18	160.82	2223.39	0.26	8.82
				9/23/2003	328.95	161.05	2223.62	0.23	9.05
				12/1/2003	NM	NA	NA	NA	NA
				1/29/2004	312.80	177.20	2239.77	16.15	25.2
		(16)		2/25/2004	296.00	194.00	2256.57	16.80	42.00
		(16)		3/29/2004	310.00	180.00	2242.57	-14.00	28.00
		(16)		4/13/2004	302.00	188.00	2250.57	8.00	36.00
		(16)		5/10/2004	303.00	187.00	2249.57	-1.00	35.00
		(16)		6/17/2004	300.00	190.00	2252.57	3.00	38.00
		2552.742 (18,19)		7/28/2004	295.00	195.00	2257.74	5.17	43.17
		(16)		8/24/2004	292.00	198.00	2260.74	3.00	46.17
		(16)		9/21/2004	298.67	191.33	2254.07	-6.67	39.502
		(16)		10/19/2004	296.00	194.00	2256.74	2.67	42.17
		(16)		11/15/2004	292.00	198.00	2260.74	4.00	46.17
		(16)		12/20/2004	297.00	193.00	2255.74	-5.00	41.17
		(16)		1/27/2005	295.00	195.00	2257.74	2.00	43.17
		(16)		2/16/2005	295.00	195.00	2257.74	0.00	43.17
		(16)		3/14/2005	300.00	190.00	2252.74	-5.00	38.17
		(16)		4/22/2005	299.00	191.00	2253.74	1.00	39.17
		(16)		5/16/2005	297.00	193.00	2255.74	2.00	41.17
		(16)		6/10/2005	297.00	193.00	2255.74	0.00	41.17
		(16)		7/29/2005	296.00	194.00	2256.74	1.00	42.17
		(16)		8/29/2005	298.00	192.00	2254.74	-2.00	40.17
		(16)		9/19/2005	296.00	194.00	2256.74	2.00	42.17
		(16)		10/18/2005	291.00	199.00	2261.74	5.00	47.17
		(16)		11/14/2005	293.00	197.00	2259.74	-2.00	45.17
		(16)		12/6/2005	289.00	201.00	2263.74	4.00	49.17
		(16)		1/23/2006	288.00	202.00	2264.74	1.00	50.17
		(16)		2/27/2006	291.00	199.00	2261.74	-3.00	47.17
		(16)		3/20/2006	291.00	199.00	2261.74	0.00	47.17
		(16)		4/3/2006	290.00	200.00	2262.74	1.00	48.17
		(16)		5/30/2006	287.00	203.00	2265.74	3.00	51.17
		(16)		6/16/2006	287.00	203.00	2265.74	0.00	51.17
		(16)		8/29/2006	286.00	204.00	2266.74	1.00	52.17
		(16)		9/21/2006	334.00	156.00	2218.74	-48.00	4.17
		(16)		11/13/2006	335.00	155.00	2217.74	-1.00	3.17
		(16)		2/5/2007	335.00	155.00	2217.74	0.00	3.17
		(16)		4/23/2007	336.00	154.00	2216.74	-1.00	0.00 (24)
		(16)		8/6/2007	289.00	201.00	2263.74	47.00	47.00
		(16)		11/14/2007	277.00	213.00	2275.74	12.00	59.00
		(16)		2/20/2008	280.00	210.00	2272.74	-3.00	56.00
		(16)		4/7/2008	284.00	206.00	2268.74	-4.00	52.00
		(16)		7/29/2008	300.00	190.00	2252.74	-16.00	36.00
		(16)		10/28/2008	291.00	199.00	2261.74	9.00	45.00
		(16)		12/17/2009	289.00	201.00	2263.74	2.00	47.00
		(16)		8/18/2010	307.60	182.40	2245.14	-18.60	28.40

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Since to Baseline Event (feet +/-)
R-091A WCS	55-587018	2551.11	290 - 490	11/25/2002	337.29	152.71	2213.82	NA	NA
				2/13/2003	336.86	153.14	2214.25	0.43	NA
				3/17/2003	336.51	153.49	2214.60	0.35	NA
				4/15/2003	299.71	190.29	2251.40	36.80	36.80
		(9)		4/22/2003	NM	NA	NA	NA	NA
				4/29/2003	298.75	191.25	2252.36	0.96	37.76
		2554.06 (10)		5/6/2003	295.90	194.10	2258.16	5.80	43.56
				5/13/2003	290.06	199.94	2264.00	5.84	49.40
				5/20/2003	289.53	200.47	2264.53	0.53	49.93
				5/27/2003	319.61	170.39	2234.45	-30.08	19.85
				6/3/2003	283.38	206.62	2270.68	36.23	56.08
				7/18/2003	274.76	215.24	2279.30	8.62	64.70
				8/14/2003	278.05	211.95	2276.01	-3.29	61.41
				9/23/2003	274.30	215.70	2279.76	3.75	65.16
				12/1/2003	NM	NA	NA	NA	NA
				1/29/2004	312.20	177.80	2241.86	-37.90	27.26
		(16)		2/25/2004	311.00	179.00	2243.06	1.20	28.46
		(16)		3/29/2004	313.00	177.00	2241.06	-2.00	26.46
		(16)		4/13/2004	305.00	185.00	2249.06	8.00	34.46
		(16)		5/10/2004	300.00	190.00	2254.06	5.00	39.46
		(16)		6/17/2004	300.00	190.00	2254.06	0.00	39.46
		2554.171 (10,19)		7/28/2004	297.00	193.00	2257.17	3.11	42.57
		(16)		8/24/2004	295.00	195.00	2259.17	2.00	44.57
		(16)		9/21/2004	300.55	189.45	2253.62	-5.55	39.02
		(16)		10/19/2004	295.00	195.00	2259.17	5.55	44.57
		(16)		11/15/2004	291.00	199.00	2263.17	4.00	48.57
		(16)		12/20/2004	297.00	193.00	2257.17	-6.00	42.57
		(16)		1/27/2005	294.00	196.00	2260.17	3.00	45.57
		(16)		2/16/2005	293.00	197.00	2261.17	1.00	46.57
		(16)		3/14/2005	297.00	193.00	2257.17	-4.00	42.57
		(16)		4/22/2005	295.00	195.00	2259.17	2.00	44.57
		(16)		5/16/2005	294.00	196.00	2260.17	1.00	45.57
		(16)		6/10/2005	293.00	197.00	2261.17	1.00	46.57
		(16)		7/29/2005	291.00	199.00	2263.17	2.00	48.57
		(16)		8/29/2005	294.00	196.00	2260.17	-3.00	45.57
		(16)		9/19/2005	292.00	198.00	2262.17	2.00	47.57
		(16)		10/18/2005	296.00	194.00	2258.17	-4.00	43.57
		(16)		11/14/2005	287.00	203.00	2267.17	9.00	52.57
		(16)		12/6/2005	286.00	204.00	2268.17	1.00	53.57
		(16)		1/23/2006	294.00	196.00	2260.17	-8.00	45.57
		(16)		2/27/2006	286.00	204.00	2268.17	8.00	53.57
		(16)		3/20/2006	287.00	203.00	2267.17	-1.00	52.57
		(16)		4/30/2006	285.00	205.00	2269.17	2.00	54.57
		(16)		5/30/2006	291.00	199.00	2263.17	-6.00	48.57
		(16)		6/16/2006	291.00	199.00	2263.17	0.00	48.57
		(16)		8/29/2006	291.00	199.00	2263.17	0.00	48.57
		(16)		9/21/2006	334.00	156.00	2220.17	-43.00	5.57
		(16)		11/13/2006	336.00	154.00	2218.17	-2.00	3.57
		(16)		2/5/2007	337.00	153.00	2217.17	-1.00	2.57
		(16)		4/23/2007	337.00	153.00	2217.17	0.00	0.00 (24)
		(16)		8/6/2007	285.00	205.00	2269.17	52.00	52.00
		(16)		11/14/2007	282.00	208.00	2272.17	3.00	55.00
		(16)		2/20/2008	288.00	202.00	2266.17	-6.00	49.00
		(16)		4/7/2008	281.00	209.00	2273.17	7.00	56.00
		(16)		7/29/2008	302.00	188.00	2252.17	-21.00	35.00
		(16)		10/28/2008	296.00	194.00	2258.17	6.00	41.00
		(16)		12/17/2009	281.80	208.20	2272.37	14.20	55.20
		(16)		8/18/2010	306.20	183.80	2247.97	-24.40	30.80

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date (1)	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
R-092A WCS	55-587019	2561.99	290 - 490	11/25/2002	343.15	146.85	2218.84	NA	NA
				2/13/2003	342.44	147.56	2219.55	0.71	NA
				3/17/2003	342.09	147.91	2219.90	0.35	NA
				4/15/2003	370.85	119.15	2191.14	-28.76	-28.76
				4/22/2003	368	122.00	2193.99	2.85	-25.91
				4/29/2003	369.05	120.95	2192.94	-1.05	-26.96
				5/6/2003	370.00	120.00	2191.99	-0.95	-27.91
				5/13/2003	384.17	105.83	2177.82	-14.17	-42.08
				5/20/2003	369.61	120.39	2192.38	14.56	-27.52
				5/27/2003	347.02	142.98	2214.97	22.59	-4.93
				6/3/2003	370.51	119.49	2191.48	-23.49	-28.42
				7/18/2003	366.51	123.49	2195.48	4.00	-24.42
				8/14/2003	366.45	123.55	2195.54	0.06	-24.36
				9/23/2003	361.4	128.60	2200.59	5.05	-19.31
				12/2/2003	358.34	131.66	2203.65	3.06	-16.25
				1/29/2004	360.70	129.30	2201.29	-2.36	-18.61
		(16)		2/25/2004	360.00	130.00	2201.99	0.70	-17.91
		(16)		3/30/2004	355.00	135.00	2206.99	5.00	-12.91
		(16)		4/13/2004	361.00	129.00	2200.99	-6.00	-18.91
		(16)		5/10/2004	360.00	130.00	2201.99	1.00	-17.91
		(16)		6/17/2004	359.00	131.00	2202.99	1.00	-16.91
		2561.963 (10,19)		7/28/2004	359.00	131.00	2202.96	-0.03	-16.94
		(16)		8/24/2004	359.00	131.00	2202.96	0.00	-16.94
		(16)		9/21/2004	359.42	130.58	2202.54	-0.42	-17.36
		(16)		10/19/2004	358.00	132.00	2203.96	1.42	-15.94
		(16)		11/15/2004	358.00	132.00	2203.96	0.00	-15.94
		(16)		12/20/2004	357.00	133.00	2204.96	1.00	-14.94
		(16)		1/27/2005	357.00	133.00	2204.96	0.00	-14.94
		(16)		2/17/2005	357.00	133.00	2204.96	0.00	-14.94
		(16)		3/14/2005	356.00	134.00	2205.96	1.00	-13.94
		(16)		4/22/2005	356.00	134.00	2205.96	0.00	-13.94
		(16)		5/16/2005	356.00	134.00	2205.96	0.00	-13.94
		(16)		6/10/2005	356.00	134.00	2205.96	0.00	-13.94
		(16)		7/29/2005	356.00	134.00	2205.96	0.00	-13.94
		(16)		8/29/2005	356.00	134.00	2205.96	0.00	-13.94
		(16)		9/19/2005	356.00	134.00	2205.96	0.00	-13.94
		(16)		10/18/2005	356.00	134.00	2205.96	0.00	-13.94
		(16)		11/14/2005	356.00	134.00	2205.96	0.00	-13.94
		(16)		12/6/2005	355.00	135.00	2206.96	1.00	-12.94
		(16)		1/23/2006	358.00	132.00	2203.96	-3.00	-15.94
		(16)		2/27/2006	358.00	132.00	2203.96	0.00	-15.94
		(16)		3/20/2006	358.00	132.00	2203.96	0.00	-15.94
		(16)		4/3/2006	358.00	132.00	2203.96	0.00	-15.94
		(16)		5/30/2006	359.00	131.00	2202.96	-1.00	-16.94
		(16)		6/16/2006	359.00	131.00	2202.96	0.00	-16.94
		(16)		8/29/2006	360.00	130.00	2201.96	-1.00	-17.94
		(16)		9/21/2006	342.00	148.00	2219.96	18.00	0.06
		(16)		11/13/2006	340.00	150.00	2221.96	2.00	2.06
		(16)		2/5/2007	340.00	150.00	2221.96	0.00	2.06
		(16)		4/23/2007	339.00	151.00	2222.96	1.00	0.00(24)
		(16)		8/6/2007	357.00	133.00	2204.96	-18.00	-18.00
		(16)		11/14/2007	357.00	133.00	2204.96	0.00	-18.00
		(16)		2/20/2008	356.00	134.00	2205.96	1.00	-17.00
		(16)		4/7/2008	356.00	134.00	2205.96	0.00	-17.00
		(16)		7/29/2008	353.00	137.00	2208.96	3.00	-14.00
		(16)		10/28/2008	353.00	137.00	2208.96	0.00	-14.00
		(16)		12/17/2009	349.00	141.00	2212.96	4.00	-10.00
		(16)		8/18/2010	347.80	142.20	2214.16	1.20	-8.80
R-124A		2620.031 (23)	370 - 410	11/14/2005	368.94	41.06	2251.09	NA	NA
				4/3/2006	367.19	42.81	2252.84	1.75	NA
				11/13/2006	369.56	40.44	2250.47	-2.37	NA
				4/23/2007	367.78	42.22	2252.25	1.78	0.00(24)
				11/13/2007	367.83	42.17	2252.20	-0.05	-0.05
				2/19/2008	365.68	44.32	2254.35	2.15	2.10
				4/7/2008	364.19	45.81	2255.84	1.49	3.59
				10/28/2008	NM(28)	NM	NM	NM	NM
				12/12/2008	363.82	46.18	2256.21	NA	3.96
R-125A		2612.581 (23)	355 - 395	11/14/2005	354.19	40.81	2258.39	NA	NA
				4/3/2006	353.29	41.71	2259.29	0.90	NA
				11/13/2006	354.90	40.10	2257.68	-1.61	NA
				4/23/2007	352.06	42.94	2260.52	2.84	0.00(24)
				11/12/2007	352.39	42.61	2260.19	-0.33	-0.33
				2/19/2008	NM(28)	NM	NM	NM	NM
				4/7/2008	NM(28)	NM	NM	NM	NM
				10/28/2008	NM(28)	NM	NM	NM	NM
				12/12/2008	346.91	48.09	2265.67	NA	5.15

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen (feet)	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
SE-001 WCS	55-568641	2544.06	305 - 365	7/24/2001	339.63	25.37	2204.43	NA	NA
				11/5/2001	338.87	26.13	2205.19	0.76	NA
				2/11/2002	337.58	27.42	2206.48	1.29	NA
				5/6/2002	336.90	28.10	2207.16	0.68	NA
				8/5/2002	336.39	28.61	2207.67	0.51	NA
				11/25/2002	335.20	29.80	2208.86	1.19	NA
				2/13/2003	335.32	29.68	2208.74	-0.12	NA
				3/17/2003	335.12	29.88	2208.94	0.20	NA
				4/15/2003	334.04	30.96	2210.02	1.08	1.08
				4/22/2003	333.61	31.39	2210.45	0.43	1.51
				4/29/2003	333.25	31.75	2210.81	0.36	1.87
				5/6/2003	333.21	31.79	2210.85	0.04	1.91
				5/13/2003	333.00	32.00	2211.06	0.21	2.12
				5/20/2003	332.89	32.11	2211.17	0.11	2.23
				5/27/2003	332.94	32.06	2211.12	-0.05	2.18
				6/3/2003	332.72	32.28	2211.34	0.22	2.40
				8/14/2003	333.39	31.61	2210.67	-0.67	1.73
				9/23/2003	333.47	31.53	2210.59	-0.08	1.65
				12/1/2003	333.81	31.19	2210.25	-0.34	1.31
				1/29/2004	333.51	31.49	2210.55	0.30	1.61
				2/25/2004	333.04	31.96	2211.02	0.47	2.08
				3/29/2004	334.14	30.86	2209.92	-1.10	0.98
				4/13/2004	333.62	31.38	2210.44	0.52	1.50
				5/10/2004	332.24	32.76	2211.82	1.38	2.88
				6/17/2004	331.98	33.02	2212.08	0.26	3.14
		2544.09 (19)		7/28/2004	331.88	33.12	2212.21	0.13	3.27
				8/24/2004	331.90	33.10	2212.19	-0.02	3.25
				9/21/2004	331.72	33.28	2212.37	0.18	3.43
				10/19/2004	331.57	33.43	2212.52	0.15	3.58
				11/15/2004	331.49	33.51	2212.60	0.08	3.66
				12/20/2004	332.36	32.64	2211.73	-0.87	2.79
				1/27/2005	331.17	33.83	2212.92	1.19	3.98
				2/16/2005	332.03	32.97	2212.06	-0.86	3.12
				3/14/2005	331.94	33.06	2212.15	0.09	3.21
				4/22/2005	331.39	33.61	2212.70	0.55	3.76
				5/16/2005	330.20	34.80	2213.89	1.19	4.95
				6/10/2005	329.99	35.01	2214.10	0.21	5.16
				7/29/2005	330.17	34.83	2213.92	-0.18	4.98
				8/29/2005	330.05	34.95	2214.04	0.12	5.10
				9/19/2005	330.02	34.98	2214.07	0.03	5.13
				10/18/2005	330.25	34.75	2213.84	-0.23	4.90
				11/14/2005	329.92	35.08	2214.17	0.33	5.23
				12/6/2005	329.92	35.08	2214.17	0.00	5.23
				1/23/2006	329.64	35.36	2214.45	0.28	5.51
				2/27/2006	329.40	35.60	2214.69	0.24	5.75
				3/20/2006	329.45	35.55	2214.64	-0.05	5.70
				4/3/2006	329.49	35.51	2214.60	-0.04	5.66
				5/30/2006	329.93	35.07	2214.16	-0.44	5.22
				6/16/2006	329.98	35.02	2214.11	-0.05	5.17
				8/29/2006	330.64	34.36	2213.45	-0.66	4.51
				9/21/2006	330.75	34.25	2213.34	-0.11	4.40
				11/13/2006	331.84	33.16	2212.25	-1.09	3.31
				2/7/2007	332.48	32.52	2211.61	-0.64	2.67
				4/24/2007	331.82	33.18	2212.27	0.66	0.00 (24)
				6/6/2007	329.79	35.21	2214.30	2.03	2.03
				11/13/2007	329.21	35.79	2214.88	0.58	2.61
				2/21/2008	328.34	36.66	2215.75	0.87	3.48
				4/7/2008	327.69	37.31	2216.40	0.65	4.13
				7/30/2008	327.99	37.01	2216.10	-0.30	3.83
				10/28/2008	326.60	38.40	2217.49	1.39	5.22
				12/17/2009	321.15	43.85	2222.94	5.45	10.67
				8/19/2010	319.01	45.99	2225.08	2.14	12.81

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date[1]	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
SJ-001 WCS	55-568639	2583.84	327 - 387	7/24/2001	360.23	26.77	2223.61	NA	NA
				11/5/2001	360.28	26.72	2223.56	-0.05	NA
				2/12/2002	359.57	27.43	2224.27	0.71	NA
				5/7/2002	359.50	27.50	2224.34	0.07	NA
				8/6/2002	359.47	27.53	2224.37	0.03	NA
				11/25/2002	358.70	28.30	2225.14	0.77	NA
				2/13/2003	358.61	28.39	2225.23	0.09	NA
				3/17/2003	358.37	28.63	2225.47	0.24	NA
				4/15/2003	359.20	27.80	2224.64	-0.83	-0.83
				4/22/2003	359.12	27.88	2224.72	0.08	-0.75
				4/29/2003	359.30	27.70	2224.54	-0.18	-0.93
				5/6/2003	359.44	27.56	2224.40	-0.14	-1.07
				5/13/2003	359.50	27.50	2224.34	-0.06	-1.13
				5/20/2003	359.74	27.26	2224.10	-0.24	-1.37
				5/27/2003	359.85	27.15	2223.99	-0.11	-1.48
				6/3/2003	359.71	27.29	2224.13	0.14	-1.34
				7/25/2003	361.85	25.15	2221.99	-2.14	-3.48
				8/14/2003	359.65	27.35	2224.19	2.20	-1.28
				9/23/2003	359.28	27.72	2224.56	0.37	-0.91
				12/2/2003	358.91	28.09	2224.93	0.37	-0.54
				1/29/2004	358.43	28.57	2225.41	0.48	-0.06
				2/25/2004	358.37	28.63	2225.47	0.06	0.00
				3/30/2004	359.78	27.22	2224.06	-1.41	-1.41
				4/13/2004	359.38	27.62	2224.46	0.40	-1.01
				5/10/2004	358.08	28.92	2225.76	1.30	0.29
				6/17/2004	358.08	28.92	2225.76	0.00	0.29
		2583.727 [19]		7/28/2004	357.86	29.14	2225.87	0.11	0.40
				8/24/2004	357.57	29.43	2226.16	0.29	0.69
				9/22/2004	358.73	28.27	2225.00	-1.16	-0.47
				10/19/2004	357.47	29.53	2226.26	1.26	0.79
				11/15/2004	357.77	29.23	2225.96	-0.30	0.49
				12/20/2004	358.32	28.68	2225.41	-0.55	-0.06
				1/27/2005	357.13	29.87	2226.60	1.19	1.13
				2/16/2005	358.16	28.84	2225.57	-1.03	0.10
				3/14/2005	357.78	29.22	2225.95	0.38	0.48
				4/22/2005	357.70	29.30	2226.03	0.08	0.56
				5/16/2005	356.56	30.44	2227.17	1.14	1.70
				6/10/2005	356.53	30.47	2227.20	0.03	1.73
				7/29/2005	356.74	30.26	2226.99	-0.21	1.52
				8/29/2005	356.77	30.23	2226.96	-0.03	1.49
				9/19/2005	357.05	29.95	2226.68	-0.28	1.21
				10/18/2005	356.99	30.01	2226.74	0.06	1.27
				11/19/2005	356.57	30.43	2227.16	0.42	1.69
				12/6/2005	356.55	30.45	2227.18	0.02	1.71
				1/23/2006	356.25	30.75	2227.48	0.30	2.01
				2/27/2006	356.38	30.62	2227.35	-0.13	1.88
				3/20/2006	356.35	30.65	2227.38	0.03	1.91
				4/3/2006	356.28	30.72	2227.45	0.07	1.98
				5/30/2006	356.38	30.62	2227.35	-0.10	1.88
				6/16/2006	356.47	30.53	2227.26	-0.09	1.79
				8/29/2006	357.36	29.64	2226.37	-0.89	0.90
				9/21/2006	357.20	29.80	2226.53	0.16	1.06
				11/13/2006	356.55	30.45	2227.18	0.65	1.71
				2/7/2007	356.57	30.43	2227.16	-0.02	1.69
				4/26/2007	355.71	31.29	2228.02	0.86	0.00[24]
				8/6/2007	356.41	30.59	2227.32	-0.70	-0.70
				11/14/2007	356.32	30.68	2227.41	0.09	-0.61
				2/21/2008	355.64	31.36	2228.09	0.68	0.07
				4/10/2008	355.20	31.80	2228.53	0.44	0.51
				7/30/2008	353.84	33.16	2229.89	1.36	1.87
				10/29/2008	353.62	33.38	2230.11	0.22	2.09
				12/17/2009	350.02	36.98	2233.71	3.60	5.69
				8/18/2010	347.54	39.46	2236.19	2.48	8.17

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
SJ-002 WCS	55-568640	2589.30	331 - 391	7/24/2001	363.73	27.27	2225.57	NA	NA
		2589.29 (3)		11/5/2001	364.00	27.00	2225.29	-0.28	NA
				2/12/2002	363.44	27.56	2225.85	0.56	NA
				5/7/2002	363.34	27.66	2225.95	0.10	NA
				8/6/2002	363.35	27.65	2225.94	-0.01	NA
				11/25/2002	362.40	28.60	2226.89	0.95	NA
				2/13/2003	363.62	27.38	2225.67	-1.22	NA
				3/17/2003	362.36	28.64	2226.93	1.26	NA
				4/15/2003	362.94	28.06	2226.35	-0.58	-0.58
				4/22/2003	362.84	28.16	2226.45	0.10	-0.48
				4/29/2003	362.98	28.02	2226.31	-0.14	-0.62
				5/6/2003	363.14	27.86	2226.15	-0.16	-0.78
				5/13/2003	363.21	27.79	2226.08	-0.07	-0.85
				5/20/2003	363.41	27.59	2225.88	-0.20	-1.05
				5/27/2003	363.53	27.47	2225.76	-0.12	-1.17
				6/3/2003	363.41	27.59	2225.88	0.12	-1.05
				8/14/2003	363.46	27.54	2225.63	-0.05	-1.10
				9/23/2003	363.20	27.80	2226.09	0.26	-0.84
				12/2/2003	362.92	28.08	2226.37	0.28	-0.56
				1/29/2004	362.46	28.54	2226.83	0.46	-0.10
				2/25/2004	362.41	28.59	2226.88	0.05	-0.05
				3/30/2004	363.81	27.19	2225.48	-1.40	-1.45
				4/13/2004	363.38	27.62	2225.91	0.43	-1.02
				5/10/2004	362.09	28.91	2227.20	1.29	0.27
				6/17/2004	362.14	28.86	2227.15	-0.05	0.22
		2589.164 (16)		7/28/2004	361.97	29.03	2227.19	0.04	0.26
				8/24/2004	361.80	29.20	2227.36	0.17	0.43
				9/22/2004	361.85	29.15	2227.31	-0.05	0.38
				10/19/2004	361.65	29.35	2227.51	0.20	0.58
				11/15/2004	361.74	29.26	2227.42	-0.09	0.49
				12/20/2004	352.39	38.61	2236.77	9.35	9.84
				1/27/2005	361.25	29.75	2227.91	-8.86	0.98
				2/16/2005	362.34	28.66	2226.82	-1.09	-0.11
				3/14/2005	361.98	29.02	2227.18	0.36	0.25
				4/22/2005	361.82	29.18	2227.34	0.16	0.41
				5/16/2005	360.73	30.27	2228.43	1.09	1.50
				6/10/2005	360.70	30.30	2228.46	0.03	1.53
				7/29/2005	360.92	30.08	2228.24	-0.22	1.31
				8/29/2005	360.94	30.06	2228.22	-0.02	1.29
				9/19/2005	361.19	29.81	2227.97	-0.25	1.04
				10/18/2005	361.18	29.82	2227.98	0.01	1.05
				11/14/2005	360.92	30.08	2228.24	0.26	1.31
				12/6/2005	360.84	30.16	2228.32	0.08	1.39
				1/23/2006	360.57	30.43	2228.59	0.27	1.66
				2/27/2006	360.61	30.39	2228.55	-0.04	1.62
				3/20/2006	360.60	30.40	2228.56	0.01	1.63
				4/3/2006	360.51	30.49	2228.65	0.09	1.72
				5/30/2006	360.57	30.43	2228.59	-0.06	1.66
				6/16/2006	360.63	30.37	2228.53	-0.06	1.60
				8/29/2006	361.53	29.47	2227.63	-0.90	0.70
				9/21/2006	361.40	29.60	2227.76	0.13	0.83
				11/13/2006	360.87	30.13	2228.29	0.53	1.36
				2/7/2007	360.91	30.09	2228.25	-0.04	1.32
				4/27/2007	360.19	30.81	2228.97	0.72	0.00 (24)
				8/6/2007	360.54	30.46	2228.62	-0.35	-0.35
				11/16/2007	360.68	30.32	2228.48	-0.14	-0.49
				2/20/2008	359.84	31.16	2229.32	0.84	0.35
				4/10/2008	359.62	31.38	2229.54	0.22	0.57
				7/29/2008	358.29	32.71	2230.87	1.33	1.90
				10/28/2008	357.67	33.33	2231.49	0.62	2.52
				12/17/2009	354.24	36.76	2234.92	3.43	5.95
				8/18/2010	351.73	39.27	2237.43	2.51	8.46

Well ID[1]	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date[1]	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet)	Change in Water Level Relative to Baseline Event (feet)
WR-155A	55-522726	2537.20	320 - 600	10/19/2004	332.27	267.73	2206.65	NA	NA
		2538.923 [18]		11/17/2004	324.81	275.19	2214.11	7.46	NA
				12/20/2004	333.27	266.73	2205.65	-8.46	NA
				1/27/2005	332.26	267.74	2206.66	1.01	NA
				2/16/2005	333.19	266.81	2205.73	-0.93	NA
				3/14/2005	332.97	267.03	2205.95	0.22	NA
				4/22/2005	332.69	267.31	2206.23	0.28	NA
				5/16/2005	331.54	268.46	2207.38	1.15	NA
				6/10/2005	331.34	268.66	2207.58	0.20	NA
				7/29/2005	331.36	268.64	2207.56	-0.02	NA
				8/29/2005	331.40	268.60	2207.52	-0.04	NA
				9/19/2005	331.58	268.42	2207.34	-0.18	NA
				10/18/2005	331.48	268.52	2207.44	0.10	NA
				11/14/2005	331.45	268.55	2207.47	0.03	NA
				12/6/2005	331.34	268.66	2207.58	0.11	NA
				1/23/2006	331.21	268.79	2207.71	0.13	NA
				2/27/2006	331.09	268.91	2207.83	0.12	NA
				3/20/2006	331.05	268.95	2207.87	0.04	NA
				4/3/2006	331.10	268.90	2207.82	-0.05	NA
				5/30/2006	331.46	268.54	2207.46	-0.36	NA
				6/16/2006	331.51	268.49	2207.41	-0.05	NA
				8/31/2006	332.66	267.34	2206.26	-1.15	NA
				9/21/2006	323.54	276.46	2215.38	9.12	NA
				11/13/2006	322.97	277.03	2215.95	0.57	NA
				4/24/2007	322.74	277.26	2216.18	0.23	0.00[24]
				8/6/2007	331.13	268.87	2207.79	-8.39	-8.39
				11/13/2007	330.80	269.20	2208.12	0.33	-8.06
				2/20/2008	329.98	270.02	2208.94	0.82	-7.24
				4/7/2008	328.81	271.19	2210.11	1.17	-6.07
				6/17/2008	320.35	279.65	2218.57	8.46	2.39
				10/28/2008	328.43	271.57	2210.49	-8.08	-5.69
WR-177A	55-527410	2586.86	324 - 467	7/24/2001	350.05	116.95	2236.81	NA	NA
		2586.85 [3]		11/5/2001	350.62	116.38	2236.23	-0.58	NA
				2/11/2002	350.46	116.54	2236.39	0.16	NA
				5/6/2002	350.23	116.77	2236.62	0.23	NA
				8/5/2002	350.55	116.45	2236.30	-0.32	NA
				3/17/2003	350.48	116.52	2236.37	0.07	NA
				12/2/2003	350.22	116.78	2236.63	0.26	0.26
				5/10/2004	349.26	117.74	2237.59	0.96	1.22
				9/21/2004	349.20	117.80	2237.65	0.06	1.28
				11/15/2004	348.22	118.78	2238.63	0.98	2.26
				2/16/2005	349.56	117.44	2237.29	-1.34	0.92
				3/14/2005	349.28	117.72	2237.57	0.28	1.20
				4/22/2005	349.07	117.93	2237.78	0.21	1.41
				5/16/2005	348.01	118.99	2238.84	1.06	2.47
				6/10/2005	347.92	119.08	2238.93	0.09	2.56
				9/19/2005	348.71	118.29	2238.14	-0.79	1.77
				11/14/2005	348.67	118.33	2238.18	0.04	1.81
				1/23/2006	348.42	118.58	2238.43	0.25	2.06
				4/3/2006	348.04	118.96	2238.81	0.38	2.44
				11/13/2006	348.77	118.23	2238.08	-0.73	1.71
				4/23/2007	348.01	118.99	2238.84	0.76	0.00[24]
				11/14/2007	347.69	119.31	2239.16	0.32	0.32
				2/20/2008	346.83	120.17	2240.02	0.86	1.18
				4/7/2008	345.52	121.48	2241.33	1.31	2.49
				7/28/2008	345.79	121.21	2241.06	-0.27	2.22
				10/29/2008	345.34	121.66	2241.51	0.45	2.67
				12/12/2008	344.74	122.26	2242.11	0.60	3.27
				12/17/2009	341.38	125.62	2245.47	3.36	6.63
				8/18/2010	339.14	127.86	2247.71	2.24	8.87

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
	55-527412	2558.29	312 - 454	7/24/2001	340.21	113.79	2218.08	NA	NA
		2558.28 (3)		11/5/2001	340.01	113.99	2218.27	0.19	NA
				2/12/2002	339.20	114.80	2219.08	0.81	NA
				5/7/2002	339.47	114.53	2218.81	-0.27	NA
				8/6/2002	339.18	114.82	2219.10	0.29	NA
				11/26/2002	338.85	115.15	2219.43	0.33	NA
				2/13/2003	337.74	116.26	2220.54	1.11	NA
				3/17/2003	337.47	116.53	2220.81	0.27	NA
				4/15/2003	341.56	112.44	2216.72	-4.09	-4.09
				4/22/2003	341.67	112.33	2216.61	-0.11	-4.20
				4/29/2003	342.06	111.94	2216.22	-0.39	-4.59
				5/6/2003	342.29	111.71	2215.99	-0.23	-4.82
				5/13/2003	342.34	111.66	2215.94	-0.05	-4.87
				5/20/2003	342.80	111.20	2215.48	-0.46	-5.33
				5/27/2003	342.17	111.83	2216.11	0.63	-4.70
				6/3/2003	342.39	111.61	2215.89	-0.22	-4.92
				7/25/2003	339.95	114.05	2218.33	2.44	-2.48
				8/14/2003	341.53	112.47	2216.75	-1.58	-4.06
				9/23/2003	340.59	113.41	2217.69	0.94	-3.12
		2560.6 (14)		12/2/2003	342.09	111.91	2218.51	0.82	-2.30
				1/29/2004	341.81	112.19	2218.79	0.28	-2.02
				2/25/2004	341.73	112.27	2218.87	0.08	-1.94
				3/30/2004	355.60	98.40	2205.00	-13.87	-15.81
				4/13/2004	343.65	110.35	2216.95	11.95	-3.86
				5/10/2004	341.55	112.45	2219.05	2.10	-1.76
				6/17/2004	341.46	112.54	2219.14	0.09	-1.67
		2560.586 (19)		7/28/2004	341.32	112.68	2219.27	0.13	-1.54
				8/24/2004	340.85	113.15	2219.74	0.47	-1.07
				9/22/2004	341.28	112.72	2219.31	-0.43	-1.50
				10/19/2004	340.50	113.50	2220.09	0.78	-0.72
				11/15/2004	340.76	113.24	2219.83	-0.26	-0.96
				12/20/2004	341.73	112.27	2218.86	-0.97	-1.95
WR-178A WCS				1/27/2005	340.68	113.32	2219.91	1.05	-0.90
				2/16/2005	341.77	112.23	2218.82	-1.09	-1.99
				3/14/2005	342.27	111.73	2218.32	-0.50	-2.49
				4/22/2005	341.44	112.56	2219.15	0.83	-1.66
				5/16/2005	340.28	113.72	2220.31	1.16	-0.50
				6/10/2005	340.10	113.90	2220.49	0.18	-0.32
				7/29/2005	340.21	113.79	2220.38	-0.11	-0.43
				8/29/2005	340.38	113.62	2220.21	-0.17	-0.60
				9/19/2005	340.59	113.41	2220.00	-0.21	-0.81
				10/18/2005	340.33	113.67	2220.26	0.26	-0.55
				11/14/2005	339.70	114.30	2220.89	0.63	0.08
				12/6/2005	339.71	114.29	2220.88	-0.01	0.07
				1/23/2006	339.40	114.60	2221.19	0.31	0.38
				2/27/2006	339.74	114.26	2220.85	-0.34	0.04
				3/20/2006	339.69	114.31	2220.90	0.05	0.09
				4/3/2006	339.75	114.25	2220.84	-0.06	0.03
				5/30/2006	339.93	114.07	2220.66	-0.18	-0.15
				6/16/2006	340.04	113.96	2220.55	-0.11	-0.26
				7/13/2006	341.27	112.73	2219.32	-1.23	-1.49
				8/29/2006	340.91	113.09	2219.68	0.36	-1.13
				9/21/2006	339.67	114.33	2220.92	1.24	0.11
				11/13/2006	338.16	115.84	2222.43	1.51	1.62
				2/7/2007	338.63	115.37	2221.96	-0.47	1.15
				4/25/2007	337.40	116.60	2223.19	1.23	0.00 (24)
				8/6/2007	340.01	113.99	2220.58	-2.61	-2.61
				11/14/2007	339.78	114.22	2220.81	0.23	-2.38
				2/20/2008	338.98	115.02	2221.61	0.80	-1.58
				4/9/2008	338.72	115.28	2221.87	0.26	-1.32
				7/30/2008	336.26	117.74	2224.33	2.46	1.14
				10/28/2008	336.66	117.34	2223.93	-0.40	0.74
				12/17/2009	332.29	121.71	2228.30	4.37	5.11
				8/19/2010	329.66	124.34	2230.93	2.63	7.74

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date[1]	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
WR-179A	55-527409	2597.92	343 - 490	7/23/2001	367.57	122.43	2230.35	NA	NA
		2597.91 [3]		11/5/2001	367.75	122.25	2230.16	-0.19	NA
				2/12/2002	366.99	123.01	2230.92	0.76	NA
				5/6/2002	366.55	123.45	2231.36	0.44	NA
				8/6/2002	367.05	122.95	2230.86	-0.50	NA
				3/17/2003	366.39	123.61	2231.52	0.66	NA
				12/1/2003	365.90	124.10	2232.01	0.49	0.49
				5/10/2004	364.76	125.24	2233.15	1.14	1.63
				9/21/2004	364.48	125.52	2233.43	0.28	1.91
				11/15/2004	364.35	125.65	2233.56	0.13	2.04
				5/16/2005	363.35	126.65	2234.56	1.00	3.04
				11/14/2005	354.88	135.12	2243.03	8.47	11.51
				12/6/2005	363.77	126.23	2234.14	-8.89	2.62
				4/3/2006	363.42	126.58	2234.49	0.35	2.97
				5/30/2006	363.43	126.57	2234.48	-0.01	2.96
				6/16/2006	363.59	126.41	2234.32	-0.16	2.80
				7/13/2006	364.48	125.52	2233.43	-0.89	1.91
				8/29/2006	364.47	125.53	2233.44	0.01	1.92
				9/21/2006	364.39	125.61	2233.52	0.08	2.00
				11/13/2006	364.07	125.93	2233.84	0.32	2.32
				2/7/2007	363.90	126.10	2234.01	0.17	2.49
				4/25/2007	363.22	126.78	2234.69	0.68	0.00[24]
				8/6/2007	363.62	126.38	2234.29	-0.40	-0.40
				11/14/2007	363.34	126.66	2234.57	0.28	-0.12
				2/20/2008	362.80	127.20	2235.11	0.54	0.42
				4/7/2008	362.30	127.70	2235.61	0.50	0.92
				7/29/2008	361.73	128.27	2236.18	0.57	1.49
				10/28/2008	361.21	128.79	2236.70	0.52	2.01
				12/17/2009	357.86	132.14	2240.05	3.35	5.36
				8/19/2010	355.29	134.71	2242.62	2.57	7.93
WR-180A WCS	55-527411	2560.22	317 - 460	7/24/2001	334.43	125.57	2225.79	NA	NA
				11/5/2001	334.89	125.11	2225.33	-0.46	NA
				2/11/2002	334.39	125.61	2225.83	0.50	NA
				5/6/2002	334.28	125.72	2225.94	0.11	NA
				8/5/2002	334.18	125.82	2226.04	0.10	NA
				3/17/2003	333.18	126.82	2227.04	1.00	NA
				12/1/2003	333.92	126.08	2226.30	-0.74	-0.74
				5/10/2004	333.14	126.86	2227.08	0.78	0.04
		2560.134 [18]		7/28/2004	333.23	126.77	2226.90	-0.18	-0.14
				8/24/2004	333.16	126.84	2226.97	0.07	-0.07
				9/22/2004	333.26	126.74	2226.87	-0.10	-0.17
				10/19/2004	333.01	126.99	2227.12	0.25	0.08
				11/15/2004	332.93	127.07	2227.20	0.08	0.16
				12/20/2004	333.53	126.47	2226.60	-0.60	-0.44
				1/27/2005	332.44	127.56	2227.69	1.09	0.65
				2/16/2005	333.46	126.54	2226.67	-1.02	-0.37
				3/14/2005	333.10	126.90	2227.03	0.36	-0.01
				4/22/2005	333.10	126.90	2227.03	0.00	-0.01
				5/16/2005	331.82	128.18	2228.31	1.28	1.27
				6/10/2005	332.03	127.97	2228.10	-0.21	1.06
				7/29/2005	332.26	127.74	2227.87	-0.23	0.83
				8/29/2005	332.19	127.81	2227.94	0.07	0.90
				9/19/2005	332.42	127.58	2227.71	-0.23	0.67
				10/18/2005	332.43	127.57	2227.70	-0.01	0.66
				11/14/2005	332.35	127.65	2227.78	0.08	0.74
				12/6/2005	332.24	127.76	2227.89	0.11	0.85
				1/23/2006	331.88	128.12	2228.25	0.36	1.21
				2/27/2006	331.87	128.13	2228.26	0.01	1.22
				3/20/2006	331.74	128.26	2228.39	0.13	1.35
				4/3/2006	331.72	128.28	2228.41	0.02	1.37
				5/30/2006	331.92	128.08	2228.21	-0.20	1.17
				6/16/2006	331.92	128.08	2228.21	0.00	1.17
				7/13/2006	333.05	126.95	2227.08	-1.13	0.04
				8/29/2006	332.69	127.31	2227.44	0.36	0.40
				9/21/2006	332.61	127.39	2227.52	0.08	0.48
				11/13/2006	332.17	127.83	2227.96	0.44	0.92
				2/7/2007	332.28	127.72	2227.85	-0.11	0.81
				4/24/2007	331.56	128.44	2228.57	0.72	0.00[24]
				8/6/2007	331.68	128.32	2228.45	-0.12	-0.12
				11/13/2007	331.60	128.40	2228.53	0.08	-0.04
				2/21/2008	330.80	129.20	2229.33	0.80	0.76
				4/9/2008	330.36	129.64	2229.77	0.44	1.20
				7/30/2008	329.50	130.50	2230.63	0.86	2.06
				10/28/2008	328.85	131.15	2231.28	0.65	2.71
				12/17/2009	324.86	135.14	2235.27	3.99	6.70
				8/19/2010	322.51	137.49	2237.62	2.35	9.05

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
WR-181A	55-527406	2548.82	298 - 440	7/23/2001	311.22	128.78	2237.60	NA	NA
				11/5/2001	312.21	127.79	2236.61	-0.99	NA
				2/12/2002	312.08	127.92	2236.74	0.13	NA
				5/6/2002	311.92	128.08	2236.90	0.16	NA
				8/5/2002	312.22	127.78	2236.60	-0.30	NA
				3/17/2003	312.08	127.92	2236.74	0.14	NA
				12/1/2003	312.20	127.80	2236.62	-0.12	-0.12
				5/10/2004	311.39	128.61	2237.43	0.81	0.69
				9/22/2004	311.66	128.34	2237.16	-0.27	0.42
				11/15/2004	311.58	128.42	2237.24	0.08	0.50
				5/16/2005	310.32	129.68	2238.50	1.26	1.76
				11/14/2005	312.04	127.96	2236.78	-1.72	0.04
				1/23/2006	311.42	128.58	2237.40	0.62	0.66
				4/4/2006	310.72	129.28	2238.10	0.70	1.36
				11/13/2006	311.36	128.64	2237.46	-0.64	0.72
				4/23/2007	310.30	129.70	2238.52	1.06	0.00[24]
				8/6/2007	310.04	129.96	2238.78	0.26	0.26
				11/14/2007	309.70	130.30	2239.12	0.34	0.60
				2/21/2008	308.90	131.10	2239.92	0.80	1.40
				4/9/2008	308.28	131.72	2240.54	0.62	2.02
				7/30/2008	307.72	132.28	2241.10	0.56	2.58
				10/28/2008	306.90	133.10	2241.92	0.82	3.40
				12/17/2009	302.94	137.06	2245.88	3.96	7.36
				8/19/2010	301.22	138.78	2247.60	1.72	9.08
WR-186A	55-527407	2545.50	261 - 406	7/24/2001	309.01	96.99	2236.49	NA	NA
		2545.49 [3]		11/5/2001	310.03	95.97	2235.46	-1.03	NA
				2/11/2002	309.53	96.47	2235.96	0.50	NA
				5/6/2002	309.47	96.53	2236.02	0.06	NA
				8/5/2002	309.83	96.17	2235.66	-0.36	NA
				3/17/2003	309.35	96.65	2236.14	0.48	NA
				12/2/2003	309.81	96.19	2235.68	-0.46	-0.46
				5/10/2004	309.08	96.92	2236.41	0.73	0.27
				9/22/2004	309.73	96.27	2235.76	-0.65	-0.38
				11/15/2004	309.43	96.57	2236.06	0.30	-0.08
				5/16/2005	308.25	97.75	2237.24	1.18	1.10
				11/14/2005	309.88	96.12	2235.61	-1.63	-0.53
				4/4/2006	308.59	97.41	2236.90	1.29	0.76
				11/13/2006	309.38	96.62	2236.11	-0.79	-0.03
				4/7/2008	305.59	100.41	2239.90	3.79	NA[31]
				10/28/2008	304.94	101.06	2240.55	0.65	NA[31]
WR-207A	55-531208	2580.91	312 - 448	7/23/2001	340.81	107.19	2240.10	NA	NA
				11/5/2001	341.66	106.34	2239.25	-0.85	NA
				2/11/2002	341.93	106.07	2238.98	-0.27	NA
				5/6/2002	341.48	106.52	2239.43	0.45	NA
		[7]		8/5/2002	342.09	105.91	2238.82	-0.61	NA
WR-207B	55-592443	2577.25	300 - 450	3/17/2003	339.03	110.97	2238.22	NA	NA
				12/2/2003	338.34	111.66	2238.91	0.69	0.69
				5/10/2004	337.37	112.63	2239.88	0.97	1.66
				9/21/2004	337.29	112.71	2239.96	0.08	1.74
				11/15/2004	337.23	112.77	2240.02	0.06	1.80
				5/16/2005	336.04	113.96	2241.21	1.19	2.99
				11/14/2005	336.87	113.13	2240.38	-0.83	2.16
				1/23/2006	336.57	113.43	2240.68	0.30	2.46
				4/3/2006	336.11	113.89	2241.14	0.46	2.92
				11/13/2006	336.36	113.64	2240.89	-0.25	2.67
				4/23/2007	335.81	114.19	2241.44	0.55	0.00[24]
				11/13/2007	335.46	114.54	2241.79	0.35	0.35
				2/21/2008	334.26	115.74	2242.99	1.20	1.55
				4/7/2008	332.79	117.21	2244.46	1.47	3.02
				7/28/2008	333.22	116.78	2244.03	-0.43	2.59
				10/28/2008	332.75	117.25	2244.50	0.47	3.06
				12/12/2008	332.07	117.93	2245.18	0.68	3.74
				12/17/2009	327.74	122.26	2249.51	4.33	8.07
				8/18/2010	325.56	124.44	2251.69	2.18	10.25

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date [1]	Depth to Groundwater (feet)	Saturated Screened Interval	Groundwater Level Elevation (feet amsl) [1]	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
WR-273A	55-558356	2555.90	301 - 341	7/24/2001	319.99	21.01	2235.91	NA	NA
		2555.89 [3]		11/5/2001	NM	NM	NM	NM	NA
				2/12/2002	320.53	20.47	2235.36	-0.55	NA
				5/7/2002	320.52	20.48	2235.37	0.01	NA
				8/5/2002	320.69	20.31	2235.20	-0.17	NA
				3/18/2003	320.69	20.31	2235.20	0.00	NA
				12/2/2003	320.59	20.41	2235.30	0.10	0.10
				5/10/2004	319.76	21.24	2236.13	0.83	0.93
				9/22/2004	319.84	21.16	2236.05	-0.08	0.85
				11/16/2004	319.84	21.16	2236.05	0.00	0.85
				5/16/2005	318.65	22.35	2237.24	1.19	2.04
				11/14/2005	319.66	21.34	2236.23	-1.01	1.03
				4/3/2006	318.86	22.14	2237.03	0.80	1.83
				11/13/2006	319.51	21.49	2236.38	-0.65	1.18
				4/23/2007	318.61	22.39	2237.28	0.90	0.00 [24]
				11/20/2007	318.02	22.98	2237.87	0.59	0.59
				2/20/2008	317.43	23.57	2238.46	0.59	1.18
				4/7/2008	316.05	24.95	2239.84	1.38	2.56
				7/28/2008	316.18	24.82	2239.71	-0.13	2.43
				11/4/2008	315.52	25.48	2240.37	0.66	3.09
				12/17/2009	311.56	29.44	2244.33	3.96	7.05
				8/19/2010	309.66	31.34	2246.23	1.90	8.95
WR-274A	55-558355	2568.54	308 - 348	7/24/2001	332.94	15.06	2235.60	NA	NA
				11/5/2001	333.57	14.43	2234.97	-0.63	NA
				2/12/2002	333.44	14.56	2235.10	0.13	NA
				5/7/2002	333.33	14.67	2235.21	0.11	NA
				8/5/2002	333.56	14.44	2234.98	-0.23	NA
				3/18/2003	333.54	14.46	2235.00	0.02	NA
				12/2/2003	333.28	14.72	2235.26	0.26	0.26
				5/10/2004	332.55	15.45	2235.99	0.73	0.99
				9/22/2004	332.36	15.64	2236.18	0.19	1.18
				11/16/2004	332.39	15.61	2236.15	-0.03	1.15
				5/16/2005	331.39	16.61	2237.15	1.00	2.15
				11/14/2005	332.06	15.94	2236.48	-0.67	1.48
				1/23/2006	331.78	16.22	2236.76	0.28	1.76
				4/3/2006	331.36	16.64	2237.18	0.42	2.18
				11/13/2006	332.05	15.95	2236.49	-0.69	1.49
				4/23/2007	331.29	16.71	2237.25	0.76	0.00 [24]
				11/16/2007	330.80	17.20	2237.74	0.49	0.49
				2/20/2008	330.06	17.94	2238.48	0.74	1.23
				4/8/2008	328.82	19.18	2239.72	1.24	2.47
				10/29/2008	328.49	19.51	2240.05	0.33	2.80
WR-275A	55-558354	2574.59	321 - 360	7/23/2001	338.09	21.91	2236.50	NA	NA
		2574.58 [3]		11/5/2001	338.82	21.18	2235.76	-0.74	NA
				2/12/2002	338.72	21.28	2235.86	0.10	NA
				5/7/2002	338.55	21.45	2236.03	0.17	NA
				8/5/2002	338.82	21.18	2235.76	-0.27	NA
				3/18/2003	338.81	21.19	2235.77	0.01	NA
				12/2/2003	334.51	25.49	2240.07	4.30	4.30
				5/10/2004	338.78	21.22	2235.80	-4.27	0.03
				9/22/2004	335.51	24.49	2239.07	3.27	3.30
				11/16/2004	337.51	22.49	2237.07	-2.00	1.30
				5/16/2005	336.51	23.49	2238.07	1.00	2.30
				11/14/2005	337.18	22.82	2237.40	-0.67	1.63
				4/3/2006	336.53	23.47	2238.05	0.65	2.28
				11/13/2006	337.19	22.81	2237.39	-0.66	1.62
				4/23/2007	336.44	23.56	2238.14	0.75	0.00 [24]
				11/16/2007	335.97	24.03	2238.61	0.47	0.47
				2/20/2008	335.19	24.81	2239.39	0.78	1.25
				4/8/2008	333.89	26.11	2240.69	1.30	2.55
				10/29/2008	333.64	26.36	2240.94	0.25	2.80
				12/12/2008	333.03	26.97	2241.55	0.61	3.41

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date[1]	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
WR-352A WCS	55-575473	2558.75	424 - 463	7/24/2001	340.61	39.00 [2]	2218.14	NA	NA
				11/5/2001	340.46	39.00	2218.29	0.15	NA
				2/11/2002	339.87	39.00	2218.88	0.59	NA
				5/6/2002	340.04	39.00	2218.71	-0.17	NA
				8/5/2002	339.63	39.00	2219.12	0.41	NA
				11/25/2002	336.70	39.00	2222.05	2.93	NA
				2/13/2003	338.53	39.00	2220.22	-1.83	NA
				3/17/2003	337.97	39.00	2220.78	0.56	NA
				4/15/2003	342.62	39.00	2216.13	-4.65	-4.65
				4/22/2003	342.54	39.00	2216.21	0.08	-4.57
				4/29/2003	342.96	39.00	2215.79	-0.42	-4.99
				5/6/2003	343.18	39.00	2215.57	-0.22	-5.21
				5/13/2003	343.39	39.00	2215.36	-0.21	-5.42
				5/20/2003	343.81	39.00	2214.94	-0.42	-5.84
				5/27/2003	341.69	39.00	2217.06	2.12	-3.72
				6/3/2003	343.36	39.00	2215.39	-1.67	-5.39
				8/14/2003	342.09	39.00	2216.66	1.27	-4.12
				9/23/2003	341.28	39.00	2217.47	0.81	-3.31
				12/1/2003	340.56	39.00	2218.19	0.72	-2.59
				1/29/2004	340.05	39.00	2218.70	0.51	-2.08
				2/25/2004	339.96	39.00	2218.79	0.09	-1.99
				3/29/2004	341.49	39.00	2217.26	-1.53	-3.52
				4/13/2004	341.91	39.00	2216.84	-0.42	-3.94
				5/10/2004	339.92	39.00	2218.83	1.99	-1.95
				6/17/2004	339.70	39.00	2219.05	0.22	-1.73
		2558.616 [18]		7/28/2004	339.49	39.00	2219.13	0.08	-1.65
				8/24/2004	339.00	39.00	2219.62	0.49	-1.16
				9/21/2004	339.40	39.00	2219.22	-0.40	-1.56
				10/19/2004	338.81	39.00	2219.81	0.59	-0.97
				11/15/2004	338.95	39.00	2219.67	-0.14	-1.11
				12/20/2004	340.07	39.00	2218.55	-1.12	-2.23
				1/27/2005	338.97	39.00	2219.65	1.10	-1.13
				2/16/2005	339.96	39.00	2218.66	-0.99	-2.12
				3/14/2005	339.53	39.00	2219.09	0.43	-1.69
				4/22/2005	339.79	39.00	2218.83	-0.26	-1.95
				5/16/2005	338.48	39.00	2220.14	1.31	-0.64
				6/10/2005	338.47	39.00	2220.15	0.01	-0.63
				7/29/2005	338.57	39.00	2220.05	-0.10	-0.73
				8/29/2005	338.57	39.00	2220.05	0.00	-0.73
				9/19/2005	338.86	39.00	2219.76	-0.29	-1.02
				10/18/2005	338.47	39.00	2220.15	0.39	-0.63
				11/14/2005	337.85	39.00	2220.77	0.62	-0.01
				12/6/2005	337.89	39.00	2220.73	-0.04	-0.05
				1/23/2006	337.58	39.00	2221.04	0.31	0.26
				2/27/2006	337.97	39.00	2220.65	-0.39	-0.13
				3/20/2006	337.85	39.00	2220.77	0.12	-0.01
				4/3/2006	337.86	39.00	2220.76	-0.01	-0.02
				5/30/2006	338.11	39.00	2220.51	-0.25	-0.27
				6/16/2006	338.18	39.00	2220.44	-0.07	-0.34
				8/31/2006	339.06	39.00	2219.56	-0.88	-1.22
				9/21/2006	337.50	39.00	2221.12	1.56	0.34
				11/13/2006	336.27	39.00	2222.35	1.23	1.57
				4/23/2007	335.41	39.00	2223.21	0.86	0.00 [24]
				8/6/2007	338.29	39.00	2220.33	-2.88	-2.88
				11/13/2007	337.99	39.00	2220.63	0.30	-2.58
				2/20/2008	337.20	39.00	2221.42	0.79	-1.79
				4/7/2008	336.97	39.00	2221.65	0.23	-1.56
				6/17/2008	333.81	39.00	2224.81	3.16	1.60
				10/28/2008	335.03	39.00	2223.59	-1.22	0.38
WR-353A	55-575474	2553.10	416 - 454	7/24/2001	317.84	38.00 [2]	2235.26	NA	NA
				11/5/2001	NM	NA	NA	NA	NA
				2/11/2002	318.46	38.00	2234.64	-0.62	NA
				5/6/2002	318.22	38.00	2234.88	0.24	NA
				8/5/2002	318.51	38.00	2234.59	-0.29	NA
				3/17/2003	318.30	38.00	2234.80	0.21	NA
				12/2/2003	318.43	38.00	2234.67	-0.13	-0.13
				5/10/2004	317.51	38.00	2235.59	0.92	0.79
				9/21/2004	316.90	38.00	2236.20	0.61	1.40
				11/15/2004	317.49	38.00	2235.61	-0.59	0.81
				5/16/2005	316.38	38.00	2236.72	1.11	1.92
				11/14/2005	317.40	38.00	2235.70	-1.02	0.90
				4/3/2006	315.91	38.00	2237.19	1.49	2.39
				11/13/2006	317.27	38.00	2235.83	-1.36	1.03
				4/23/2007	316.31	38.00	2236.79	0.96	0.00 [24]
				11/14/2007	315.23	38.00	2237.87	1.08	1.08
				2/20/2008	315.17	38.00	2237.93	0.06	1.14
				4/7/2008	313.20	38.00	2239.90	1.97	3.11
				10/28/2008	313.42	38.00	2239.68	-0.22	2.89

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
WR-354A WCS	55-576420	2565.07	333 - 380	7/23/2001	347.85	32.15	2217.22	NA	NA
				11/5/2001	347.62	32.38	2217.45	0.23	NA
				2/11/2002	346.92	33.08	2218.15	0.70	NA
				5/6/2002	346.53	33.47	2218.54	0.39	NA
				8/5/2002	346.15	33.85	2218.92	0.38	NA
				11/25/2002	345.92	34.08	2219.15	0.23	NA
				2/13/2003	345.34	34.66	2219.73	0.58	NA
				3/17/2003	345.12	34.88	2219.95	0.22	NA
				4/15/2003	345.78	34.22	2219.29	-0.66	-0.66
				4/22/2003	345.65	34.35	2219.42	0.13	-0.53
				4/29/2003	345.69	34.31	2219.38	-0.04	-0.57
				5/6/2003	345.79	34.21	2219.28	-0.10	-0.67
				5/13/2003	345.70	34.30	2219.37	0.09	-0.58
				5/20/2003	345.90	34.10	2219.17	-0.20	-0.78
				5/27/2003	345.91	34.09	2219.16	-0.01	-0.79
				6/3/2003	345.74	34.26	2219.33	0.17	-0.62
				8/14/2003	345.64	34.36	2219.43	0.10	-0.52
				9/23/2003	345.29	34.71	2219.78	0.35	-0.17
				12/1/2003	345.07	34.93	2220.00	0.22	0.05
				1/29/2004	344.72	35.28	2220.35	0.35	0.40
				2/25/2004	344.50	35.50	2220.57	0.22	0.62
				3/29/2004	345.58	34.42	2219.49	-1.08	-0.46
				4/13/2004	345.32	34.68	2219.75	0.26	-0.20
				5/10/2004	343.79	36.21	2221.28	1.53	1.33
				6/17/2004	343.83	36.17	2221.24	-0.04	1.29
		2564.844 (19)		7/28/2004	343.64	36.36	2221.20	-0.04	1.25
				8/24/2004	343.44	36.56	2221.40	0.20	1.45
				9/21/2004	343.31	36.69	2221.53	0.13	1.58
				10/19/2004	343.19	36.81	2221.65	0.12	1.70
				11/15/2004	343.55	36.45	2221.29	-0.36	1.34
				12/20/2004	343.86	36.14	2220.98	-0.31	1.03
				1/27/2005	342.83	37.17	2222.01	1.03	2.06
				2/16/2005	343.80	36.20	2221.04	-0.97	1.09
				3/14/2005	343.47	36.53	2221.37	0.33	1.42
				4/22/2005	343.31	36.69	2221.53	0.16	1.58
				5/16/2005	342.08	37.92	2222.76	1.23	2.81
				6/10/2005	341.94	38.06	2222.90	0.14	2.95
				7/29/2005	342.25	37.75	2222.59	-0.31	2.64
				8/29/2005	342.29	37.71	2222.55	-0.04	2.60
				9/19/2005	342.47	37.53	2222.37	-0.18	2.42
				10/18/2005	342.41	37.59	2222.43	0.06	2.48
				11/14/2005	341.98	38.02	2222.86	0.43	2.91
				12/6/2005	341.84	38.16	2223.00	0.14	3.05
				1/23/2006	341.68	38.32	2223.16	0.16	3.21
				2/27/2006	341.68	38.32	2223.16	0.00	3.21
				3/20/2006	341.74	38.26	2223.10	-0.06	3.15
				4/3/2006	341.59	38.41	2223.25	0.15	3.30
				5/30/2006	341.79	38.21	2223.05	-0.20	3.10
				6/16/2006	341.89	38.11	2222.95	-0.10	3.00
				8/31/2006	342.71	37.29	2222.13	-0.82	2.18
				9/21/2006	342.53	37.47	2222.31	0.18	2.36
				11/13/2006	342.35	37.65	2222.49	0.18	2.54
				2/7/2007	342.78	37.22	2222.06	-0.43	2.11
				4/23/2007	341.96	38.04	2222.88	0.82	0.00 (24)
				8/6/2007	342.02	37.98	2222.82	-0.06	-0.06
				11/13/2007	341.93	38.07	2222.91	0.09	0.03
				2/21/2008	340.98	39.02	2223.86	0.95	0.98
				4/9/2008	340.62	39.38	2224.22	0.36	1.34
				7/30/2008	339.40	40.60	2225.44	1.22	2.56
				10/28/2008	339.03	40.97	2225.81	0.37	2.93
				12/17/2009	335.18	44.82	2229.66	3.85	6.78
				8/19/2010	332.78	47.22	2232.06	2.40	9.18

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Screened Interval of Well (feet below grade)	Date	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
WR-358A	55-577633	2549.91	325 - 371	7/24/2001	316.54	46.00 (7)	2233.37	NA	NA
				11/5/2001	NM	NA	NA	NA	NA
				2/12/2002	316.92	46.00	2232.99	-0.38	NA
				5/6/2002	316.88	46.00	2233.03	0.04	NA
				8/5/2002	317.04	46.00	2232.87	-0.16	NA
				3/18/2003	316.87	46.00	2233.04	0.17	NA
				12/2/2003	317.01	46.00	2232.90	-0.14	-0.14
				5/10/2004	316.16	46.00	2233.75	0.85	0.71
				9/22/2004	316.12	46.00	2233.79	0.04	0.75
				11/16/2004	316.13	46.00	2233.78	-0.01	0.74
				5/16/2005	314.93	46.00	2234.98	1.20	1.94
				11/14/2005	315.77	46.00	2234.14	-0.84	1.10
				1/23/2006	315.45	46.00	2234.46	0.32	1.42
				4/3/2006	315.04	46.00	2234.87	0.41	1.83
				8/29/2006	315.83	46.00	2234.08	-0.79	1.04
				9/21/2006	315.84	46.00	2234.07	-0.01	1.03
				11/13/2006	315.68	46.00	2234.23	0.16	1.19
				2/7/2007	315.50	46.00	2234.41	0.18	1.37
				4/23/2007	314.96	46.00	2234.95	0.54	0.00 (24)
				8/6/2007	314.73	46.00	2235.18	0.23	0.23
				11/12/2007	314.54	46.00	2235.37	0.19	0.42
				2/20/2008	313.73	46.00	2236.18	0.81	1.23
				4/10/2008	313.46	46.00	2236.45	0.27	1.50
				7/29/2008	312.72	46.00	2237.19	0.74	2.24
				11/6/2008	312.20	46.00	2237.71	0.52	2.76
				12/17/2009	308.23	46.00	2241.68	3.97	6.73
				8/19/2010	306.13	46.00	2243.78	2.10	8.83
WR-367A	55-581353	2601.69	319 - 411	7/23/2001	360.37	50.63	2241.32	NA	NA
				11/5/2001	360.99	50.01	2240.70	-0.62	NA
				2/12/2002	360.78	50.22	2240.91	0.21	NA
				5/6/2002	360.51	50.49	2241.18	0.27	NA
				8/6/2002	361.27	49.73	2240.42	-0.76	NA
				3/18/2003	361.43	49.57	2240.26	-0.16	NA
				12/1/2003	360.66	50.34	2241.03	0.77	0.77
				5/10/2004	359.65	51.35	2242.04	1.01	1.78
				9/22/2004	359.37	51.63	2242.32	0.28	2.06
				11/16/2004	359.38	51.62	2242.31	-0.01	2.05
				5/16/2005	358.28	52.72	2243.41	1.10	3.15
				11/14/2005	358.95	52.05	2242.74	-0.67	2.48
				4/3/2006	358.33	52.67	2243.36	0.62	3.10
				11/13/2006	359.35	51.65	2242.34	-1.02	2.08
				4/23/2007	358.36	52.64	2243.33	0.99	0.00 (24)
				11/20/2007	358.03	52.97	2243.66	0.33	0.33
				2/19/2008	357.16	53.84	2244.53	0.87	1.20
		2600.76 (26)		4/7/2008	355.67	55.33	2245.09	0.56	1.76
				10/28/2008	355.89	55.11	2244.87	-0.22	1.54
				12/12/2008	355.19	55.81	2245.57	0.70	2.24
WR-435A	55-587406	2619.53	330 - 420	11/5/2001	374.05	45.95	2245.48	NA	NA
				2/12/2002	373.42	46.58	2246.11	0.63	NA
				5/6/2002	373.03	46.97	2246.50	0.39	NA
				8/6/2002	374.27	45.73	2245.26	-1.24	NA
				3/17/2003	374.01	45.99	2245.52	0.26	NA
				12/1/2003	373.43	46.57	2246.10	0.58	0.58
				5/10/2004	372.39	47.61	2247.14	1.04	1.62
				9/22/2004	372.26	47.74	2247.27	0.13	1.75
				11/16/2004	372.59	47.41	2246.94	-0.33	1.42
				5/16/2005	371.01	48.99	2248.52	1.58	3.00
				11/14/2005	371.90	48.10	2247.63	-0.89	2.11
				4/4/2006	371.30	48.70	2248.23	0.60	2.71
				11/13/2006	372.57	47.43	2246.96	-1.27	1.44
				4/23/2007	371.33	48.67	2248.20	1.24	0.00 (24)
				11/12/2007	371.23	48.77	2248.30	0.10	0.10
				2/21/2008	369.88	50.12	2249.65	1.35	1.45
				4/7/2008	369.28	50.72	2250.25	0.60	2.05
				7/29/2008	368.82	51.18	2250.71	0.46	2.51
				10/28/2008	368.73	51.27	2250.80	0.09	2.60
				12/12/2008	368.09	51.91	2251.44	0.64	3.24
				12/17/2009	365.28	54.72	2254.25	2.81	6.05
				8/19/2010	363.44	56.56	2256.09	1.84	7.89

Groundwater Elevation Data, 2001 through 2010
Broadway-Pantano WQARF Site
Tucson, Arizona

Well ID	ADWR Reg. No.	Measuring Point Elevation (feet amsl)	Effective Screened Interval of Well (feet below grade)	Date (1)	Depth to Groundwater (feet)	Saturated Screen Interval	Groundwater Level Elevation (feet amsl)	Change in Water Level Since Previous Event (feet +/-)	Change in Water Level Relative to Baseline Event (feet +/-)
WR-458A		2542.489 (23)	252 - 425	11/14/2005	314.98	110.02	2227.51	NA	NA
				1/23/2006	314.52	110.48	2227.97	0.46	NA
				2/27/2006	314.42	110.58	2228.07	0.10	NA
				3/20/2006	314.24	110.76	2228.25	0.18	NA
				4/3/2006	314.24	110.76	2228.25	0.00	NA
				5/30/2006	314.57	110.43	2227.92	-0.33	NA
				6/16/2006	314.61	110.39	2227.88	-0.04	NA
				8/31/2006	315.35	109.65	2227.14	-0.74	NA
				9/21/2006	315.34	109.66	2227.15	0.01	NA
				11/13/2006	314.82	110.18	2227.67	0.52	NA
				4/23/2007	314.12	110.88	2228.37	0.70	0.00 (24)
				8/6/2007	314.20	110.80	2228.29	-0.08	-0.08
				11/13/2007	314.05	110.95	2228.44	0.15	0.07
				2/21/2008	312.72	112.28	2229.77	1.33	1.40
				4/7/2008	311.02	113.98	2231.47	1.70	3.10
				10/28/2008	311.46	113.54	2231.03	-0.44	2.66
WR-459A		2536.427 (23)	253 - 405	11/14/2005	304.25	100.75	2232.18	NA	NA
				4/3/2006	303.31	101.69	2233.12	0.94	NA
				11/13/2006	303.91	101.09	2232.52	-0.60	0.00 (24)
				4/23/2007	303.15	101.85	2233.28	0.76	0.76
				11/13/2007	302.94	102.06	2233.49	0.21	0.97
				2/21/2008	301.79	103.21	2234.64	1.15	2.12
				4/7/2008	300.66	104.34	2235.77	1.13	3.25
				10/28/2008	300.39	104.61	2236.04	0.27	3.52
WR-702A		2525.5 (6) (34)	293 - 393	2/19/2009	311.90	81.10	2213.60	NA	NA
		(34)		5/20/2009	313.38	79.62	2212.12	-1.48	NA
		(34)		8/19/2009	311.90	81.10	2213.60	1.48	NA
		(34)		10/15/2009	311.15	81.85	2214.35	0.75	NA
		(34)		11/23/2009	310.69	82.31	2214.81	0.46	NA
		(34)		2/18/2010	309.32	83.68	2216.18	1.37	NA
		(34)		5/20/2010	309.07	83.93	2216.43	0.25	NA
		(34)		8/18/2010	307.42	85.58	2218.08	1.50	NA
		(34)		11/16/2010	307.00	86.00	2218.50	0.57	NA
WR-703A		2521.0 (6) (34)	294 - 394	5/20/2009	309.48	84.52	2211.52	NA	NA
		(34)		8/19/2009	307.91	86.09	2213.09	1.57	NA
		(34)		11/23/2009	306.42	87.58	2214.58	1.49	NA
		(34)		2/18/2010	305.43	88.57	2215.57	0.99	NA
		(34)		5/20/2010	304.29	89.71	2216.71	1.14	NA
		(34)		8/18/2010	303.84	90.16	2217.16	0.36	NA
		(34)		11/16/2010	302.86	91.14	2218.14	1.07	NA
WR-704A		2521.5 (6) (34)	290 - 350	5/20/2009	312.91	37.09	2208.59	NA	NA
		(34)		8/19/2009	311.29	38.71	2210.21	1.62	NA
		(34)		11/23/2009	309.89	40.11	2211.61	1.40	NA
		(34)		2/18/2010	308.70	41.30	2212.80	1.19	NA
		(34)		5/20/2010	307.80	42.20	2213.70	0.90	NA
		(34)		8/18/2010	307.64	42.36	2213.86	0.17	NA
		(34)		11/16/2010	306.16	43.84	2215.34	1.47	NA

Notes:
ADWR - Arizona Department of Water Resources
amsl - above mean sea level
Initial baseline water levels measured 3/17-18/2003. Second baseline water levels measured 4/23-27/07.
Effective screened interval based on well construction details and video logging.
NA - Change in elevation not applicable.
NM - Depth to groundwater not measured.
* - The WCS beneath the Well ID indicates that this well is included in the Western Containment System monitoring network.
(1) - The day on which the depth to groundwater was recorded.
(2) - Well constructed with submerged screen interval (BP-11, BP-24B, BP-24C, WR-352A, WR-353A, and WR-358A).
(3) - Casing elevation was recalculated from International Feet to U.S. Survey Feet in November 2001; elevation correction as indicated.
(4) - Sounding pipe on well C-026B protrudes from well casing at an angle. Depth to water measurement shows calculated value.
(5) - Steel riser pipe was added to D-022A since previous sampling event; elevation correction as indicated.
(6) - Elevation provided by City of Tucson Environmental Management Division.
(7) - Well WR-207A was abandoned by the City of Tucson on 8/21/02 and was replaced by WR-207B.
(8) - Sounding pipe on well C-026B protrudes from well casing at an angle. Depth to water measurement shows calculated value.
(9) - Wells R-090A and R-091A were not gauged during this event due to physical access constraints.
(10) - Riser pipe added to measuring point. Field measured elevation change as noted.
(11) - Field measured elevation of sounding tube located in the well casing.
(12) - Depth to water provided by URS. Referenced to survey point (assumed to be corrected for angled measurement (see note 2 above).
(13) - C-026B - Measured to PVC transducer pipe (installed Fall 2003), located ~9 inches (0.75 feet) higher than surveyed mark
(14) - Measuring point elevation surveyed in 12/03 by Shane Survey Company.
(15) - Water elevation correction factor of 0.573 ft calculated to account for bend in sounding tube.
(16) - Water level in Extraction / Injection wells rounded to the nearest foot. Depth to water provided by URS.
(17) - Water elevation correction factor of 3.5 feet. Depth to water provided by Tucson Water.
(18) - Unable to measure groundwater depth due to access problems with the wells (R-068A and R-069B).
(19) - Measuring point elevation re-surveyed in 11/04 and 12/04 and applied to groundwater elevation calculation beginning 7/28/04 per ADEQ request.
(20) - Pumping and non-pumping water levels recorded.
(21) - C-020B measuring point elevation obtained from the City of Tucson.
(22) - C-020B measuring point elevation re-surveyed 10/05; water level measurement data corrected to measurement point at base of sounding tube.
(23) - Measuring point elevation re-surveyed 10/05.
(24) - New baseline event preceding restart of WCS on 4/25/07.
(25) - Sounder repeatedly stuck in well before reaching groundwater, no measurements were obtained.
(26) - Well installed after the restart of the WCS.
(27) - Well no longer accessible for gauging.
(28) - Obstruction in sounding pipe, depth to water not measured.
(29) - Measuring point elevation resurveyed 5/08 and applied to groundwater elevation calculation beginning 4/9/08.
(30) - Screened interval submerged due to rising water levels.
(31) - Well not gauged prior to restart of WCS on 4/25/07.
(32) - Pump not functioning, equipment including sounding tube removed from well; groundwater elevation not accurately calculated.
(33) Approximate top of casing elevation based on survey data point at ground surface.
(34) Depth to water provided by City of Tucson