



# PLANNING COMMISSION

Planning & Development Services Department • 201 N. Stone Ave. • Tucson, AZ 85701

**DATE:** September 17, 2014

**TO:** Planning Commission

**FROM:** Ernie Duarte  
Executive Secretary

**SUBJECT:** C8-13-06 Downtown Area Infill Incentive District Text Amendment –  
Study Session

**Update** - On August 20, 2014, staff gave an update to the Planning Commission on the July 2014 draft's first seven sections. Staff compiled comments from the IID Sub-committee and the IID Citizens' Task Force and amended the draft. Staff recently received the September 8, 2014 draft that includes the amendments and all 15 sections including the form-based code styled Downtown Links Sub-district. This particular sub-district's provisions were prepared by the consultant firm, Poster, Frost and Mirto. During the Planning Commission hearing, staff will present with Corky Poster the changes that have occurred in the draft up to now.

One of the key changes in the first seven sections is a clarification of how historic buildings are handled as part of using the optional zoning. It is more clearly stated that property in Historic Preservation Zones must fully comply with their provisions and can only use the IID's optional zoning if the flexible standards do not de-list the property and cannot be used if a demolition is occurring. It also clarifies that historic structures outside an HPZ cannot use the optional zoning if it is de-listed or a demolition is involved. Further, new development adjacent to a historic structure or HPZ boundary must be reviewed by the Plans Review Subcommittee of the Historic Commission for historic compatibility.

Staff will meet on September 15, 2014 with the Citizens' Task Force to review the current draft. The focus of the meeting will be the next eight sections mainly involving the specific uses and standards of the three sub-districts in the draft. There will also be information on the changes to the first seven sections based on stakeholder and Commission subcommittee input.

One issue that staff believes still requires more work is how parking standards work in the Downtown Core and the Downtown Links Sub-districts. While there are standards in the September 8 draft, it is expected that they will be revised to be better coordinated across the two sub-districts.

Staff has been coordinating with ParkWise on the most efficient strategy to both provide sufficient parking and encourage new development to reduce parking needs through vehicular reduction programs. More discussion and work will be required to create a parking standard that works well in both sub-districts.

A – Preliminary Draft IID Revisions (September 8, 2014).

B – Downtown Area Infill Incentive District Maps

## 5.12 DOWNTOWN AREA INFILL INCENTIVE DISTRICT (IID)<sup>1</sup>

### 5.12.1. PURPOSE

The primary purpose of the Downtown Area Infill Incentive District (IID) is to encourage redevelopment in the following ways:

- A. Encourage sustainable infill development that supports the creation of urban neighborhoods that are pedestrian and transit-oriented and benefits the IID, the major activity centers in the area, and the City as a whole, while promoting compatibility with existing residential and non-commercial properties.
- B. Address barriers to infill development in the Downtown Area Infill Incentive District (IID), such as incompatible development standards and associated development barrier issues; and
- C. Implement the IID purposes by offering development incentives permitting a modification of development requirements ~~(MDR)~~ as provided below.
- D. Provide for appropriate transitional design standards where the development or expansion of a use abuts existing single family or duplex residential development.
- E. Protect historic structures and existing surrounding historic, and existing residential neighborhoods from potential negative impacts of new development.
- F. Consolidate the regulations and design standards that apply to downtown areas into a single ordinance by moving the provisions of Rio Nuevo District overlay zone, former Section 5.11, into the as IID Rio Nuevo Area (RNA) and renumbering them to conform to the numbering of the IID.

### 5.12.2. ESTABLISHMENT

- A. The IID contains both mandatory and optional overlay zone provisions. The IID is an optional overlay zone. Individuals may choose the pre-existing underlying zone or the development options of the IID overlay zone. Plans submitted in accordance with the IID shall comply with the applicable standards of this ~~Section~~Section as follows:
  - 1. The GIS, the DCS, and DLS, are optional overlay regulations and standards, which a property owner may chose in lieu of the underlying zoning (Optional IID Zoning).

<sup>1</sup> Mark-up key: Word 2007 and later versions uses the following mark ups to track changes to the original document:

Black – existing language of the IID and the relocated sections of the RND

~~Red strikeout~~ – deleted or changed language

Red underlined – new or amended language

~~Green double strike out~~ – sections of the IID that were moved to another location in the ordinance or deleted from a moved section

Green double underline – moved sections

2. The GII, the DCS, and DLS, are optional overlay regulations and standards, which a property owner may chose in lieu of the underlying zoning (Optional IID Zoning).
  - 1-3. The requirements and standards of the RNA are mandatory overlay IID provisions (Mandatory IID Zoning).
- B.** The IID is comprised of ~~the two~~ subdistricts listed immediately below. The Greater Infill Incentive Subdistrict (GII) and the Downtown Core Subdistrict (DCS). For tThe boundaries of the IID and subdistricts see Section 5.2.XX (Figure 5.12XX), are described in Section 5.12.10. (See Figure 5.12-A.) The exact boundaries of the IID overlay and subdistricts are identified on the official zoning map kept on file at the Planning and Development Services Department (PDSD) and the City Clerk's Office.
1. The Greater Infill Incentive Sub district (GII), Section 5.12.9.
  2. The Downtown Core Sub district Section 5.12.10 (DCS).
  3. The Downtown Links Sub district (DLS), Section 5.12.11, which is further subdivided into the following Areas:
    - a. Toole Avenue Area (TAA), Section 5.12.12.
    - b. Warehouse Triangle Area (WTA), Section 5.12.13.
    - c. Fourth Avenue Area (FAA), Section 5.12.14.
    - ~~a.c.~~ Iron Horse Area Section 5.12.15 (IHA).
    - d. Stone/Sixth Avenue Area (SSA), Section 5.12.XX.
  4. The Rio Nuevo Area (RNA), Section 5.12.7.
    - a. The RNA Section 5.12.7 includes all properties in the area previously included in the former Rio Nuevo District.
    - b. The RNA encompasses all of the DCS and portions of the GII and the DLS as shown on the map in Exhibit 5.12.XX.
- C.** ~~The IID contains both mandatory and optional overlay zone standards and requirements. The IID is an optional overlay zone. Individuals may choose the pre-existing underlying zone or the development options of the IID overlay zone. Plans submitted in accordance with the IID shall comply with the applicable standards of this Section.~~
1. The requirements and standards of the RNA are mandatory overlay IID provisions (Mandatory IID Zoning).
  2. The GII, the DCS, and DLS, are optional overlay regulations and standards, which a property owner may chose in lieu of the underlying zoning (Optional IID Zoning).

D. Depending upon the development choice of the owner, plans submitted for development of land in the IID must comply with the applicable IID regulations and standards as follows: ~~Standards specific to the GIS and DCS are provided in Sections 5.12.4, Greater Infill Incentive Subdistrict, and 5.12.5, Downtown Core Subdistrict, respectively. Regardless of subdistrict, individuals choosing the IID overlay options shall comply with Sections 5.12.6, Design Standards, 5.12.7, IID Plan Requirements, and 5.12.8, Review and Approval Procedures, and submit an IID Plan.~~

3. Development under existing underlying zoning:

a. The regulations and standards of the underlying zone apply; and,

b. If the property is located within the boundaries of the RNA, the regulations and standards of the RNA apply.

4. Development under the Optional IID Zoning provisions.

a. The regulations and standards of the applicable Sub District or Sub Area which the development parcel is located apply; and

(1) If the development property is located within the boundaries of the RNA and within the boundaries of the GIS or GRD, the regulations and standards of the RNA and the applicable Subdistrict apply.

(2) If the development property is located within the boundaries in the DLD and the boundaries of the RNA, the regulations and standards of the DLD apply.

b. Regardless of the Sub District or Sub Area all development under IID Optional Zoning must comply with the following:

(1) Section 5.12.5, IID Plan Requirements; and

(2) Section 5.12.6, Review and Approval Procedures; and

(3) Submittal of an IID Plan.

E. An IID Plan using the Optional IID Zoning provisions cannot be used in conjunction with other waiver or modification provisions provided by the Unified Development Code (UDC). This prohibition does not apply to Section 7.4.5 (Individual Parking Plan), which may be used in conjunction with the Optional IID Zoning provisions. ~~Where the IID and Rio Nuevo and Downtown (RND) overlay zones overlap, applicants may select either the provisions of the IID or the RND Modification of Development Requirements, but not both.~~

F. Conflict of Laws.

1. Where the standards of this Section conflict with other sections of the UDC, the standards of this section shall control.

2. The requirements and standards of the IID Mandatory Zoning provisions and the IID Optional Zoning provisions should be interpreted to avoid conflict whenever possible. If there is a conflict between the standards of the

Optional IID Zoning provisions and the Mandatory IID provisions of the RNA, the Mandatory provisions of Section 5.12.5 control.

- G.** Amendments to or dissolution of the IID are processed in accordance with the Section 3.7, UDC Text Amendment Procedure.

### **5.12.3 DEFINITIONS**

- A.** The terms “adjacent” and “group dwelling” as they apply in the IID, are defined in Section 11.4 and Section 11.3.7.B, respectively.
- B.** When a proposed project is not developed under the Optional IID zoning provisions, but under the standards of the underlying zoning district, only the general definition of “Group Dwelling,” not the IID specific applies.

### **5.12.43. APPLICABILITY**

The requirements and standards of this section apply to the following development types located on property, including public or private rights-of-way, any portion of which is located within the IID:

1. A change of use;
2. New development or a redevelopment project or a expansion of an existing use or existing structure; or
3. New development or a redevelopment project.

**4.** Exceptions:

If development occurs in the RNA under existing underlying zoning, the applicability requirements do not apply to the following:

- a.** A change of use that does not alter the exterior of a structure.
- b.** A redevelopment project or alterations of a structure, if such alterations are not visible from an adjacent public right-of-way.

### **5.12.57. IID PLAN SUBMITTAL REQUIREMENTS**

**A.** Application Requirements

Use of the standards of the IID, as opposed to existing underlying zoning, ~~shall~~ requires plan approval by PDSO regardless of IID ~~subdistrict~~ Sub district or Area. Plan submittal shall consist of the following:

1. **IID Plan.** Applicants shall submit an IID Plan ~~demonstrating in~~ compliance with applicable IID ~~and subdistrict~~ development design standards and requirements. Additionally applicants are also required to provide elevations demonstrating compliance with Section 5.12.8.B and C and the design standards of the applicable Sub section or Area. The Plan must clearly state the applicant’s intention to use the IID zoning option in lieu of the existing underlying zoning.

2. ~~**Development Package.** Except as provided in this section 5.12.5, a When required by the UDC, a separate Pplan must be shall be prepared in compliance with the Development Package requirements in Section 2-06.0.0 of the Administrative Manual. Additionally, applicants are required to provide elevations demonstrating compliance with Sections 5.12.6.A, B, and C.~~

~~**B.** The requirements of Sections 5.12.5 AND 5.12.6 apply to all IID apply to the following:~~

1. ~~plans submitted for development under the Mandatory IID Zoning provisions of Section 5.12.7 of the RNA, except as expressly provided for in Section 5.12.7; and~~
2. ~~plans submitted under the Optional IID Zoning provisions of Sections 5.12.9 (GIS), 5.12.10 (DCS) and 5.12.11 et seq. (DLS).~~

~~**C.** Modifications or Waiver of IID Plan Submittal Requirements. Revisions~~

An applicant may request modification to or waiver from the plan submittal requirements, subject to the following:

1. The applicant shall specifically identify the submittal requirement(s) for which a modification or waiver is requested and provide a rationale for the request; and,
2. The PDSO Director shall determine whether to grant the request. In making this decision, the PDSO Director shall consider the purpose statements of the IID, and the applicable General Plan and Area Plan policies. The PDSO Director's approval of a request under this subsection is not, nor shall it be construed as, an endorsement of a project by PDSO.

~~**C.** Exception~~

~~A City approved urban design plan, such as the Downtown Links Plan, may substitute for an IID Plan for development within the IID. A The PDSO Director may request additional information from an applicant where a conceptual plan lacks sufficient detail to provide for adequate review, in compliance with Sections 5.12.6.A, B and C.~~

**5.12.68. REVIEW AND APPROVAL PROCEDURES**

PDSO administers the IID Plan review procedure.

~~**A.** Procedure~~

~~1. Development in GIS~~

~~For development within the GIS, requests for MDRs are processed in accordance with Section 3.3.5, 300' Notice Procedure.~~

~~2. Development in DCS~~

~~For development within the DCS, IID Plans are processed in accordance with Section 3.3.3, PDSO Director Approval Procedure, with the exception that a pre-application conference is required. IID Plans within the DCS shall be reviewed and considered for approval within 30 working days of PDSO accepting the~~

~~application or approval of demolition and/or façade alteration plans when required of projects within the Rio Nuevo District, whichever is applicable.~~

**A. Pre-application conference.**

A pre-application conference with the PDSD staff is required to determine the following:

1. Whether the plan meets the IID Plan submittal requirements and the development standards of the IID and applicable Sub district.
2. Whether the application will be reviewed through the Minor or the Major Design Review Procedure as described below.

**B. Neighborhood meeting.**

1. A neighborhood meeting must be held in compliance with the public notice procedures for neighborhood meetings in UDC Section 3.2.2.
2. The applicant must prepare a written summary of the meeting. A copy of the written summary of the meeting must be filed with PDSD at the time of filing the development application for a project.
3. The applicant will also send a copy of the written summary to a Neighborhood Liaison appointed by the registered neighborhood association for the area in which the project site is located.
4. The Neighborhood Liaison may file with the PDSD Directory a statement concurrence or dissent with the accuracy of applicant's written summary of the meeting. If a dissent is filed, it must state the exact reasons for the dissent.
5. The applicant will also send periodic project updates to the neighborhood Liaison in accordance with PDSD Neighborhood Liaison Policy.

**C. Major Design Review.**

1. Criteria:

Major Design Review is required if a proposal meets one or more of the following criteria:

- a. The development proposal contains structures that are higher than two stories or 25 feet in height.
- b. The development proposal is at any one or more of the following locations:
  - (1) At an intersection of one or more arterial streets.
  - (2) Adjacent to or across from:
    - (a) a single family or duplex residential use; or

(b) a Historic or Contributing structure.

(3) On a vacant HPZ or NPZ parcel.

(4) On multi-zone parcel subject to Section 5.12.8.E.

(5) Within, or adjacent to an HPZ, or NPZ, or a National Historic Register District, or any combination of the three. The definition of the term "adjacent," as it applies in the IID, is defined IID in Section 11.4.A

**2. Notices**

For Major Design Review notice of the neighborhood meeting must be sent to all of the following:

a. All owners of property within 300 feet of the development site.

b. All neighborhood associations within 1 mile of the development site.

**3. Review and approval procedures**

a. A neighborhood meeting.

b. Review by City's Design Professional.

c. Review by IID Design Review Committee (IID DRC) and recommendation to the PSDS Director.

d. Decision by the PSDS Director pursuant to Section 5.12.6.M below.

**D. Minor Design Review**

**1. Criteria:**

a. The development proposal includes structures that are two stories or 25 feet in height or less.

b. The development proposal is not located at any of the locations listed as requiring Major Review in subsection C above.

**2. Review and approval procedures:**

a. A neighborhood meeting;

b. Review by the City's Design Professional and recommendation to the PSDS Director;

c. Decision by the PSDS Director pursuant to Section 5.12.6.M below.

**3. Notices:**

For Minor Design Review, notice of the neighborhood meeting must be sent to all of the following:

- a. All owners of property within 50 feet of the development site.
- b. The Neighborhood Association for the area in which the development is located.

**E. Historic preservation review.**

**1. Projects in an HPZ.**

- a. Proposed development projects within the boundaries of an HPZ are reviewed pursuant to the HPZ review procedures in Section 5.8.8 and the design standards Section 5.8.9.
- b. IID Optional Zoning may be used for new development, or additions to, or alterations of existing historic structures, as long as the changes do not cause an historic structure to be de-listed or no longer eligible for listing.

**2. Projects not in an HPZ.**

- a. The Tucson-Pima County Historical Commission (TPCHC) Plans Review Subcommittee reviews all projects listed below:

- (1) Projects proposing alterations or additions to existing structures using the IID optional zoning that do not cause the property to be de-listed or no longer eligible for listing.
- (2) Projects proposing new development using the IID optional zoning that is either adjacent to the boundaries of an HPZ or adjacent to structures meeting any one or more of the following characteristics:
  - (a) Listed in the National Register of Historic Places.
  - (b) Listed on the Arizona Register of Historic Places.
  - (c) Contributing property or eligible for listing in the National or Arizona registers.
  - (d) Designated as a Historic Landmark.
  - (e) A Single Family Dwelling within the boundaries the HPZ.

- b. The TPCHC Plans Review Subcommittee reviews for design compatibility of a proposed development project. However, it is not the intent of the design review to impose additional limitations or building preservation requirements on the allowable building heights in the IID.

- (1) New development must be designed to complement and be compatible with the architecture of adjacent properties.

(2) Historic compatibility is to be achieved through architectural elements such as building setbacks, building step-backs, textures, materials, forms and landscaping.

**3. Demolition.**

Whether within or outside the boundaries of an HPZ, the Optional IID Zoning may not be used for a development project that proposes demolition of a historic structure which is any one or combination of the following:

- (a) Listed in the National Register of Historic Places or
- (b) Listed in the Arizona Register of Historic Places or
- (c) Contributing property or eligible for listing in the National or Arizona Registers.
- (d) Designated as an historic landmark.

**4. De-Listing**

In no case may the IID Optional Zoning be used to cause a historic structure in the IID to be de-listed or no longer eligible for listing.

**F. Development projects in a Neighborhood Preservation Zone (NPZ).**

If a proposed development project is located within a Neighborhood Preservation Zone (NPZ), the project must be reviewed by the City Design Professional pursuant to the design standards of the applicable NPZ.

**G. Composition of the IID Design Review Committee (IID DRC) and Voting.**

- 1. The IID DRC is composed of the following members appointed by the City Manager:
  - a. The City's Design Professional.
  - b. One registered architect.
  - c. One registered landscape architect.
  - d. One registered contractor.
  - e. One member to represent all neighborhood associations within the IID.

**H. Ad-Hoc Members.** The IID DRC may include ad-hoc members from among the following, as applicable:

- 1. For projects within the DLS Fourth Avenue Area, one local Fourth Ave. business owner.
- 2. For projects within the DCS, one person from the Downtown Partnership Association.

3. One member appointed by the neighborhood association for the area in which the proposed project is located. If the project site is located in an area that does not have neighborhood association, the ad-hoc member is appointment by an association within 300 feet of the project site that is within the same IID Sub district.
4. For projects adjacent to a HPZ or NPZ, one member appointed by the neighborhood association for the HPZ or NPZ.

**I. IID DRC Ad-Hoc Member Voting and Recommendation.**

1. Ad-hoc members are voting members of the IID DRC.
2. A quorum of the IID DRC is the Design Professional and at least two other members.
3. Notwithstanding Subsection 2 above, if for any reason the City Manager has not appointed the members of the DRC, or a quorum is not obtained for a particular application, the Design Professional shall make a recommendation directly to the PDSO Director.
4. The Design Professional may give a recommendation separate from the DRC recommendation in all cases.

**J. Review by the IID DRC.**

1. The IID DRC must review applicable projects for compliance with the IID standards and requirements, and may also comment on other aspects of the projects.
2. Prior to the IID DRC meeting, applicants must meet with the Design Professional to discuss the project and its compliance with the IID and applicable Sub district design standards and requirements.
3. The Design Professional must provide a written report to the applicant, the IID DRC members and the PDSO Director containing all of the following:
  - a. Describing the recommendations and any other issues of concern raised by the IID DRC.
  - b. Stating whether the proposal complies with the applicable design standards.

c. Making recommendations on any modifications to the project needed to bring it into compliance with the design standards.

4. The Design Professional may also make recommendations to the PDSD Director on other aspects of the project, such as façade treatment, building colors, and similar design elements, including all relevant elevations and pictures describing the recommended design or mitigation features.

**K. Review by the Mayor and Council of Group Dwellings**

Group dwellings, as defined for the IID in Section 11.4.6 specifically for use in the IID, require the approval of Mayor and Council pursuant to Section 3.4.4 Mayor and Council Special Exception Procedure.

**L. PDSD Director Decision**

1. The DRC's and Design Professional's recommendations shall be advisory to the PDSD Director, and the Director shall make the final decision on a project's compliance with IID and applicable Sub district requirements and standards.

2. The DRC and the Design Professional may recommend, and the Director may add special conditions to an approval pursuant to Subsection J above, to assure compliance with the intent of the IID, and to address safety issues, and to address certain development commitments to adjacent neighbors made by the applicant.

3. Special conditions may include mitigation standards or plans based on the scale, setting and intensity of the development. Examples of such plans may include, but are not limited to any one or more of the following:

a. A vehicular reduction plan to ensure residences are most effectively using alternate modes of transportation.

b. A noise mitigation plan to ensure the design of the proposal does not substantially increase noise above current ambient noise levels.

c. A traffic impact analysis that may include a mitigation plan with traffic calming elements and safety improvements.

d. A behavioral management plan and, security plan that includes self-policing and techniques to reduce the impacts of noise, odors, unruly behavior or other similar adverse on adjacent residential property.

**M. Final Approval**

1. All recommendations are sent to PDSD Director for final decision pursuant to Section 5.12.6.L, except as provided below.
2. Group Dwellings, as defined in Section 11.4 for development within the IID, require final approval pursuant to 3.4.4, Mayor and Council Special Exception Procedure.

**N. Design Professional Review of Building Plans.**

Prior to the issuance of a building permit for development under the Optional IID provisions, the Design Professional will review the development package and the building plans for compliance with the approved IID Plan.

**O. Appeals**

Except for a decision on a proposed group home, which is approved or denied by the Mayor and Council pursuant to Section 3.4.4 Mayor and Council Special Exception Procedures, appeals of the PDSD Director's decision must be filed and are heard in accordance with the Board of Adjustment appeals process in UDC Section 3.10.2.

**P. Amendments**

An amendment or revision to an approved IID Plan is subject to the same procedure as the initial approval.

**D. Concurrent Review**

~~The City may accept a concurrent submittal of the IID Plan and corresponding site plan or subdivision plat.~~

**5.12.7 MANDATORY IID ZONING DESIGN STANDARDS IN THE RNA.<sup>2</sup>**

**A. Applicability**

1. This Section 5.12.7 applies to the developments types listed in Section 5.12.4 on all properties in the RNA.
2. The provisions of this Section 5.12.7 are mandatory for proposed development of properties in the RNA.

**B. Permitted Uses**

1. If developing only under the Mandatory RNA Zoning provisions, permitted uses in the RNA are those permitted by the underlying zoning.

---

<sup>2</sup> This section has been moved here from the RND. All existing language from the RND is shown in black and amendments are shown in redline/strikeout.

2. If a property owner chooses to develop the property using the Optional IID zoning provisions, permitted uses are limited to the uses permitted by the IID Subsection in which the development project is located.

3. New drive-in or drive-through facilities are not permitted, except for businesses located adjacent to the freeway, or as approved through the development review process. ~~and;~~

### C. Building Design Standards

Development within the RNA is required to comply with the following building design standards. ~~Compliance with these standards will ensure that development complies with the design principles set forth in Section 5.11.1.B.~~

1. The proposed buildings shall respect the scale of those buildings located in the development zone and serve as an orderly transition to a different ~~scale~~ scale pursuant to the Transition Standards in Section 5.12.8.B. Building heights with a vastly different scale than those on adjacent properties should have a transition in scale to reduce and mitigate potential impacts. In areas undergoing change, long-range plans should be consulted for guidance as to appropriate heights. ~~;~~
2. All new construction ~~shall maintain~~ must be consistent with the prevailing setback existing within its development zone except that the PDSD Director may approve a different setback than the prevailing setback upon a finding that a different setback is warranted by site conditions or applicable development design goals consistent with Section 5.12.1, Purpose, and the proposed setback will not be incompatible with adjacent properties, as defined in Section 11.4.2.A;
3. All new construction shall provide scale-defining architectural elements or details at the first two floor levels, such as windows, spandrels, awnings, porticos, cornices, pilasters, columns, and balconies. ~~;~~
4. Every commercial building frontage shall provide windows, window displays, or visible activity within and adjacent to the building at the ground floor level, with a minimum of 50 percent of the building frontage providing such features. ~~;~~
5. A single plane of a façade at the street level may not be longer than 50 feet without architectural relief or articulation by features such as windows, trellises, and arcades. ~~;~~
6. Building façade design shall include pedestrian-scaled, down-shielded, and glare-controlled exterior building and window lighting. ~~;~~
7. The front doors of all commercial and government buildings shall be visible from the street and visually highlighted by graphics, lighting, marquees, or canopies. ~~;~~
8. Modifications to the exterior of historic buildings shall complement the overall historic context of the Downtown and respect the architectural integrity of the historic façade. ~~;~~

9. Buildings shall be designed to shield adjacent buildings and public rights-of-way from reflected heat and glare.~~;~~
10. Safe and adequate vehicular parking areas designed to minimize conflicts with pedestrians and bicycles shall be provided.~~;~~
11. Adequate shade shall be provided for sidewalks and pedestrian pathways, using shade structures or vegetation, where permitted by the City of Tucson.~~;~~
12. Colors may conform to the overall color palette and context of the Downtown area, ~~or subarea~~ or may be used expressively to create visual interest, variety, and street rhythms. The rationale for an expressive or idiosyncratic use of color shall be described in the site plan submittal.~~;~~
13. New buildings shall use materials, patterns, and elements that relate to the traditional context of the Downtown area ~~or subarea~~.~~;~~
14. Twenty-four-hour, street-level activity is encouraged by providing a mixture of retail, office, and residential uses within each building.~~;~~ ~~and,~~
15. Primary public entries shall be directly accessed from a sidewalk along a street rather than from a parking lot. Public access to commercial and governmental buildings shall be provided at sidewalk grade. The primary floor of, and access to, residential structures may be elevated. Secondary access may be provided from off-street parking areas.

**D. Site Design Standards<sup>3</sup>**  
**~~Circulation and Parking~~**

**~~a. Street Hierarchy~~**

~~The Downtown is organized along the hierarchy of Downtown's streets, with the pedestrian given top priority for the Downtown (See Figure 5.11-B, Downtown Street Hierarchy). The streets are addressed in one of the following three classifications:~~

**~~b. Pedestrian Retail Core Streets~~**

~~These are the streets that host Downtown's greatest variety of commercial and public activities at the street level. They also accommodate vehicular traffic including automobiles, public transit, and service vehicles and have on-street parking in some locations. However, priority shall be given to the pedestrian.~~

**~~c. Entry Streets~~**

~~These streets carry high volumes of traffic (respectively) into and out of Downtown. These streets typically are wider to accommodate through and turning traffic.~~

<sup>3</sup> ~~Moved here from former RND Section 5.11.5.~~

~~b. Traffic Calming Streets~~

~~These streets are generally narrower, with fewer travel lanes than entry streets, and accommodate on-street parking. Traffic Calming Streets are all those not designated as Entry Streets or Pedestrian Retail Core Streets.~~

**2-1. Vehicular Circulation and Parking**

~~a. Circulation~~

~~b.a.~~ All parking area access lanes (PAALs) adjacent to buildings shall have pedestrian circulation paths between the PAAL and the building, with a minimum width of six feet.

~~e.b.~~ The locations of ~~A~~all points of vehicular ingress and egress ~~points~~ shall be perpendicular to the intersecting street. Points of ingress and egress points shall be designed to minimize vehicular/pedestrian and vehicular/bicycle conflicts. Adequate storage for vehicular queuing at parking facilities shall be contained on site. Right turn bays are strongly discouraged ~~within this zone~~. Points of ingress and egress shall be minimized wherever possible. Additional temporary ingress and egress locations may be permitted for parking structures ~~that anticipate where~~ occasional high peak period traffic flows (i.e., parking facilities for event venues) are anticipated.

**2. Parking**

~~i.a.~~ **General**

Parking standards ~~within the RND~~ are listed in the Section 7.4. Some ~~p~~Properties in the RND may also be located in the Downtown Parking District, which allows a reduction in the number of parking spaces as provided in Section 7.4.5.B.

~~a. Open to Public~~

~~All public parkings shall be open and accessible to the public between 5:00 a.m. and 1:00 a.m., seven days per week, with the exception of the performance of required maintenance.~~

~~ii.b.~~ **Screening of Parking**

All new parking shall be designed so that vehicles are not visible from the adjoining street level, through incorporation of pedestrian arcades, occupied space, or display space.

~~iii.c.~~ **Employee Parking**

Employee parking for all uses should be provided at remote locations in order to maximize the availability of space for development.

### 3. Plazas and Open Space

The fundamental objective of the design standards in this [Section 5.12.7.D.3 subsection](#) is to encourage public and private investments to enhance the character and function of Downtown's pedestrian environment.

#### i.a. Plazas and Pedestrian Nodes

Five percent of the gross floor area of new construction shall be provided in public plazas or courtyards. Plazas, courtyards, and patios are landscaped outdoor areas designed to accommodate multiple uses, from large gatherings of people for performing arts to smaller gatherings. The plazas and courtyards will be one of the ways that spaces and uses can be linked. [The requirement for public plazas or courtyards may be waived by the PDSO Director if the property is developed under the IID Optional Zoning standards.](#)

#### ii.b. Viewshed<sup>4</sup> Corridors

Views of all historic properties and all natural elements surrounding the Downtown should be considered during design. Plazas, courtyards, and open spaces shall be sited to include views to other public spaces, where feasible.

#### iii.c. Linkages (Physical and Visual)

Neighborhood linkages shall be maintained throughout Downtown.

### 4. Streetscape

a. [Streetscapes shall be consistent with the Streetscape Design Manual. In streetscape design, priority shall be given to pedestrians. \[PLACE HOLDER UNTIL FINAL DETERMINATION IS MADE ON THE MANUAL\]](#)

#### b. Shade

Shade shall be provided for at least 50 percent of all sidewalks and pedestrian pathways as measured at 2:00 p.m. on June 21 when the sun is 82° above the horizon (based on 32°N Latitude). Shade may be provided by arcades, canopies, or shade structures, provided they [respect and their location and design characteristics are -compatible with](#) the historic and design context of the street and the architectural integrity of the building. Deciduous trees, as proposed in the Downtown Comprehensive Street Tree Plan, are encouraged to supplement existing evergreen trees. The use of plantings and shade structures in the City right-of-way are permitted to meet this standard with the approval of the [City of Tucson](#) Department of Transportation. The shade provided by a building may serve to meet this standard.<sup>5</sup>

<sup>4</sup> Moved here from Section 5.11.6.A1

<sup>5</sup> Moved here from RND Section 5.11.5.A.2

**E. Demolition of ~~Rio Nuevo District~~ Historic Structures in the RNA<sup>6</sup>**

~~Structures within the RND that are 40 years old or more and are listed in the National Register of Historic Places or the Arizona Register of Historic Places, or are eligible for listing in the National or State registers and structures designated as City Historic Landmarks.~~ In the RNA, demolition of the following types of structures ~~is~~ are reviewed in accordance with Section 5.8.109, Demolition of Historic Properties, Landmarks, and Structures:

1. Structures that are listed in the National Register of Historic Places or the Arizona Register of Historic Places.~~or~~
2. Structures that are eligible for listing in the National or State registers.~~and~~
3. Structures designated as City Historic Landmarks.

**F. Review by the Design Review Board (DRB).**

1. A project developed in the RNA applying only underlying zoning is reviewed by the DRB.
  - a. Any modification of, addition to, or alternation of an existing structure that would affect the exterior appearance, ~~whether such alteration requires a building permit or not, which does not require a building permit~~, with the exception of work which proposes only color changes to the exterior of the structure;<sup>7</sup>
  - b. An addition to an existing structure;
  - c. A project requiring a grading permit; or
  - d. A project which proposes constructing or enlarging parking lots.
2. Plan Submittal Requirements

The plan submittal requirements of Section 5.12.5 apply.
3. Project Design Review Procedures.

The following IID Design Review procedures apply to all projects

  - a. Section 5.12.6.A;
  - b. Section 5.12.6.D, except Subsections D.1, D.3 and D.4, which do not apply;
  - c. Section 5.12.6.I, except that the reviewing body is the DRB, not the DRC; and

<sup>6</sup> Moved here from RND Section 5.11.7.B

<sup>7</sup> Existing RND sections. Moved here from Section 5.11.8.1 and .2.

d. Sections 5.12.5.K through 5.12.6.O.

~~5.12.4. GREATER INFILL INCENTIVE SUBDISTRICT<sup>8</sup>~~

~~A. Modification of Development Requirements (MDR)~~

~~Development requirements may be modified within the GIIIS subdistrict. This process shall be known as the Modification of Development Requirements (MDR).~~

~~B. General~~

~~Except as provided in this subsection, the requirements in the following sections of the UDC may be modified up to 25 percent of the dimension amount permitted by the underlying zoning: Art. 6: Dimensional Standards and Measurements, Section 7.4, Motor Vehicle & Bicycle Parking, Section 7.5, Off-Street Loading, and Section 7.6, Landscaping and Screening. The MDR process shall not be used to modify Section 7.7, Native Plant Preservation.~~

~~C. Exceptions~~

~~The following requirements may be modified in excess of 25 percent to the extent specified below:~~

~~1. Building Height~~

~~Building height may be increased up to 60 feet unless the current zoning allows a greater height or where the IID Plan's Development Transition Standards as provided in Section 5.12.6.B require less.~~

~~2. Street Yard~~

~~Street yard requirements may be reduced or waived when the PDSO determines that the request is consistent with the Major Streets and Route Plan, unless modified by the Tucson Department of Transportation Director, and there is adequate sight visibility, no traffic safety issue is created, and complies with the standards of Section 5.12.6.B, Development Transition Standards, when applicable.~~

~~3. Parking~~

~~Parking as required by Section 7.4, Motor Vehicle and Bicycle Parking, may be reduced up to 25 percent. Parking may be decreased by more than 25 percent per an agreement with the City's Parking Authority or in accordance with Section 7.4.5.A, Individual Parking Plan, if the analysis and findings show the proposed parking is adequate.~~

~~Accessible Parking and Bicycle Facilities. The number of accessible parking spaces required by the City of Tucson's adopted Building Code and bicycle facilities shall not be reduced or eliminated and shall be based on the number of motor vehicle parking spaces required prior to any modification.~~

<sup>8</sup> The next two sections in green strikethrough have been moved to Section 5.12.9 and 5.12.10 where the relocated sections appear in green with double underlining.

~~Parking may be provided by any one of the following options or by a combination of the following options:~~

- ~~(1) On-site;~~
- ~~(2) Off-site within 1/4 of a mile of the project site through a shared parking agreement with the City;~~
- ~~(3) On-street on the same side of the street as the proposed use up to five spaces on a collector or arterial street per approval by the City's Transportation Department; or~~
- ~~(4) An in-lieu fee per an agreement with the City's Parking Authority.~~

#### ~~4. Loading~~

~~Off-street loading zone standards may be reduced or waived if PDSB determines that no traffic safety issue is created.~~

#### ~~5. Solid Waste Collection~~

~~On-site refuse collection container standards governing access, type, and location may be modified if the Department of Environmental Services determines that no public health or traffic safety issue is created.~~

#### ~~6. Landscaping and Screening~~

~~Except as required by Section 5.12.6.B, Development Transition, a complete or partial exception to Section 7.6, Landscaping and Screening Standards, may be granted when shade is provided for pedestrians and customers, such as along sidewalks, pedestrian circulation paths, and outdoor patios, in accordance with Section 5.12.6.A.2.~~

~~The following types of landscaping and improvements may be used to comply with this section:~~

- ~~(1) Existing landscaping;~~
- ~~(2) Shade trees in the right-of-way;~~
- ~~(3) Green walls or green roofs, and/or~~
- ~~(4) Shade structures, such as awnings.~~

#### ~~7. Pedestrian Access~~

~~Alternative pedestrian access that creates connectivity between public entrances to the project and abutting sidewalks may be allowed as long as no safety hazard is created. All pedestrian access shall conform to the accessibility standards of the City of Tucson's adopted Building Code.~~

#### ~~D. GIS Land Uses~~

~~A proposed use shall be permitted by the underlying zone and shall be limited to proposals with one or more of the following uses: Administrative and Professional Office, Alcoholic Beverage Service,~~

~~Civic Assembly, Craftwork, Cultural, Educational Use, Instructional School, Educational Use, Postsecondary Institution, Entertainment, Attached Residential, Multifamily Residential, Food and Beverage Sales, Food Service, General Merchandise Sales, Mixed Use (a combination residential and other uses listed in this section), Personal Service, and Travelers' Accommodation, Lodging;~~

~~An IID proposal for a use not listed above may be allowed if the proposed use is permitted by the underlying zone and if the PDSD Director deems the proposed use to be in accordance with Section 5.12.1, Purpose.~~

#### ~~5.12.5. DOWNTOWN CORE SUBDISTRICT (DCS)~~

##### ~~A. Standards~~

~~Development within the DCS shall comply with all of the following:~~

~~Permitted uses of the underlying zoning;~~

~~Maximum building height may be increased up to 60 feet unless the current zoning allows a greater height or where the IID Plan's Development Transition Element requires less;~~

~~Demolition and façade alteration standards and review requirements of Sections 5.11.7 and 5.11.8 of the Rio Nuevo District;~~

~~When provided, landscaping shall be in accordance with the City's drought tolerant plant list;~~

~~Bicycle parking shall be provided when motor vehicle parking is provided. The required number of bicycle parking spaces may be reduced when bicycle parking is required per this section; and,~~

~~Where applicable, applicants are strongly encouraged to comply with Section 7.7, Native Plant Preservation;~~

##### ~~B. Exemptions~~

~~Except as provided in this section, development within the DCS is exempt from the following standards unless the PDSD Director makes a finding that public safety and health would be jeopardized:~~

~~Section 5.4, Major Streets and Routes Setback Zone;~~

~~Section 5.11, Rio Nuevo District, except as provided in Section 5.12.5, DCS Standards;~~

~~Minimum perimeter yard standard as provided in Section 6.3, except when required by Section 5.12.6.B, Development Transition;~~

~~Maximum lot coverage standard as provided in Section 6.3;~~

~~Minimum lot size standard as provided in Section 6.3;~~

~~Section 7.4, Motor Vehicle and Bicycle Parking, except as provided in Section 5.12.5.A.5;~~

~~Section 7.5, Off Street Loading;~~

~~Section 7.6, Landscaping and Screening Standards, except as required by Section 5.12.6.B, Development Transition Standards; and,~~

~~Section 7.7, Native Plant Preservation, except when the property includes a drainage corridor where native plants are present or when the property is adjacent to a drainage corridor and remnant native plants are present on the project site.~~

~~C. Other Permitted Modifications~~

~~1. Pedestrian Access~~

~~Alternative pedestrian access that creates connectivity between public entrances to the project and abutting sidewalks may be allowed as long as no safety hazard is created. All pedestrian access shall conform to the City of Tucson's adopted Building Code.~~

~~2. Solid Waste Collection~~

~~On site refuse collection container standards governing access, type, and location may be modified if the Environmental Services Department determines that no public health or traffic safety issue is created.~~

**5.12.86. GENERAL OPTIONAL IID ZONING DESIGN STANDARDS**

An IID Plan under the optional IID design standards must shall demonstrate compliance with the following:

**A. Streetscape Design**

Streetscape design must comply with the street design standards in the UDC Technical Manual and the Streetscape Design Manual.

ALL REFERENCES TO THE STREETSCAPE DESIGN MANUAL ARE PLACEHOLDERS UNTIL BETTER COORDINATION WITH THE STREETSCAPE DESIGN MANUAL IS ACHIEVED

**1. Pedestrian-orientation**

Projects shall be pedestrian-oriented and comply with all of the following standards:

b.a. New construction shall have architectural elements/details at the first two floor levels.;

e.b. Buildings shall provide windows, window displays, or visible activity on the ground floor for at least 50 percent of frontage.;

e.c. A single plane of façade shall be no longer than fifty feet without architectural detail.;

e.d. Front doors shall be visible or identifiable from the street and visually highlighted by graphics, lighting, or similar features.;

f.e. Parking areas for comprehensive development or redevelopment of a site shall be located at the rear or side of the building. Changes of use and expansion of existing structures may use the site's current parking configuration.;

~~g.f.~~ Parking structures shall be designed so that parked vehicles are screened from view at street level through incorporation of design elements including, but not limited to, landscaping, pedestrian arcades, occupied space, or display space.

~~h.g.~~ Construction and maintenance of sidewalks must be done in compliance with the City's Streetscape Design Manual. Existing sidewalk widths shall be maintained so as to provide effective, accessible, connectivity to adjoining properties. Sidewalks may be widened to accommodate a project's design characteristics. Where no sidewalks exist, sidewalks shall be provided. Outdoor seating and dining areas and landscaping may be located in the sidewalk area where safe and effective sidewalk width around the design feature can be provided.

~~i.h.~~ To the extent practicable, bus pull-outs shall be provided where bus stops are currently located.

~~i.i.~~ If drive-through service is proposed, it shall not interfere with pedestrian access to the site from the right-of-way.

## 2. Shade

a. Except as provided below, shade shall be provided for at least 50 percent of all sidewalks and pedestrian access paths as measured at 2:00 p.m. on June 21 when the sun is 82 degrees above the horizon. Shade may be provided by trees, arcades, canopies, or shade structures provided their location and design characteristics are compatible with the historic and design context of the street and the architectural integrity of the building. The use of plantings and shade structures in the City right-of-way is permitted to meet this standard with the approval of the Transportation Department. The shade provided by a building may serve to meet this standard.

### b. Exception

The PSD Director may approve an IID Plan providing less than 50 percent shade where compliance is not feasible due to a project site's location and/or building orientation and the applicant has made a reasonable attempt to comply with this standard.

## ~~3. Modifications to Historic Buildings~~

~~Modifications to historic buildings shall complement the overall context of the historically designated buildings in the project's development zone and respect the architectural integrity of the historic façade. Historic replication is discouraged in favor of design inspired by traditional precedents such as scale, materials, and exterior openings.~~

## B. Development Transition Standards

The purpose of the Development Transition Standards is to mitigate excessive visual, noise, odor, vibration intrusion, and other similar public health and safety concerns that may be created by the proposed project.

### 1. Applicability

Developing sites that abut an affected ~~single family dwellings or duplex dwellings residential property shall~~ must comply with this section. For purposes of the IID, the following terms and examples describe elements of applicable transitional areas:

- a. "Affected residential property" refers to an existing single family or duplex dwelling residential site that is of a lesser intensity than that abutting a developing site.;
- b. "High density residential" refers to residential development that is neither existing single family detached nor attached dwellings. ~~within a subdivision.~~;
- c. Examples of applicable transitional areas include a nonresidential developing site abutting existing single family detached or attached dwellings within a subdivision, or a developing high density residential site abutting existing single family detached or attached dwellings within a subdivision.
- d. For projects within the DCS, the Development Transition Standards apply only to those projects abutting affected residential properties outside the DCS boundaries.

### 2. Mitigation of Taller Structures

Compliance with the following standards is required where the developing site has taller buildings than abutting affected residential properties:

- a. The maximum building height is 25 feet within 30 feet of the property line abutting an affected residential property. Proposed buildings may be developed to the maximum height permitted by the underlying zone or by the IID, whichever is applicable, when the building is 30 feet or more from the property line abutting an affected residential property;
- b. **Building Bulk Reduction**
  - (1) At least 25% of the length of a building's street front façade above two stories or 25 feet in height (whichever is lower must be set back at least 12 feet from the front of the building façade at finished grade; and
  - (2) If a building façade faces a property line adjacent to a residential property, the PDSD Director may require more

bulk reduction elements based on a finding by the DRC of a greater need for mitigation.

(3) To encourage innovative design solutions, a bulk reduction proposal that is different from the design standards listed above may be approved by the PDSO Director upon a finding by the Design Professional that the proposed alternative design provides an effective way of breaking up the horizontal mass of a building façade as the design standards of this Section.

(4) **Exceptions to Bulk Reduction Requirements**

The building bulk reduction design standards do not apply in the following Sub districts:

(a) Within the DLS and its Sub-Areas, the bulk reduction standards in the DLS apply.

(b) Bulk reduction is not required within the DCS.

3. Windows at or above the second story of a structure shall be located or treated to reduce views into adjacent affected residential property's buildings and yard areas.†
4. Balconies shall be oriented away from affected residential property or use a screening device to reduce views in to the rear or side yards of the affected residential property.†
  - a. The developing site's buildings shall be oriented so as to reduce views onto an affected residential property; and
  - b. Buffers and/or screening consistent with the purpose of this section shall be provided between a developing site and affected residential properties and shall include features such as, but not limited to, landscaping, walls, and architecturally decorative features.

**5. Mitigation of Service Areas**

Potential nuisance or noisy areas shall be oriented away from affected residential property, such as by placing service areas for loading and garbage disposal between the developing site's buildings, behind opaque barriers, or by using architectural or landscaping treatments that effectively reduce nuisance impacts from service areas. The service area shall be mitigated to reduce the noise and view of the service features, reduce the emission of offensive odors to owners or occupants of adjacent properties or create a nuisance or hazard beyond the property lines of the project site, and prevent vibrations that are discernible beyond the property lines of the project site.

**6. Mitigation of Parking Facilities and Other Areas**

Where the site has a parking areas or an area with noise and outdoor lighting features, the areas shall be screened from affected residential property by a combination of a wall or opaque non-chain link fence with a vegetative hedge or a row of trees that shall be dense enough to screen views onto the development site. An alternative treatment may be used, such as using architectural or landscaping treatments that effectively reduce nuisance impacts from parking facilities and other areas. Where there is a finding that the vegetative screen will be opaque, a masonry wall may not be waived by the PDS Director.~~required.~~

**C. Alternative Compliance**

1. The PDS Director may approve an urban design best practice option for compliance with Section 5.12.86.A, Streetscape Design, and Section 5.12.86.B, Development Transition Standards.
2. For purposes of this section, urban design best practices may include urban design studies approved for the City of Tucson, adopted urban design standards for a downtown area in an Arizona city of comparable size or a city in the Southwest of comparable size, books written by urban design experts or endorsed by a professional organization, such as the American Institute of Architects, addressing downtown development, or any comparable report, study, or standards recommended by the City's Design Professional and approved by the PDS Director.

**D. Utilities**

Plans shall include information on the layout and demonstrate availability of utilities such as water, wastewater, natural gas, electric, and telecommunication utilities.

**E. Multi-zone Parcels**

Where a development parcel contains more than one zoning district, uses and building massing may be distributed across the zoning districts on the parcel, provided that the development complies with the design standards in Section 5.12.8.B to mitigate the impact of the new development on existing, less intensely developed adjacent parcels.

**5.12. 49. GREATER INFILL INCENTIVE SUBDISTRICT**

**A. GIIS Land Uses.**

In the GIIS, a proposed development project using the IID Optional Zoning must meet both of following requirements:

1. It must be a use permitted by the underlying zoning on the property.
2. It is limited to the uses listed in Table 5.12-GIIS-1 below.

<b>TABLE 5.12-GIIS-1 PERMITTED LAND USES</b>	
<b>LAND USE TYPE</b>	
<b>Commercial Services Group</b>	<b>Industrial Use Group</b>
<u>Administrative and Professional Office</u>	<u>Craftwork</u>
<u>Alcoholic Beverage Service</u>	<u>Perishable Goods Manufacturing limited to Microbrewery/Craft Distillery</u>
<u>Entertainment</u>	
<u>Food Service</u>	<b>Retail Trade Group</b>
<u>Personal Services</u>	<u>General Merchandise Sales</u>
<u>Travelers' Accommodation., Lodging</u>	<u>Food and Beverage Sales</u>
<b>Civic Use Group</b>	<b>Residential Group</b>
<u>Civic Assembly</u>	<u>Attached Family Dwelling</u>
<u>Cultural Use</u>	<u>Multifamily Dwelling. Group Dwellings, as defined for development in the RNA require Mayor and Council approval pursuant to Section 3.4.4 Mayor and Council Special Exception Procedure.</u>
<u>Educational Use: Instructional School</u>	
<u>Educational Use: Postsecondary Institution</u>	
<u>Religious Use</u>	<b>Other Uses</b>
	<u>Mixed Uses: limited to a combination of Residential and other uses listed in this table.</u>

**3. Additional Permitted Uses.**

With the exception of Automotive Service and Repair uses, which are prohibited in the GIIS, permitted uses include any use permitted in the underlying zone for the property, provided the PDSO Director finds the proposed use to be in accordance with Section 5.12.1, Purpose.

**B. Modification of Development Requirements**

Development requirements may be modified within the GIIS Subdistrict may be modified as permitted in this Section, upon findings by the PDSO Director that the modification is consistent with Section 5.12.1 Purpose. This process shall be known as the Modification of Development Requirements (MDR).

**C. Modifications of Underlying Development Requirements. General**

Except as provided in this subsection, the requirements in the following sections of the UDC may be modified up to 25 percent of the dimension amount permitted by the underlying zoning except when a greater reduction is specifically allowed by this section:

1. Art. 6: Dimensional Standards and Measurements;

**Exceptions:**

**a. Building Height.**

Building height may be increased up to 60 feet unless the current zoning allows a greater height or where the IID Plan's Development Transition Standards as provided in Section 5.12.6.B require less.

**b. Street Perimeter Yard.**

Street perimeter yard requirements may be reduced or waived if when the PDSD Director determines that the request is consistent with the Major Streets and Route Plan, or unless modified by the Tucson Department of Transportation Director, and there is adequate sight visibility, no traffic safety issue is created, and complies with the standards of Section 5.12.86.B, Development Transition Standards, when applicable.

2. Section 7.4, Motor Vehicle & Bicycle Parking;

**Exceptions:**

**a. Parking**

Parking, as required by Section 7.4, Motor Vehicle and Bicycle Parking, Parking may be reduced up to 25 percent. Parking may be decreased by more than 25 percent per an written agreement with the City's Parking Authority or in accordance with Section 7.4.5.A; Individual Parking Plan (IPP), if if the analysis and findings show the proposed parking is adequate. The Individual Parking Plan (IPP) may be requested for all uses permitted in the GIS.

**b. Location**

Parking may be provided by any one of the following options or by a combination of the following options:

- (1) On-site;
- (2) Off-site within 1/4 of a mile of the project site through a shared parking agreement with the City;
- (3) With the approval of the Department of Transportation, proposals for non-residential uses may provide up to five on-street spaces on a collector or arterial street, On-street on the same side of the street as the proposed use up to five spaces on a collector or arterial street per approval by the City's Transportation Department; or
- (4) An in-lieu fee per an agreement with the City's Parking Authority.

**c. Accessible Parking and Bicycle Facilities.**

The number and location of accessible parking spaces required by the City of Tucson's adopted Building Code. Accessible parking and bicycle facilities shall not be reduced or eliminated and shall be based on the number of motor vehicle parking spaces required prior to any modification.

**d. Pedestrian Access**

Alternative pedestrian access that creates connectivity between public entrances to the project and abutting sidewalks may be allowed as long as no safety hazard is created. All pedestrian access shall conform to the accessibility standards of the City of Tucson's adopted Building Code.

**3. Section 7.5, Off-Street Loading;**

**Exceptions:**

**a.** Off-street loading zone standards may be reduced or waived if PDSO determines that no traffic safety issue is created.

**b.** **Solid Waste Collection**

On-site refuse collection container standards governing access, type, and location may be modified if the Department of Environmental Services determines that no public health or traffic safety issue is created.

**4. Section 7.6, Landscaping and Screening.**

**Exceptions:**

**a.** The MDR process shall not be used to modify Section 7.7, Native Plant Preservation may not be modified.

**b.** Except as required by Section 5.12.86.BB, Development Transition, a complete or partial exception to Section 7.6, Landscaping and Screening Standards, may be granted if when shade is provided for pedestrians and customers, such as along sidewalks, pedestrian circulation paths, and outdoor patios, in accordance with Section 5.12.6.AA.2. The landscaping requirement may also be waived by the PDSO Director based on a finding that the waiver is necessary to preserve the prevailing historic setback.

**c.** Any of the following types of landscaping and improvements may be used to comply with this section:

- (1)** Existing landscaping;
- (2)** Shade trees in the right-of-way;
- (3)** Green walls or green roofs; and/or

(4) Shade structures, such as awnings.

**D. GIS Land Uses**

~~1. A proposed use shall be permitted by the underlying zone and shall be limited to proposals with one or more of the following uses: Administrative and Professional Office; Alcoholic Beverage Service; Civic Assembly; Craftwork; Cultural; Educational Use: Instructional School; Educational Use: Postsecondary Institution; Entertainment; Attached Residential; Multifamily Residential; Food and Beverage Sales; Food Service; General Merchandise Sales; Mixed Use (a combination residential and other uses listed in this section); Personal Service; and Travelers' Accommodation, Lodging. An IID proposal for a use not listed above may be allowed if the proposed use is permitted by the underlying zone and if the PDS Director deems the proposed use to be in accordance with Section 5.12.1, Purpose.~~

**5.12.105. DOWNTOWN CORE SUBDISTRICT (DCS)**

**A. Permitted Uses.**

Permitted uses of the underlying zoning; Permitted uses in the DCS are those uses permitted in the GIS in Table 5.12-GIS-1, Section 5.12.9.A.

**B. Standards.**

Development within the DCS must comply with all of the following:

- ~~A.1. Maximum building height may be increased up to 60 feet unless the current zoning allows a greater height or where the approved IID Plan's Development Transition Element requires less.~~
- ~~2. When provided, landscaping shall be in accordance with the City's drought-tolerant plant list.~~
- ~~3. Demolition and façade alteration standards and review requirements of Sections 5.11.7 and 5.11.8 of the Rio Nuevo District.~~
- ~~B.4. Bicycle parking shall be provided when motor vehicle parking is provided. The required number of bicycle parking spaces may be reduced when bicycle parking is required per this section; and,~~
- ~~5. Where applicable, applicants are strongly encouraged to comply with Section 7.7, Native Plant Preservation.~~
- ~~6. In the underlying I-1 and I-2 Zone, uses are limited to a maximum 75 foot building height.~~

**CB. Exemptions**

Except as provided in this section, development within the DCS is exempt from the following standards unless the PDS Director makes a finding that public safety and health would be jeopardized:

Section 5.4, Major Streets and Routes Setback Zone;

Section 5.11, Rio Nuevo District, except as provided in Section 5.12.5, DCS Standards;

Minimum perimeter yard standard as provided in Section 6.3, except when required by Section 5.12.6.B, Development Transition;

Maximum lot coverage standard as provided in Section 6.3;

Minimum lot size standard as provided in Section 6.3,

Section 7.4, Motor Vehicle and Bicycle Parking, except as provided in Section 5.12.10.5.B.4A-5;

Section 7.5, Off-Street Loading;

Section 7.6, Landscaping and Screening Standards, except as required by Section 5.12.6.B, Development Transition Standards; and,

Section 7.7, Native Plant Preservation, except when the property includes a drainage corridor where native plants are present or when the property is adjacent to a drainage corridor and remnant native plants are present on the project site.

**DC. Other Permitted Modifications**

**1. Pedestrian Access**

Alternative pedestrian access that creates connectivity between public entrances to the project and abutting sidewalks may be allowed as long as no safety hazard is created. All pedestrian access shall conform to the City of Tucson's adopted Building Code.

WHICH IS CORRECT: BUILDING CODE, OR STREET STANDARDS, OR ACESS STANDARDS IN USC 7.8 ACCESS?

**2. Solid Waste Collection**

On-site refuse collection container standards governing access, type, and location may be modified if the Environmental Services Department determines that no public health or traffic safety issue is created.

|

**5.12.11 DOWNTOWN LINKS SUBDISTRICT**

**FIGURE 5.12-DLS-A  
MAP OF DOWNTOWN LINKS DISTRICT**



- LEGEND
- 1. Toole Avenue Area
  - 2. Warehouse Triangle Area
  - 3. 4th Avenue Area
  - 4. Iron Horse Area
  - 5. Stone/Sixth Street Area
  
  - Downtown Links Subdistrict
  - Downtown Links Roadway (Under Construction)

SCALE: 1" = 1000'



**A. DLS Areas and Sub-Areas**

The DLS is divided into the following Areas:

1. Toole Avenue Area (TAA)
  - a. Toole Avenue Sub-Area (TAS)
  - b. UA Annex Sub-Area (UAS)
  - c. El Presidio Sub-Area (EPS)
2. Warehouse Triangle Area (WTA)
3. Fourth Avenue Area (FAA)
  - d. Fourth Avenue Historic Sub-Area (FHS)
  - e. Fourth Avenue Sub-Area (FAS)
4. Iron Horse Area (IHA)
  - f. Iron Horse Mixed Use Sub-Area (IHA-MS)
  - g. Iron Horse Low Density Residential Sub-Area (IHA-RS)
5. Stone/Sixth Area (SSA)
  - h. Stone Sub-Area (STS)
  - i. Sixth Street Sub-Area (SSS)

**B. Required Development Standards and Notations**

1. Required use and development standards in the DLS Sub-Areas are set forth in the Tables and Diagrams for each DLS Area. Uses that are similar in nature and intensity as those listed may be permitted by Special Exception through the procedures for Special Exceptions in Section 4.3.1.
2. The numbers in the Tables following a use or a standard correspond to the specific requirements of that use or standard (see Tables in each Sub-Area).
3. The letters in the Tables correspond to the letters in the Diagrams in each Sub-Area.

**C. Permitted Uses**

Permitted land uses under the DLS zoning option are shown in Table 5.12-DLS-1 for each DLS Area, Use Specific Standards for Table 5.12-DLS-1 are listed below.

1. In the IHA-MS all land uses are limited to 5,000 square feet per business, except Family Dwelling and Artist Studio Residential.

2. In the UAS all land uses shall follow standards as set forth in the I-1 underlying zoning except that residential uses for C-3 zoning are also allowed and automotive service uses are excluded.
3. Uses similar in nature and intensity to the uses permitted in the DLS may be permitted as a Special Exception land use pursuant to the Special Exception Process under 3.4.2 recommendation.

<b>TABLE 5.12-DLS-1</b>									
<b>PERMITTED USES</b>									
<b>LAND USE TYPE</b>	<b>PERMITTED USES IN THE FOLLOWING DLS AREAS</b>								
-	<b>TAS</b>	<b>UAS</b>	<b>EPS</b>	<b>WTA</b>	<b>FAA</b>	<b>IHA-MS</b>	<b>IHA-RS</b>	<b>STS</b>	<b>SSS</b>
<b>COMMERCIAL SERVICES GROUP</b>									
<u>Administrative and Professional Offices</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P (1)</u>	-	<u>P</u>	<u>P</u>
<u>Alcoholic Beverage Sale</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P (1)</u>	-	<u>P</u>	<u>P</u>
<u>Animal Services</u>	<u>P (2)</u>	<u>P (2)</u>	<u>P (2)</u>	<u>P (2)</u>	<u>P (2)</u>	<u>P (2)</u>	-	<u>P (2)</u>	<u>P (2)</u>
<u>Commercial Recreation</u>	<u>P (3)</u>	<u>P (3)</u>	<u>P (3)</u>	<u>P (3)</u>	<u>P (3)</u>	-	-	<u>P (3)</u>	<u>P (3)</u>
<u>Day Care</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P (1)</u>	-	<u>P</u>	<u>P</u>
<u>Entertainment</u>	<u>P (3)</u>	<u>P (3, 4)</u>	<u>P (3, 4)</u>	<u>P (3, 4)</u>	<u>P (3, 4)</u>	-	-	<u>P (3, 4)</u>	<u>P (3, 4)</u>
<u>Financial Services</u>	<u>P (5, 6)</u>	<u>P (5, 6)</u>	<u>P (5, 6)</u>	<u>P (5, 6)</u>	<u>P (5, 6)</u>	<u>P (1, 5, 6)</u>	-	<u>P (1, 5, 6)</u>	<u>P (5, 6)</u>
<u>Food Service</u>	<u>P (7, 8)</u>	<u>P (7, 8)</u>	<u>P (7, 8)</u>	<u>P (7, 8)</u>	<u>P (7, 8)</u>	<u>P (1, 7, 8)</u>	-	<u>P (1, 7, 8)</u>	<u>P (7, 8)</u>
<u>Medical Services - Outpatient</u>	<u>P (9)</u>	<u>P (9)</u>	<u>P (9)</u>	<u>P (9)</u>	<u>P (9)</u>	<u>P (9)</u>	-	<u>P (9)</u>	<u>P (9)</u>
<u>Parking</u>	<u>P</u>	<u>P (12)</u>	<u>P (12)</u>	<u>P (12)</u>	-	-	-	<u>P</u>	<u>P (12)</u>
<u>Personal Services</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P (1)</u>	-	<u>P</u>	<u>P</u>
<u>Research and Product Development</u>	<u>P (10)</u>	<u>P (10)</u>	<u>P (10)</u>	<u>P (10)</u>	<u>P (10)</u>	<u>P</u>	-	<u>P (10)</u>	<u>P (10)</u>
<u>Technical Services</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	-	-	<u>P</u>	<u>P</u>
<u>Trade Service and Repair-Minor</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P (1)</u>	-	<u>P</u>	<u>P</u>
<u>Transportation Service-Land Carrier</u>	<u>P (11)</u>	<u>P (11)</u>	<u>P (11)</u>	<u>P (11)</u>	<u>P (11)</u>	-	-	<u>P (11)</u>	<u>P (11)</u>
<u>Travelers Accommodations, Lodging</u>	<u>P (13)</u>	<u>P (13)</u>	<u>P (13)</u>	<u>P (13)</u>	<u>P (13)</u>	<u>P (1, 13, 14)</u>	-	<u>P (13)</u>	<u>P (13)</u>

(Continued on next page)

<b>TABLE 5.12-DLS-1 (Cont.)</b>									
<b>PERMITTED USES</b>									
<b>LAND USE TYPE</b>	<b>PERMITTED USES IN THE FOLLOWING DLS AREAS</b>								
-	<b>TAS</b>	<b>UAS</b>	<b>EPS</b>	<b>WTA</b>	<b>FAA</b>	<b>IHA-MS</b>	<b>IHA-RS</b>	<b>STS</b>	<b>SSS</b>
<b>RETAIL USE GROUP</b>									
Food and Beverage Sales	<u>P (5)</u>	<u>P (5)</u>	<u>P (5)</u>	<u>P (5)</u>	<u>P (5)</u>	<u>P (1, 5, 18)</u>	-	<u>P (5)</u>	<u>P (5)</u>
General Merchandise Sales	<u>P (5, 15, 16, 17)</u>	<u>P (5, 15, 16, 17)</u>	<u>P (5, 15, 16, 17)</u>	<u>P (5, 15, 16, 17)</u>	<u>P (5, 15, 16, 17)</u>	<u>P (1, 5, 15, 16, 17)</u>	-	<u>P (5, 15, 16, 17)</u>	<u>P (5, 15, 16, 17)</u>
Vehicle Rental	<u>P (12)</u>	<u>P (12)</u>	<u>P (12)</u>	<u>P (12)</u>	<u>P (12)</u>	-	-	<u>P (12)</u>	<u>P (12)</u>
<b>INDUSTRIAL USE GROUP</b>									
Craftwork	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P (1, 16)</u>	-	<u>P</u>	<u>P</u>
General Manufacturing	<u>P (25)</u>	<u>P (25)</u>	<u>P (25)</u>	<u>P (25)</u>	<u>P (25)</u>	-	-	<u>P (25)</u>	<u>P (25)</u>
Perishable Goods Manufacturing	<u>P (26)</u>	<u>P (26)</u>	<u>P (26)</u>	<u>P (26)</u>	<u>P (26)</u>	<u>P (26)</u>	-	<u>P (26)</u>	<u>P (26)</u>
<b>CIVIC USE GROUP</b>									
Civic Assembly	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	-	<u>P</u>	<u>P</u>
Cultural Use	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	-	<u>P</u>	<u>P</u>
Educational Use - Postsecondary Institution or Instructional School	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	-	-	<u>P</u>	<u>P</u>
Membership Organization	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	-	-	<u>P</u>	<u>P</u>
Postal Services	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>
Religious Use	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>
Protective Services	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	<u>P</u>	-	<u>P</u>	<u>P</u>

(Continued on next page)

<b>TABLE 5.12-DLS-1 (Cont.)</b>									
<b>PERMITTED USES</b>									
<b>LAND USE TYPE</b>	<b>PERMITTED USES IN THE FOLLOWING DLS AREAS</b>								
-	<b>TAS</b>	<b>UAS</b>	<b>EPS</b>	<b>WTA</b>	<b>FAA</b>	<b>IHA-MS</b>	<b>IHA-RS</b>	<b>STS</b>	<b>SSS</b>
<b>RECREATIONAL USE GROUP</b>									
Parks and Recreation	P (3)	P (3)	-	P (3)	P (3)	P (20)	P (20)	P (3)	P (3)
<b>RESIDENTIAL USE GROUP</b>									
Family Dwelling	P (28)	P (28)	P (28)	P (28)	P (28)	P (28)	P	P (28)	P (28)
Group Dwelling	P	P	P	P	P	-	-	P	P
Artist Studio/Res.	P (19)	P (19)	P (19)	P (19)	P (19)	P (19)	P (19)	P (19)	P (19)
Residential Care Services- Adult Care Service or Physical or Behavioral Health	P (21, 23)	P (21, 23)	P (21, 23)	P (21, 23)	P (21, 23)	P (21, 23)	-	P (21, 23)	P (21, 23)
Residential Care Services/ Rehabilitation Services	P (22)	P (22, 23)	P (22, 23)	P (22, 23)	P (22, 23)	P (1, 22, 23)	-	P (22, 23)	P (22, 23)
Home Occupation	P (24)	P (24)	P (24)	P (24)	P (24)	P (24)	P (24)	P (24)	P (24)

**D. Use Specific Standards for Table 5.12-DLS-1.**

1. Permitted only on Ninth Street in the IHA-MS. Permitted only in Stone Avenue in STS.
2. The use must be entirely contained in the interior of the building and is not permitted in any yard or patio.
3. Large recreational facilities of more than 25,000 sq. ft. of floor area (including gross floor area and any outside areas providing service to the public) are not allowed.
4. Circuses, carnivals, or tent shows are not allowed.
5. Drive-through services are not allowed.
6. Non-chartered financial institution facilities, such as payday loan facilities are not allowed.
7. Drive-in and drive-through restaurants are not allowed.
8. Soup kitchens are not allowed.
9. Blood donor centers are not allowed.
10. Only scientific, non-industrial type of research and development is allowed.

11. The use is limited to public transit stops.
12. No surface parking lots. Vehicle parking must be located in a structure.
13. Hotels may not provide individual room access from the exterior of the building.
14. Limited to Bed & Breakfast only. Permitted for up to 20 guests for a maximum of 14 days. No more than 20 sleeping rooms may be used by guests. Meals may be served only to guests staying at the facility. Separate cooking facilities in guest rooms are prohibited.
15. Display or storage of fertilizer, manure, or other odorous material is not allowed.
16. Gas stations are not allowed.
17. Motor vehicle sales are not allowed.
18. No alcoholic beverage sales.
19. Adequate measures required to assure the health, safety and welfare of the occupants or adjacent residents' property in relation to any industrial process, use or storage. Additionally, appropriate building code occupancy separation must be ensured. On-site sale of the artists' products, including occasional shows of the artist' works are permitted secondary uses.
20. Limited to Neighborhood Parks Recreation. In addition to Chapter 5, Section 601-603, Tucson Outdoor Lighting Code, any outdoor lighting associated with the use must be located and directed to eliminate glare toward streets and adjoining residential areas.
21. Care is permitted for a maximum of 20 residents.
22. Care is permitted for a maximum of 10 residents.
23. If licensing is required by the state of Arizona for the use, proof of such licensure must be provided.
24. Permitted as an accessory use to a Family Dwelling, excluding Day Care and Traveler's Accommodation Lodging. The use may not create any nuisance, hazard or other offensive condition, such as that resulting from noise, smoke, dust, odors or other noxious emissions.
25. Permitted as an accessory use to the Commercial Services and Retail use groups, and limited to 50% of the gross floor area.
26. Limited to baked goods and confectionary products manufacturing.
27. Permitted as an accessory land use to religious, commercial services, retail trade use groups and educational use. Salvaging and recycling is limited to recycling collection bins and to empty household product containers, such as, but not limited to, aluminum cans, glass and plastic bottles, and newspaper.

28. For Family Dwelling uses, only Multifamily Dwelling Developments are allowed.

**E. Loading, Solid Waste, Landscaping and Screening**


Loading and solid waste collection and landscaping and screening requirements in the Toole Avenue Area, Warehouse Triangle Area, Fourth Avenue Area, Iron Horse Area and the Stone/Sixth Area are set forth in Table 5.12-DLS-2.

<b><u>TABLE 5.12-DLS-2</u></b>	
<b><u>LOADING AND SOLID WASTE</u></b>	<b><u>USE SPECIFIC REQUIREMENTS</u></b>
<u>Loading requirements must comply with UDC section 7.5 et seq. for land use group or class. (1)</u>	<u>1. Off-street loading zone requirements may be reduced or waived if the Dept. of Transportation determines that no traffic safety issue is created.</u>
<u>Solid waste collection requirements must comply with COT Administrative Manual Section 8.01 et seq. for solid waste. (2)</u>	<u>2. On-site refuse collection container requirements governing access, type, and location may be modified if the Environmental Services Dept. determines that no public health or traffic safety issues are created. Group solutions (multiple site, multiple owners) to refuse collection are encouraged.</u>
<b><u>LANDSCAPING AND SCREENING</u></b>	
<u>A complete or partial exception to the landscaping and screening requirements in UDC Section 7.6 may be granted by the PDSD Director, if shade, such shade as along sidewalks, pedestrian circulation paths or outdoor patios, is provided for pedestrians and customers in accordance UDC Section 5.1 2.6.A.2 (IID). Alternative pedestrian access that creates connectivity between public entrances to the project and abutting sidewalk is allowed if no safety hazard is created. All pedestrian access must conform to the accessibility standards of the City of Tucson's Building Code.</u>	

**F. Visual Access and Solar Exposure**

Visual access and solar exposure requirements in the Downtown Links Subdistrict are set forth in Figure 5.12-DLS-B and Table 5.12-DLS-3.

**FIGURE 5.12-DLS-B**



**TABLE 5.12-DLS-3**

**STONE AVENUE SUB-AREA STANDARDS**

<b>VISUAL ACCESS STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
Angle of Influence (1)	45 Degrees	<b>Y</b>
Default Height of adjacent building (1)	20 Ft.	<b>Z</b>
<b>SOLAR EXPOSURE</b>		
Maximum Glass on East and West	50% of Façade	-
Minimum shade on East and West glass (2)	50%	-
Maximum glass on North and South	Unlimited	-
Minimum shade on North and South glass	0%	-

1. The height of new buildings are limited such that no portion of a new building will prevent visual access to day lighting on adjacent existing buildings, assuming a uniform 45 Degree view angle (Y). On vacant adjacent lots, a 20 Ft. building height (Z) is assumed at the property line for calculation of the permitted new building height.  
 2. Percentage of glass must be shaded between 10 A.M. and 3 P.M. between May through October

**G. Historic Preservation**

Use of the DLS Zoning option is intended to be compatible with historic preservation. If in the opinion of the historic preservation officer of the City of Tucson, an action may cause de-listing of a historic property or structure, the use of the DLS zoning option for that site will not be permitted. (See Review and Approval Procedures in Section 5.12.6.) The maps included in this document attempt to show the “contributing” or “eligible” properties from information available as of June 2014. For purposes of the use of DLS zoning option, it is the responsibility of each applicant for this zoning option to verify the current contributing or eligibility status of the property in question with the City of Tucson Office of Historic Preservation.

**H. Downtown Links Roadway**

Development under the downtown links sub district portion or the UDC is prohibited within the right-of-way of the future downtown links roadway project. Preliminary location of future right-of-way is depicted on sub area maps – review with COT DSD staff at time of initial planning.

### 5.12.12 TOOLE AVENUE AREA (TAA)

#### Toole Avenue Sub-Area

The intent of this zone is to allow for and encourage development of northern Toole Avenue as per the Historic Warehouse Arts District Masterplan. Incentives offered under the Downtown Core sub-district of the infill incentive zone such as exemptions from MS&R setback, perimeter yards, lot coverage, floor area ratio, parking and landscape screening requirements are included under this zone. Additionally, residential development (not currently allowed in the underlying I-1 zone) shall be permitted.



#### UA Annex Sub-Area


The intent of this zone is to allow for residential uses in areas that are within the underlying UDC I-1 zoning, as well as to allow for parking incentives.

#### El Presidio Sub-Area

The intent of the El Presidio Area is to encourage development within the sensitive historic neighborhood of El Presidio. Specific building heights and setbacks have been mapped out to encourage density within the historic context. Other incentives include breaks in parking, lot coverage and floor area ratios.



**FIGURE 5.12-TAA-A**  
**MAP OF TOOLE AVENUE AREA AND SUB-AREAS**



**A. Toole Avenue Sub-Area (TAS)**


**1. Standards**

Figure 5.12-TAA-A shows the boundaries of the TAA and its sub-areas. Toole Avenue Sub-Area zoning regulations contained herein may be used in lieu of UDC Zoning.

**2. Building Placement**

Building placement and setback requirements in the TAS are as shown in Figure 5.12-TAS-A and Table 5.12-TAS-1.

**FIGURE 5.12-TAS-A**



**Key**  
 - - - - Property Line      ■ Allowable Building Area  
 · · · · Build-to Line

**TABLE 5.12-TAS-1**


**TOOLE AVENUE SUB-AREA STANDARDS**

<b><u>BUILDING PLACEMENT STANDARDS</u></b>		<b><u>SPECIFIC REQUIREMENTS</u></b>
<b><u>Build to Line (Distance from Property Line) (1)</u></b>	- -	<b><u>1. At Build to Lines, 75% of the new building frontage must be located at or near these lines. Build to Requirements apply when shown and only when the new building footprint exceeds 25% of site area. The Build to Line is to help define an urban street edge.</u></b>
Street Side (Toole Ave.)	0 Ft. <b><u>A</u></b>	
<b><u>Setback (Distance from Property Line)</u></b>	- -	
Side Yard	0 Ft. <b><u>B</u></b>	
Rear Yard	0 Ft. <b><u>C</u></b>	

**3. Building Heights, Floor Uses**

Building height and floor use requirements in the TAS are as shown in Figure 5.12-TAS-B and Table 5.12-TAS-2.

**FIGURE 5.12-TAS-B**



**Plan**

**Key**

- Property Line
- Building Height Setbacks
- ▨ Mid-Rise Zone
- ▨ Low-Rise Zone

**Street Frontage Section**

**Key**

- Property Line
- Build-to Line
- Building Height Setbacks

**TABLE 5.12-TAS-2**


**TOOLE AVENUE SUB-AREA STANDARDS**

<b>BUILDING HEIGHT STANDARDS</b>			<b>SPECIFIC REQUIREMENTS</b>
<u>Mid-Rise Building Height (I)</u>	<u>75 Ft. Max or 6 Stories</u>	<u>D</u>	<p><u>1. Mid-Rise building height is 6 Stories or 75 Ft. (D) from the midrise setbacks (G, H).</u></p> <p><u>2. All new construction shall have scale-defining architectural elements or details at first two levels.</u></p> <p><u>3. A single plane of façade at the street level may not be longer than 50 Ft. without architectural relief or articulation such as windows, trellises and arcades.</u></p> <p><u>4. Street-level activity is encouraged by providing a mix of retail, office and residential uses at street level.</u></p> <p><u>5. First floor level to be differentiated in form from upper levels.</u></p>
<u>Low-Rise Building Height</u>	<u>25 Ft. Max or 2 Stories</u>	<u>E</u>	
<u>First Floor Ceiling</u>	<u>12 Ft. Min Clearance</u>	<u>F</u>	
<u>Building Height Setbacks (distance from property line)</u>			
<u>Mid-Rise Side Yard Setback</u>	<u>20 Ft.</u>	<u>G</u>	
<u>Mid-Rise Street Side Setback</u>	<u>40 Ft.</u>	<u>H</u>	
<b>FLOOR USES</b>			
<u>Ground Floor (2,3,4,5)</u>	<u>Commercial Services or Retail Uses</u>	<u>I</u>	
<u>Upper Floors</u>	<u>Residential or Commercial Services</u>	<u>J</u>	

4. Lot Coverage, Open Space, Pedestrian Access

Lot Coverage, Open Space and Pedestrian Access requirements in the TAS are as shown in Figure 5.12-TAS-C and Table 5.12-TAS-3.

**FIGURE 5.12.2-TAS-C**



Plan

Key

- Property Line
- Build-to Line
- Building Footprint (Example Only)
- ▨ Open Space (Example Only)

**TABLE 5.12-TAS-3**


**TOOLE AVENUE SUB-AREA STANDARDS**

<b>OPEN SPACE STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Lot Coverage</b>	-	<u>1. Covered by impervious surfaces such as, but not limited to buildings, drives, or parking.</u>
<b>Maximum Lot Coverage (1)</b>	<u>100%</u>	
<b>Open Space</b>	-	<u>2. Usable open space does not need to be located on the ground - green roof or terrace is acceptable</u>
<b>Open Space at Multi-Unit Dwellings (2,3,4)</b>	<u>30 Sq. Ft./DU or 20% of Lot Area (7)</u>	
-	-	<u>3. Usable open space may be any combination of private and common space.</u>
<b>Open Space Non-Residential (2,3,4)</b>	<u>Min. of 30% of Lot Area</u>	
<b>Minimum Landscape Area</b>	<u>50% of Open Space (8)</u>	<u>4. Parking may not be counted as open space.</u>
<b>Pedestrian Access (5)</b>	-	<u>5. Adequate shade shall be provided for sidewalks and pedestrian pathways, using shade structures or vegetation.</u>
<b>Pedestrian Access to Open Space</b>	<u>Required</u>	<u>6. Main entrance locations shall be directly accessed from a sidewalk along a street rather than from a parking lot.</u>
<b>Main Entrance Location (6)</b>	<u>Primary Street (Toole Ave.)</u>	
-	-	<u>7. Open space at multi-dwelling units is 30 Sq. Ft. per dwelling unit or 20% of lot area, whichever is greater.</u>
-	-	<u>8. Minimum landscape requirement applies only to common area open space.</u>
-	-	
-	-	
-	-	
-	-	

**5. Building Massing Standards**

Building Massing Standards in the TAS are as shown in Figure 5.12-TAS-D and Table 5.12-TAS-4.

**FIGURE 5.12-TAS-D**




<b>TABLE 5.12-TAS-4</b>		
<b>TOOLE AVENUE SUB-AREA STANDARDS</b>		
<b>BUILDING MASSING STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Articulation</b>	-	-
<b>Maximum unbroken building mass (1)</b>	50 Ft. Max.	<b>M</b>
<b>Bulk Reduction (High Rise)</b>	-	-
<b>Bulk Reduction Setback (2)</b>	12 Ft. Min.	<b>N</b>
<b>Bulk Reduction Required Area</b>	50% of Façade	<b>O</b>
<b>Bulk Reduction Zone</b>	Required Above Fifth Floor	<b>P</b>
-	-	-

6. Parking Standards

Parking requirements in the TAS are as shown in Figure 5.12-TAS-E and Table 5.12-TAS-5.

**FIGURE 5.12-TAS-E**



**TABLE 5.12-TAS-5**

**TOOLE AVENUE SUB-AREA STANDARDS**

<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Location (Distance from Property Line)</b>	-	
Street Setback	20 Ft.	<b>Q</b>
Side Setback	0 Ft.	<b>R</b>
Rear Setback	5 Ft.	<b>S</b>
<b>Required Spaces</b>	-	-
<b>Off-street (1)</b>	Commercial = 0	-
-	Residential = 1/DU	-
<b>Accessible (2,3)</b>	-	-
-	Compliance with the accessible parking requirements in the UDC for the underlying zone.	-
-	-	-
-	-	-
<b>Bicycle Facilities (2)</b>	-	-
-	Compliance with the requirements in the UDC for the underlying zone.	-
-	-	-
<b>Parking Area Access Lanes</b>	-	-
Maximum Allowable Drive Width	24 Ft.	<b>T</b>
Parking Access Lanes	One Drive Per Street (4)	<b>U</b>

**B. UA Annex Sub-Area (UAS)**

**1. Standards.**

Figure 5.12-TAA-A shows the boundaries of the TAA and its sub areas. Zoning option standards for the UAS may be used in lieu of underlying UDC zoning.


**2. Residential Density**

Within the UAS the residential density shall be 100 DU/AC, regardless of commercial use.

**3. Building Placement**

Building placement requirements in the UAS are as shown in Figure 5.12-UAS-A and Table 5.12-UAS-1.

**FIGURE 5.12-UAS-A**



**TABLE 5.12-UAS-1**


**UA ANNEX SUB-AREA STANDARDS**

<b>BUILDING PLACEMENT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Build to Line (Distance from Property Line) (1)</b>	- -	<b>1.</b> At Build to Lines, 75% of the new building frontage must be located at or near these lines. Build to Requirements apply when shown and only when the new building footprint exceeds 25% of site area. The Build to Line is to help define an urban street edge.
Street Side	0 Ft. <b>A</b>	
<b>Setback (Distance from Property Line)</b>	- -	
Side Yard	0 Ft. <b>B</b>	
Rear Yard	0 Ft. <b>C</b>	-

**4. Building Height, Floor Uses**

Building height and floor use requirements in the UAS are as shown in Figure 5.12-UAS-B and Table 5.12-UAS-2.

**FIGURE 5.12-UAS-B**



**TABLE 5.12-UAS-2**


**UA ANNEX SUB-AREA STANDARDS**

<b>BUILDING HEIGHT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>	
<b>Mid-Rise Building Height (1)</b>	<b>75 Ft. Max or 6 Stories</b>	<b>D</b>	<b>1.</b> Mid-Rise building height is 6 Stories or 75 Ft. (D) from the midrise setback (F). <b>2.</b> All new construction shall have scale-defining architectural elements or details at first two levels.
<b>Low-Rise Building Height</b>	<b>25 Ft. Max or 2 Stories</b>	<b>E</b>	
<b>Building Height Setbacks (distance from property line)</b>	-	-	
<b>Mid-Rise Side Setback</b>	<b>20 Ft.</b>	<b>F</b>	<b>3.</b> A single plane of façade at the street level may not be longer than 50 Ft. without architectural relief or articulation such as windows, trellises and arcades. <b>4.</b> Street-level activity is encouraged by providing a mix of retail, office and residential uses at street level. <b>5.</b> First floor level to be differentiated in form from upper levels.
<b>FLOOR USES</b>			
<b>Ground Floor (2,3,4,5)</b>	<b>Commercial Services or Retail Uses</b>	<b>G</b>	
-	-	-	
<b>Upper Floors</b>	<b>Residential or Commercial Services</b>	<b>H</b>	
-	-	-	
-	-	-	
-	-	-	

**5. Lot Coverage, Open Space, Pedestrian Access**

Lot Coverage, open space and pedestrian access requirements in the UAS are as shown in Figure 5.12-UAS-C and Table 5.12-UAS-3.

**FIGURE 5.12-UAS-C**



**TABLE 5.12-UAS-3**

**UA ANNEX SUB-AREA STANDARDS**

<b>OPEN SPACE STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Lot Coverage</b>		<b>1.</b> Covered by impervious surfaces such as, but not limited to buildings, drives, or parking.
Maximum Lot Coverage (1)	100%	
<b>Open Space</b>		<b>2.</b> Usable open space does not need to be located on the ground - green roof or terrace is acceptable
Open Space at Multi-Unit Dwellings (2,3,4)	30 Sq. Ft./DU or 30% of Lot Area (5)	
Open Space Non-Residential (2,3,4)	Min. of 30% of Lot Area	
Minimum Landscape Area	50% of Open Space (7)	<b>3.</b> Usable open space may be any combination of private and common space.
<b>Pedestrian Access</b>		<b>4.</b> Parking may not be counted as open space.
Pedestrian Access to Open Space	Required	
Main Entrance Location (6)	Primary or Secondary Street	<b>5.</b> Open space at multi-dwelling units is 30 Sq. Ft. per dwelling unit or 30% of lot area, whichever is greater.
-	-	<b>6.</b> Main entrance locations shall be directly accessed from a sidewalk along a street rather than from a parking lot.
-	-	
-	-	<b>7.</b> Minimum landscape requirement applies only to common area open space.

**6. Building Massing**

Building massing requirements in the UAS are as shown in Figure 5.12-UAS-D and Table 5.12-UAS-4.





TABLE 5.12-UAS-4		
UA ANNEX SUB-AREA STANDARDS		
BUILDING MASSING STANDARDS		SPECIFIC REQUIREMENTS
<b>Articulation</b>	-	-
Maximum unbroken building mass (1)	50 Ft. Max.	<b>K</b>
<b>View Corridors</b>	-	-
Low-Rise Façade (2)	25% of Façade Min.	<b>L</b>
Mid-Rise Façade (3)	150 Linear Ft. Unbroken Max.	<b>M</b>
Low-Rise Height	25 Ft. Max or 2 Stories	<b>N</b>
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

**7. Parking Standards**

Parking Standards in the UAS are as shown in Figure 5.12-UAS-E and Table 5.12-UAS-5 may be used in lieu of underlying use parking.

**FIGURE 5.12-UAS-E**



**Key**  
- - - Property Line      ■ Allowable Parking Area  
— Parking Setbacks

**TABLE 5.12-UAS-5**

**UA ANNEX SUB-AREA STANDARDS**

<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Location (Distance from Property Line)</b>	-	-
Street Setback (1)	20 Ft.	<b>O</b>
Alley Setback	5 Ft.	<b>P</b>
Side Setback	0 Ft.	<b>Q</b>
<b>Required Spaces</b>	-	-
Off-street (2)	Commercial = 60% of UDC Residential = 1/DU	-
Accessible (3,4)	Compliance with the accessible parking requirements in the UDC for the underlying zone.	-
Bicycle Facilities (3)	Compliance with the requirements in the UDC for the underlying zone.	-
<b>Parking Area Access Lanes</b>	-	-
Maximum Allowable Drive Width	24 Ft.	<b>R</b>
Parking Access Lanes	1 Drive/Primary Street (5)	<b>S</b>

**C. El Presidio Sub-Area (EPS)**

**1. Zoning**

Figure 5.12-TAA-A shows the boundaries of the TAA and its sub-areas. In the El Presidio Sub-Area the zoning regulations contained herein may be used in lieu of underlying UDC Zoning.


**2. Residential Density**

Within the El Presidio Sub-Area the residential density shall be 100 DU/AC regardless of commercial use.

**3. Building Placement**

Building placement and setback requirements in the EPS are as shown in Figure 5.12-EPS-A and Table 5.12-EPS-1.

**FIGURE 5.12-EPS-A**




**Key**  
 - - - Property Line      ■ Allowable Building Area  
 ——— Building Setbacks

<b>TABLE 5.12-EPS-1</b>		
<b>EL PRESIDIO SUB-AREA STANDARDS</b>		
<b>BUILDING PLACEMENT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Build to Line (Distance from Property Line)</b>	- - - -	<b>1. Build-to requirements apply to street frontage when building footprint exceeds 25% of lot area.</b>
Street or Alley (1,2)	0 Ft. <b>A</b>	
<b>Setback (Distance from Property Line)</b>	- - - -	<b>2. Facades must be built to Build to Line at a minimum of 75% of the new building frontage, to help define an urban street frontage, where build-to requirements apply.</b>
Side Yard	0 Ft. <b>B</b>	
Pedestrian Lane	0 Ft. <b>C</b>	

4. Building Heights, Floor Uses

Building heights and floor use requirements in the EPS are as shown in Figure 5.12-EPS-B and Table 5.12-EPS-2.

**FIGURE 5.12-EPS-B**



North/South Section thru Franklin and Council

**Key**

- Property Line
- Building Height Setbacks

<b>TABLE 5.12-EPS-2</b>		
<b>EL PRESIDIO SUB-AREA STANDARDS</b>		
<b>BUILDING HEIGHT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
Maximum Building Height (1)	<u>125 Ft. Max or 10 stories</u>	<b>C</b>
Mid-Rise Building Height	<u>30 Ft. Max or 2 Stories</u>	<b>D</b>
Low-Rise Building Height (2)	<u>Consistent with Historic District</u>	<b>E</b>
<b>Block 175 Building Heights (3)</b>	-	-
Floors 6-7	<u>90 Ft. Max or 7 Stories</u>	<b>F</b>
Floors 3-5	<u>65 Ft. Max or 5 Stories</u>	<b>G</b>
<b>Block 175 Building Height Setbacks (3)</b>	-	-
Floors 6-7	<u>50 Ft.</u>	<b>H</b>
Floors 3-5	<u>50 Ft.</u>	<b>I</b>
Mid-Rise Setback	<u>50 Ft.</u>	<b>J</b>
Low-Rise Setback	<u>15 Ft.</u>	<b>K</b>
<b>FLOOR USES</b>		
Ground Floor (7,8)	<u>Commercial Services or Retail Uses</u>	-
-	-	-
Upper Floors	<u>Residential Services</u>	-
-	-	-

**1.** Maximum Building Height is 125 Ft. or 10 stories (**C**). See Figure 5.12-EPS-B for additional height limits and setbacks.

**2.** Building heights are limited to one story. Further, heights of principal structures shall not exceed height of other principal structures within the development zone and height of accessory structures shall not exceed the height of other accessory structures within the development zone. See Figure 5.12-EPS-B for intent. Development Zone shall be as defined by the UDC within the context of HPZ overlay zone design standards.


**3.** For Block 175, see Figure 5.12-EPS-B for specific building height and setback requirements.

**4.** Ground floor level to be consistent in design with HPZ Standards.

**5.** Street-level activity is encouraged by providing a mix of retail, office and residential uses at street level.

5. Lot Coverage, Open Space, Pedestrian Access

Lot coverage, open space and pedestrian access requirements in the EPS are as shown in Figure 5.12-EPS-C and Table 5.12.2-EPS-3.






**6. Building Massing Standards**

Building massing standards as shown in the EPS are as shown in Figure 5.12-EPS-D and Table 5.12-EPS-4.

**FIGURE 5.12-EPS-D**




<b>TABLE 5.12-EPS-4</b>		
<b>EL PRESIDIO SUB-AREA STANDARDS</b>		
<b>BUILDING MASSING STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Articulation</b>	-	-
<b>Maximum unbroken building mass (1)</b>	50 Ft. Max.	<b>Q</b>
<b>Bulk Reduction (High Rise)</b>	-	-
<b>Bulk Reduction Setback (2)</b>	12 Ft. Min.	<b>P</b>
<b>Bulk Reduction Required Area</b>	50% of Façade	<b>Q</b>
<b>Bulk Reduction Zone</b>	Required Above Fifth Floor	<b>R</b>
-	-	-

**7. Parking Standards**

**Parking standards in the EPS are as shown in Figure 5.12-EPS-E and Table 5.12-EPS-5.**

**FIGURE 5.12-EPS-E**



**EL Presidio Parking Plan (Ground Floor)**

<b>TABLE 5.12-EPS-5</b>		
<b>EL PRESIDIO SUB-AREA STANDARDS</b>		
<b>PARKING</b>	<b>SPECIFIC REQUIREMENTS</b>	
<b>Location (Distance from Property Line)</b>	-	-
Street or Alley	20 Ft.	<b>S</b>
Side Setback	0 Ft.	<b>I</b>
<b>Required Spaces</b>	-	-
<b>Off-street (1,4)</b>	Commercial = 0	-
-	Residential = 1/DU	-
<b>Accessible (2,3)</b>	Compliance with the accessible parking requirements in the UDC for the underlying zone.	-
-	-	-
<b>Bicycle Facilities (2)</b>	Compliance with the requirements in the UDC for the underlying zone.	-
-	-	-
<b>Parking Area Access Lanes</b>	-	-
<b>Maximum Allowable Drive Width</b>	24 Ft.	<b>U</b>
<b>Parking Access Lanes</b>	One Drive Per Street (5)	<b>V</b>
-	-	-
-	-	-
-	-	-

**1.** No off-street parking is required for commercial uses. Residential uses are required to provide 1 space per unit and parking must be unbundled from residential lease or sale. Further reduction in on-site parking can be achieved by: a one-time in lieu fee of \$5000 to Park Wise per space not provided, leased spaces from an off-site location, or an on-site car-share program.

**2.** Required accessible spaces and bicycle facilities may not be reduced or eliminated and must be based on the number of motor vehicle parking spaces required as per the UDC for the users proposed.

**3.** Accessible spaces may be provided 1) on-site, 2) off-site within one-quarter of a mile of the project site through a shared parking agreement, or 3) on street on the same side of the street up to five spaces.

**4.** Surface parking is allowed only under a structure

**5.** Parking Access Lanes for required parking spaces are limited to streets shown in figure 5.12-EPA-E. Any additional parking Lanes needed for overflow parking can come off of side streets.

**5.12.13 WAREHOUSE TRIANGLE AREA (WTA)**

Warehouse

The intent of this zone is to allow for and encourage high density infill of the warehouse triangle with transit oriented and mixed use development. The DL-AZ will go further than the infill incentive district in granting development flexibility and incentives in many areas. Residential uses will be allowed in current I-1 zone, allowable building heights and densities will be increased and developments will be exempt from parking requirements.



**FIGURE 5.12-WTA-A**  
**MAP OF WAREHOUSE TRIANGLE AREA**




**A. Standards**

Figure 5.12-WTA-A shows the boundaries of the Warehouse Triangle Area. Warehouse Triangle Area optional zoning applies.

**B. Building Placement**

Building placement requirements in the WTA are as shown in Figure 5.12-WTA-B and Table 5.12-WTA-1.

**FIGURE 5.12-WTA-B**



**Key**  
 - - - Property Line      ■ Allowable Building Area  
 - - - Build-to Line

**TABLE 5.12-WTA-1**


**WAREHOUSE TRIANGLE AREA STANDARDS**

<b>BUILDING PLACEMENT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Build-to-Line (Distance from Property Line) (1)</b>	- - -	<b>1.</b> Build-to requirements apply to: 1) North/South street frontage when building footprint exceeds 25% of lot area; 2) East/West street frontage when building footprint exceeds 50% of lot area; and 3) alley frontage when footprint exceeds 75% of footprint of lot.  <b>2.</b> Street side facades must be built to Build-to-Line at a minimum of 75% of the new building frontage, to help define an urban street frontage, where build-to requirements apply.  <b>3.</b> Alley and pedestrian easement side facades must be built to Build-to-Line at a minimum of 50% of new building frontage, to help define an urban edge to property.
Street Side	0 Ft. <b>A</b>	
<b>Setback (Distance from Property Line)</b>	- - -	
Alley Side	0 Ft. <b>B</b>	
Pedestrian Easement	0 Ft. <b>B</b>	
Side Yard	0 Ft. <b>C</b>	
-	-	
-	-	
-	-	
-	-	
-	-	

**C. Building Heights, Floor Uses**

Building height and floor use requirements in the WTA are as shown in Figure 5.12-WTA-C and Table 5.12-WTA-2.

**FIGURE 5.12-WTA-C**




Key  
 - - - - - Property Line

<b>TABLE 5.12-WTA-2</b>		
<b>WAREHOUSE TRIANGLE AREA STANDARDS</b>		
<b>BUILDING HEIGHT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<u>Maximum Building Height (1)</u>	<u>120 Ft. Max or 10 Stories</u>	<b>D</b>
<u>First Floor Ceiling</u>	<u>12 Ft. Min Clearance</u>	<b>E</b>
<u>Minimum Building Height at Build-to-Line</u>	<u>25 Ft.</u>	<b>F</b>
<b>FLOOR USES</b>		
<u>Ground Floor (2,3,4,5)</u>	<u>Commercial Services or Retail Uses</u>	<b>G</b>
-		-
<u>Upper Floors</u>	<u>Residential or Commercial Services</u>	<b>H</b>
-		-

**D. Lot Coverage, Open Space, Pedestrian Access**

Lot coverage, open space and pedestrian access requirements in the WTA are as shown in Figure 5.12-WTA-D and Table 5.12-WTA-3.

**FIGURE 5.12-WTA-D**



**TABLE 5.12-WTA-3**

**WAREHOUSE TRIANGLE AREA STANDARDS**


<b>OPEN SPACE STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Lot Coverage</b>		<u>1. Covered by impervious surfaces such as, but not limited to buildings, drives, or parking.</u>
Maximum Lot Coverage (1)	100%	
<b>Open Space</b>		<u>2. Usable open space does not need to be located on the ground - green roof or terrace is acceptable</u>
Open Space at Multi-Unit Dwellings (2,3,4)	30 Sq. Ft./DU or 30% of Lot Area (7)	
-	-	<u>3. Usable open space may be any combination of private and common space.</u>
Open Space Non-Residential (2,3,4)	Min. of 30% of Lot Area	
Minimum Landscape Area	50% of Open Space (9)	
<b>Pedestrian Easement (8)</b>		<u>4. Parking may not be counted as open space.</u>
Maximum Distance from Street	125 Ft.	<b>I</b>
Minimum Width	30 Ft.	<b>J</b>
<b>Pedestrian Access (5)</b>		<u>5. Adequate shade shall be provided for sidewalks and pedestrian pathways, using shade structures or vegetation.</u>
Pedestrian Access to Open Space	Required	<b>K</b>
Main Entrance Location (6)	Primary Street	<b>L</b>
-	-	<u>6. Main entrance locations shall be directly accessed from a sidewalk along a street rather than from a parking lot.</u>
-	-	<u>7. Open space at multi-dwelling units is 30 Sq. Ft. per dwelling unit or 30% of lot area, whichever is greater.</u>
-	-	<u>8. Projects that develop 50% or more of the land area within the Mid-block Pedestrian Easement Zone (see map/plan above) shall set aside and develop a mid-block pedestrian passage and easement.</u>
-	-	<u>9. Minimum landscape requirement applies only to common area open space.</u>
-	-	



**F. Parking Standards**

Parking Standards in the WTA are as shown in Figure 5.12-WTA-F and Table 5.12-WTA-5.

**FIGURE 5.12-WTA-F**



**Key**  
 - - - - Property Line      ■ Allowable Parking Area  
 ▨ Pedestrian Easement

**TABLE 5.12-WTA-5**

**WAREHOUSE TRIANGLE AREA STANDARDS**

<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Location (Distance from Property Line)</b>	-	<u>1. Street setback is only required at first floor level only for parking.</u>
<b>Street Setback (1)</b>	<u>30 Ft.</u>	<b>T</b>
<b>Pedestrian Easement Setback</b>	<u>5 Ft.</u>	<b>U</b>
<b>Alley Setback</b>	<u>5 Ft.</u>	<b>U</b>
<b>Side Setback</b>	<u>0 Ft.</u>	<b>V</b>
<b>Required Spaces</b>	-	<u>2. No off-street parking is required for commercial uses. Residential uses are required to provide 1 space per unit and parking must be unbundled from residential lease or sale. Further reduction in on-site parking can be achieved by: a one-time in lieu fee of \$5000 to Park Wise per space not provided, leased spaces from an off-site location, or an on-site car-share program.</u>
<b>Off-street (2,3)</b>	<u>Commercial = 0</u>	-
-	<u>Residential = 1/DU</u>	-

(Continued on next page)

<b>TABLE 5.12-WTA-5 (Cont.)</b>		
<b>WAREHOUSE TRIANGLE AREA STANDARDS</b>		
<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<u>Accessible Parking(4,5)</u> - - -	<u>Compliance with the accessible parking requirements in the UDC for the underlying zone.</u>	- <u>3. Surface parking is allowed only in a structure.</u> - <u>4. Required accessible spaces and bicycle facilities may not be reduced or eliminated and must be based on the number of motor vehicle parking spaces required as per the UDC for the users proposed.</u> -
<u>Bicycle Facilities (4)</u> - -	<u>Compliance with the requirements in the UDC for the underlying zone.</u>	- <u>5. Accessible spaces may be provided 1) on-site, 2) off-site within one-quarter of a mile of the project site through a shared parking agreement, or 3) on street on the same side of the street up to five spaces.</u> -
<b>Parking Area Access Lanes</b>		
<u>Maximum Allowable Drive Width</u>	<u>24 Ft.</u>	<u>W</u>
<u>Parking Access Lanes</u> - -	<u>1 Drive/Primary Street (6)</u>	<u>X</u> - <u>6. On corner lots, parking drive shall not be located on primary street. For other lots, drives shall be limited to one per primary street.</u> -

**5.12.14 FOURTH AVENUE AREA (FAA)**

The intent of this zone is to take advantage of the Modern Street Car project and promote medium-density infill transit-oriented development. Development incentives for this zone include greater allowable density and zero parking requirements for commercial uses.



**FIGURE 5.12-FAA-A**  
**MAP OF FOURTH AVENUE AREA AND SUB-AREAS**



**A. Fourth Avenue Historic Sub-Area (FHS)**


**1. Standards**

The Fourth Avenue Historic Sub-Area includes portions of the West University Historic Preservation Zone that overlap with the Downtown Links Sub District. Properties within these areas may be developed using the optional parking standards contained herein, but remain subject to all other underlying zone requirements including, but not limited to, historic preservation zone design standards and design review.

**2. Parking**

Parking Standards in the FHS are as shown in Figure 5.12-FHS-A and Table 5.12-FHS-1.

**FIGURE 5.12-FHS-A**



**Key**

--- Property Line      ■ Allowable Parking Area

<b>TABLE 5.12-FHS-1</b>		
<b>FOURTH AVENUE HISTORIC SUB-AREA STANDARDS</b>		
<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Location (Distance from Property Line)</b>	-	-
<b>Street Setback (1)</b>	30 Ft.	<b>J</b>
<b>Alley Setback</b>	0 Ft.	<b>K</b>
<b>Side Setback</b>	0 Ft.	<b>L</b>
<b>Required Spaces</b>	-	-
<b>Off-street (2,3)</b>	Commercial = 0 Residential = 1/DU	-
<b>Accessible (4,5)</b>	-	-
-	<u>Compliance with the accessible parking requirements in the UDC for the underlying zone.</u>	-
-		-
-		-
-		-
<b>Bicycle Facilities (4)</b>	-	-
-	<u>Compliance with the requirements in the UDC for the underlying zone.</u>	-
-		-
-		-
<b>Parking Area Access Lanes</b>	-	-
<b>Maximum Allowable Drive Width</b>	24 Ft.	<b>M</b>
<b>Parking Access Lanes</b>	Not allowed on 4th Ave. (6)	<b>N</b>
-		-
-		-

**1.** Street setback is only required at first floor level only for parking.

**2.** No off-street parking is required for commercial uses. Residential uses are required to provide 1 space per unit and parking must be unbundled from residential lease or sale. Further reduction in on-site parking can be achieved by: a one-time in lieu fee of \$5000 to Park Wise per space not provided, leased spaces from an off-site location, or an on-site car-share program.

**3.** Surface parking lots are prohibited. Parking is only allowed within a structure with at-grade setbacks as shown.

**4.** Required accessible spaces and bicycle facilities may not be reduced or eliminated and must be based on the number of motor vehicle parking spaces required as per the UDC for the users proposed.

**5.** Accessible spaces may be provided 1) on-site, 2) off-site within one-quarter of a mile of the project site through a shared parking agreement, or 3) on street on the same side of the street up to five spaces.

**6.** Parking area drives may not be located on Fourth Avenue.

**B. Fourth Avenue Sub-Area (FAS)**


**1. Standards**

Figure 5.12-FAA-A depicts the boundaries of the Fourth Avenue Sub-Area, in which the Fourth Avenue Area option standards apply.

**2. Building Placement**

Building placement and setback requirements in the FAS are as shown in Figure 5.12-FAS-A and Table 5.12-FAS-1.

**FIGURE 5.12-FAS-A**



**Key**  
 - - - - Property Line      ■ Allowable Building Area

**TABLE 5.12-FAS-1**


**FOURTH AVENUE AREA STANDARDS**

<b>BUILDING PLACEMENT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Setback (Distance from Property Line)</b>	-	<b>1. Street side setbacks to be 0 Ft. or consistent with prevailing historic setback.</b>
<u>Street Side (1)</u>	<u>0 Ft. or Prevailing</u>	<b>A</b>
<u>Alley Side</u>	<u>0 Ft.</u>	<b>B</b>
<u>Side Yard</u>	<u>0 Ft.</u>	<b>C</b>

**3. Building Heights, Floor Uses**

Building height and floor use requirements in the FAS are as shown in Figure 5.12-FAS-B and Table 5.12-FAS-2.

**FIGURE 5.12-FAS-B**



**TABLE 5.12-FAS-2**


**FOURTH AVENUE AREA STANDARDS**

<b>BUILDING HEIGHT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
Street Frontage (1)	30 Ft. Max or 2 Stories	1. Building heights along the street frontage are restricted to two stories or 30 Ft. to respect the scale of established or historic structures, or both.
Intersection (2)	40 Ft. Max or 3 Stories	
Midrise (3)	60 Ft. Max or 5 Stories	
<b>Building Height Setbacks (distance from property line)</b>		2. Building heights may extend three stories or 40 Ft. within a 50 Ft. x 50 Ft. area at an intersection.
Mid-Rise Side Setback	50 Ft. <b>D</b>	
<b>FLOOR USES</b>		3. Building heights may extend to five stories or 60 Ft. at the rear of properties beginning at 50 Ft. (D) from the property line.
Ground Floor (4,5,6,7)	Commercial Services or Retail Uses	
Upper Floors	Residential or Commercial Services	
-	-	
-	-	
-	-	
-	-	
-	-	4. All new construction shall have scale-defining architectural elements or details at first two levels.
-	-	5. A single plane of façade at the street level may not be longer than 50 Ft. without architectural relief or articulation such as windows, trellises and arcades.
-	-	6. Street-level activity is encouraged by providing a mix of retail, office and residential uses at street level.
-	-	7. First floor level to be differentiated in form from upper levels.

4. Lot coverage, Open Space, Pedestrian Access

Lot coverage, open space and pedestrian access requirements in the FAS are as shown in Figure 5.12-FAS-C and Table 5.12-FAS-3.

**FIGURE 5.12-FAS-C**



**Key**  
 - - - - - Property Line

**TABLE 5.12-FAS-3**


**FOURTH AVENUE AREA STANDARDS**

<b>OPEN SPACE STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Lot Coverage</b>		<b>1.</b> Covered by impervious surfaces such as, but not limited to buildings, drives, or parking.
Maximum Lot Coverage (1)	100%	
<b>Open Space</b>		<b>2.</b> Usable open space does not need to be located on the ground - green roof or terrace is acceptable
Open Space at Multi-Unit Dwellings (2,3,4)	30 Sq. Ft./DU or 30% of Lot Area (5)	
Open Space Non-Residential (2,3,4)	Min. of 30% of Lot Area	<b>3.</b> Usable open space may be any combination of private and common space.
Minimum Landscape Area	50% of Open Space (7)	
<b>Pedestrian Easement (6)</b>		<b>4.</b> Parking may not be counted as open space.
Minimum Width	10 Ft.	
-	-	<b>5.</b> Open space at multi-dwelling units is 30 Sq. Ft. per dwelling unit or 30% of lot area, whichever is greater.
-	-	
-	-	<b>6.</b> Projects shall set aside and develop a pedestrian passage easement as part of the alley.
-	-	
-	-	<b>7.</b> Minimum landscape requirement applies only to common area open space.
-	-	

5. Building Massing Standards

Building massing standards in the FAS are as shown in Figure 5.12-FAS-D and Table 5.12-FAS-4.

**FIGURE 5.12-FAS-D**



**TABLE 5.12-FAS-4**

**FOURTH AVENUE AREA STANDARDS**

<b>BUILDING MASSING STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Articulation</b>	-	-
<b>Maximum unbroken building mass (1)</b>	50 Ft. Max.	<b>F</b>
<b>View Corridors</b>	-	-
<b>Mid-Rise Façade (2)</b>	25% of Façade Min.	<b>G</b>
<b>High Rise Façade (3)</b>	150 Linear Ft. Unbroken Max.	<b>H</b>
<b>Mid-Rise Height</b>	50 Ft. Max or 4 Stories	<b>I</b>
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

**1.** Any building over 50 Ft. wide must be broken down to read as a series of buildings no wider than 50 Ft. (M) and should include a variety of facades.


**2.** To preserve view corridors, a minimum of 25% of the façade must be set aside as mid-rise (N), and the mid-rise façade may not exceed 4 stories or 50 Ft. (P) in height. On corner lots this requirement applies to one street only.

**3.** High-rise facades of more than 150 continuous linear feet (O) must be broken by a mid-rise façade (N) not to exceed 4 stories or 50 Ft. (P) in height as shown in Figure above.

6. Parking Standards

Parking standards in the FAS are as shown in Figure 5.12-FAS-E and Table 5.12-FAS-5.

**FIGURE 5.12-FAS-E**



**Key**  
 - - - - - Property Line      ■ Allowable Parking Area

**TABLE 5.12-FAS-5**

**FOURTH AVENUE AREA STANDARDS**

<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Location (Distance from Property Line)</b>	-	-
Street Setback (1)	30 Ft.	<b>J</b>
Alley Setback	0 Ft.	<b>K</b>
Side Setback	0 Ft.	<b>L</b>
<b>Required Spaces</b>	-	-
Off-street (2,3)	Commercial = 0 Residential = 1/DU	-
Accessible (4,5)	-	-
-	Compliance with the accessible parking requirements in the UDC for the underlying zone.	-
-	-	-
-	-	-
Bicycle Facilities (4)	Compliance with the requirements in the UDC for the underlying zone.	-
-	-	-
-	-	-
<b>Parking Area Access Lanes</b>	-	-
Maximum Allowable Drive Width	24 Ft.	<b>M</b>
Parking Access Lanes	Not allowed on 4th Ave. (6)	<b>N</b>
-	-	-
-	-	-

**5.12.15 IRON HORSE AREA**

Iron Horse Mixed Use Zone

The intent of this zone is to promote transit oriented development that is compatible with the historic scale of Iron Horse Neighborhood, especially along Ninth Street. The most significant development incentive is an exemption from parking requirements.



Iron Horse Low Density Residential Zone

The intent of this zone is to promote single family infill development at somewhat higher density while protecting the historic character and privacy of existing properties. Key development incentives include reduction in minimum lot size and reduction in parking.

**FIGURE 5.12-IHA-A**  
**MAP OF IRON HORSE AREA AND SUB-AREAS**



**A. Iron Horse Mixed Use Sub-Area (IHA-MS)**


**1. Standards**

Iron Horse Mixed Use Sub-Area zoning option standards apply.

**2. Building Placement**

Building placement and setback requirements in the IHA-MS are as shown in Figure 5.12-IHA-MS-A and Table 5.12-IHA-MS-1.

**FIGURE 5.12-IHA-MS-A**



**Key**

- · — Property Line
- · — Setback Line
- Allowable Building Area

**TABLE 5.12-IHA-MS-1**


**IRON HORSE MIXED USE SUB-AREA STANDARDS**

<b>BUILDING PLACEMENT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Setback (Distance from Property Line)</b>	-	<b>1.</b> <u>Street side setbacks to be consistent with prevailing historic setback, at other than multi-unit residential.</u>
<u>Street Side (1)</u>	<u>Consistent with Prevailing</u>	<b>A</b>
<u>Alley Side</u>	<u>0 Ft.</u>	<b>B</b>
<u>Side Yard</u>	<u>0 Ft.</u>	<b>C</b>

**3. Building Heights, Floor Uses**

Building height and floor use requirements in the IHA-MS are as shown in Figure 5.12-IHA-MS-B and Table 5.12-IHA-MS-2.

**FIGURE 5.12-IHA-MS-B**



**TABLE 5.12-IHA-MS-2**


**IRON HORSE MIXED USE SUB-AREA STANDARDS**

<b>BUILDING HEIGHT STANDARDS</b>			<b>SPECIFIC REQUIREMENTS</b>
<u>Street Frontage (1)</u>	<u>25 Ft. Max or 2 Stories</u>	<b>D</b>	<p><b>1.</b> Building heights along the street frontage are restricted to two stories or 25 Ft. or 2 stories (D) to respect the scale of established or historic structures, or both.</p> <p><b>2.</b> Midrise building height may extend to 40 Ft. or 3 stories (D) and the midrise setback is 12 Ft. (F) from the street frontage façade of the building.</p> <p><b>3.</b> At adjacent residential building frontage, building must setback 25 ft. (G) at the midrise building height.</p> <p><b>4.</b> All new construction shall have scale-defining architectural elements or details at first two levels.</p> <p><b>5.</b> A single plane of façade at the street level may not be longer than 50 Ft. without architectural relief or articulation such as windows, trellises and arcades.</p> <p><b>6.</b> Street-level activity is encouraged by providing a mix of retail, office and residential uses at street level.</p> <p><b>7.</b> First floor level to be differentiated in form from upper levels.</p>
<u>Midrise (2)</u>	<u>40 Ft. Max or 3 Stories</u>	<b>E</b>	
<b>Building Height Setbacks (distance from property line)</b>			
<u>Mid-Rise Setback (2)</u>	<u>12 Ft.</u>	<b>F</b>	
<u>Setback from adj. Residential (3)</u>	<u>25 Ft.</u>	<b>G</b>	
<b>FLOOR USES</b>			
<u>Ground Floor (4,5,6,7)</u>	<u>Commercial Services or Retail Uses</u>	-	
<u>Upper Floors</u>	<u>Residential or Commercial Services</u>	-	
-	-	-	
-	-	-	
-	-	-	
-	-	-	
-	-	-	
-	-	-	
-	-	-	

**4. Lot Coverage, Open Space, Pedestrian Access**

Lot coverage, open space and pedestrian access requirements in the IHA-MS are as shown in Figure 5.12-IHA-MS-C and Table 5.12-IHA-MS-3.

**FIGURE 5.12-IHA-MS-C.**



**Key**  
 - - - Property Line      ■ Building Footprint (Example Only)  
 - - - Setback Line      ▨ Open Space (Example Only)

**TABLE 5.12-IHA-MS-3**


**IRON HORSE MIXED USE SUB-AREA STANDARDS**

<b>OPEN SPACE STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Lot Coverage</b>	-	<b>1.</b> Covered by impervious surfaces such as, but not limited to buildings, drives, or parking.
<b>Maximum Lot Coverage (1)</b>	100%	
<b>Open Space</b>		<b>2.</b> Usable open space does not need to be located on the ground - green roof or terrace is acceptable
<b>Open Space at Multi-Unit Dwellings (2,3,4)</b>	30 Sq. Ft./DU or 20% of Lot Area (7)	<b>3.</b> Usable open space may be any combination of private and common space.
<b>Open Space Non-Residential (2,3,4)</b>	Min. of 30% of Lot Area	<b>4.</b> Parking may not be counted as open space.
<b>Minimum Landscape Area</b>	50% of Open Space (8)	<b>5.</b> Adequate shade shall be provided for sidewalks and pedestrian pathways, using shade structures or vegetation.
<b>Pedestrian Access (5)</b>	Required	<b>6.</b> Main entrance locations shall be directly accessed from a sidewalk along a street rather than from a parking lot.
<b>Pedestrian Access to Open Space</b>	Primary or Secondary Street	<b>7.</b> Open space at multi-dwelling units is 30 Sq. Ft. per dwelling unit or 20% of lot area, whichever is greater.
-	-	<b>8.</b> Minimum landscape requirement applies only to common area open space.
-	-	
-	-	
-	-	
-	-	

5. Parking Standards

Parking standards in the IHA-MS are as shown in Figure 5.12-IHA-MS-D and Table 5.12-IHA-MS-4.

**FIGURE 5.12-IHA-MS-D**



**Key**

--- Property Line      ■ Allowable Parking Area

<b>TABLE 5.12-IHA-MS-4</b>		
<b>IRON HORSE MIXED USE SUB-AREA STANDARDS</b>		
<b>PARKING</b>	<b>SPECIFIC REQUIREMENTS</b>	
<b>Location (Distance from Property Line)</b>	-	-
Street Setback (1)	30 Ft.	<b>J</b>
Alley Setback	5 Ft.	<b>K</b>
Side Setback	0 Ft.	<b>L</b>
<b>Required Spaces</b>	-	-
Off-street (2,3)	Commercial = 0 Residential = 1/DU	-
Accessible (4,5)	-	-
-	Compliance with the accessible parking requirements in the UDC for the underlying zone.	-
-	-	-
-	-	-
-	-	-
Bicycle Facilities (4)	Compliance with the requirements in the UDC for the underlying zone.	-
-	-	-
-	-	-
<b>Parking Area Access Lanes</b>	-	-
Maximum Allowable Drive Width	24 Ft.	<b>M</b>
Parking Access Lanes	1 Drive/Primary Street (6)	<b>N</b>
-	-	-
-	-	-
-	-	-
-	-	-

**B. Iron Horse Low Density Residential Infill Sub-Area (IHA-RS)**


**1. Standards**

Iron Horse Low Density Residential Infill Sub-Area zoning option standards apply.

**2. Building Placement**

Building placement and setback requirements in the IHA-RS are as shown in Figure 5.12-IHA-RS-A and Table 5.12-IHA-RS-1.

**FIGURE 5.12-IHA-RS-A**



Key	
— · — · —	Property Line
— · — · —	Prevailing Setback
■	Allowable Building Area
□	Existing Structures

**TABLE 5.12-IHA-RS-1**


**IRON HORSE LOW DENSITY RESIDENTIAL INFILL SUB-AREA STANDARDS**

BUILDING PLACEMENT STANDARDS			SPECIFIC REQUIREMENTS
<b>Setback (Distance from Property Line)</b>	-	-	<b>1. Primary street is the street frontage to which dwellings face or are oriented.</b>
Primary Street (1)	Match Prevailing (2)	A	<b>2. Match prevailing setbacks of existing historic structures adjacent to parcel on same side of street of same block.</b>
Secondary Street	10' or Prevailing	B	
Side Yard	0 Ft.	C	
Rear Yard	0 Ft.	D	

**3. Building Heights and Massing Standards**

Building height and floor use requirements in the IHA-RS are as shown in Figure 5.12-IHA-RS-B and Table 5.12-IHA-RS-2.

**FIGURE 5.12-IHA-RS-B**



**TABLE 5.12-IHA-RS-2**

**IRON HORSE LOW DENSITY RESIDENTIAL INFILL SUB-AREA STANDARDS**

<b>BUILDING HEIGHT STANDARDS</b>			<b>SPECIFIC REQUIREMENTS</b>
Maximum Building Height	31 Ft. - 4 In.	E	1. Any building over 30' wide must be broken down to read as a series of buildings no wider than 30 Ft., and should include a variety of building heights and roof forms.
Street Frontage Max	20 Ft.	F	
Building Height Setbacks (distance from property line)	-	-	
Second Story Setback	20 Ft.	G	-
<b>BUILDING MASSING</b>			
Maximum Unbroken Building Mass (1)	30 Ft.	H	

4. Lot Coverage and Lot Size

Lot coverage and lot size requirements in the IHA-RS are as shown in Table 5.12-IHA-RS-3.

TABLE 5.12-IHA-RS-3		
IRON HORSE LOW DENSITY RESIDENTIAL INFILL SUB-AREA STANDARDS		
LOT COVERAGE		SPECIFIC REQUIREMENTS
Maximum Lot Coverage (1)	100%	1. Covered by impervious surfaces such as, but not limited to buildings, drives, or parking.
LOT SIZE		
Minimum Lot Size	2,500 Sq. Ft.	-

5. Privacy Standards

Required privacy standards in the IHA low density residential sub-area are as shown in Figure 5.12-IHA-RS-C and Table 5.12-IHA-RS-4.

**FIGURE 5.12-IHA-RS-C**





TABLE 5.12-IHA-RS-4		
IRON HORSE LOW DENSITY RESIDENTIAL INFILL SUB-AREA STANDARDS		
PRIVACY STANDARDS		SPECIFIC REQUIREMENTS
Clerestory Height	9 Ft. Min. above 2nd Floor. I	1. Brick or stuccoed concrete masonry site walls may extend above Land Use Code requirements to 9 Ft. but may require structural engineering and building permits.
Site Wall Height	9 Ft. Max. (1) J	
Site Wall Setback	0 Ft. Min. (1) K	
Privacy Zone	6 Ft. (2) L	2. Privacy shall be afforded to existing developed adjacent rear or side yards by limiting second story fenestration. The lower 6' of adjacent yards shall not be visible from new second floor windows.
ALTERNATIVE MEANS OF DAYLIGHT		
Clerestory above 9 Ft.	- I	
Skylights	- M	
Translucent Fixed Glass	- N	-

**6. Parking Standards**

Parking standards in the IHA-RS are as shown in Figure 5.12-IHA-RS-D and Table 5.12-IHA-RS-5.

**FIGURE 5.12-IHA-RS-D**



Key	
— — — — —	Property Line
— · — · — · —	Prevailing Setback
■	Allowable Parking Area
□	Existing Structures

<b>TABLE 5.12-IHA-MS-4</b>		
<b>IRON HORSE LOW DENSITY RESIDENTIAL INFILL SUB-AREA STANDARDS</b>		
<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Location (Distance from Property Line)</b>	-	<u>1. Access to parking spaces may be by way of existing alleys.</u>
Street Setback (1)	<u>10 Ft. or Prevailing Setback</u>	<b>Q</b>
Alley Setback	<u>10 Ft. or Prevailing Setback</u>	<b>Q</b>
Side Setback	<u>0 Ft.</u>	<b>P1</b>
Rear Setback	<u>0 Ft.</u>	<b>P2</b>
<b>Required Spaces</b>	-	-
Off-street (2,3)	<u>Residential = 1/DU</u>	-
<b>Parking Area Access</b>	-	-
Parking Access (1)	-	<b>Q</b>

**5.12.16 STONE/SIXTH AREA**

Stone Sub-Area

The intent of the Stone Area is to promote higher density mixed use development along the Stone corridors. Benefits of this development include reduction in parking, zero lot lines and increases in allowable building heights.



6<sup>th</sup> Street Sub-Area

The intent of the Sixth Street Sub-Area is to promote higher density mixed use development along the 6<sup>th</sup> Avenue and 6<sup>th</sup> Street corridors. Benefits of the district allow for greater building heights, zero lot lines and reduction in parking.



**FIGURE 5.12-SSA-A**  
**MAP OF STONE/SIXTH AREA**



**A. Stone Sub-Area (STS)**


**1. Standards**

Figure 5.12-SSA-A captures the boundaries of the SSA and the boundaries of the Stone Avenue sub-area. Stone Sub-Area zoning option standards apply.

**2. Building Placement**

Building placement and setback requirements in the STS are as shown in Figure 5.12-STS-A and Table 5.12-STS-1.

**FIGURE 5.12-STS-A**



Plan

Key

- - - Property Line
- - - Build-to Line
- Allowable Building Area

**TABLE 5.12-STS-1**


**STONE AVENUE SUB-AREA STANDARDS**

<b>BUILDING PLACEMENT STANDARDS</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Build to Line (Distance from Property Line) (1)</b>	-	<b>1. Build-to requirements apply to: 1) Stone Ave. frontage when building footprint exceeds 25% of lot area</b>  <b>2. Street side facades must be built to Build to Line at a minimum of 75% of the new building frontage, to help define an urban street frontage, where build-to requirements apply. Build to Line can range from 0-20' to be consistent with prevailing.</b>
<b>Primary Street (Stone Ave.) (2)</b>	<b>0-20 Ft.</b>	
<b>Setback (Distance from Property Line)</b>	-	
<b>Secondary Street</b>	<b>Consistent with Prevailing</b>	
<b>Alley Side</b>	<b>0 Ft.</b>	
<b>Side Yard</b>	<b>0 Ft.</b>	

**3. Building Heights, Floor Uses**

Building height and floor use requirements in the STS are as shown in Figure 5.12-ST5-B and Table 5.12-ST5-2.

**FIGURE 5.12-ST5-B**



**TABLE 5.12-ST5-2**

**STONE AVENUE SUB-AREA STANDARDS**

<b>BUILDING HEIGHT</b>		<b>SPECIFIC REQUIREMENTS</b>
High-Rise Building Height (1)	90 Ft. Max or 8 Stories	<p><b>J, E</b> 1. High-Rise building height is 90 Ft. or 8 stories (J) for the first 65' (E) east and west of Stone, limited by (F) at the corners.</p> <p><b>H, F</b> 2. Mid-Rise building height is 50 Ft. or 4 stories (H) at the remaining midblock area and for the first 50 Ft. (F) going north and south from secondary streets along Stone.</p> <p><b>I, G</b> 3. Low-Rise building height is 25 Ft. Max or 2 stories (I) for the first 50 Ft. east or west of Alley (G).</p>
Mid-Rise Building Height (2)	50 Ft. Max or 4 Stories	
Low-Rise Building Height (3)	25 Ft. Max or 2 Stories	




TABLE 5.12-ST3-3		
STONE AVENUE SUB-AREA STANDARDS		
LOT COVERAGE	SPECIFIC REQUIREMENTS	
Maximum Lot Coverage (1)	100%	-
<b>OPEN SPACE</b>		
Open Space at Multi-Unit Dwellings (2,3,4)	30 Sq. Ft./DU or 20% of Lot Area (7)	-
Open Space Non-Residential (2,3,4)	Min. of 20% of Lot Area	-
<b>PEDESTRIAN ACCESS (5)</b>		
Pedestrian Access to Open Space	Required	K
Main Entrance Location (6)	Primary Street (Stone Ave.)	L
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-
-	-	-

1. Covered by impervious surfaces such as, but not limited to buildings, drives, or parking.
2. Usable open space does not need to be located on the ground - green roof or terrace is acceptable.
3. Usable open space may be any combination of private and common space.
4. Parking may not be counted as open space.
5. Adequate shade shall be provided for sidewalks and pedestrian pathways, using shade structures or vegetation.
6. Main entrance locations shall be directly accessed from a sidewalk along a street rather than from a parking lot.
7. Open space at multi-dwelling units is 30 Sq. Ft. per dwelling unit or 20% of lot area, whichever is greater.

5. Building Massing Standards

Building massing standards in the STS are as shown in Figure 5.12-ST3-D and Table ST3-4.

**FIGURE 5.12-ST3-D**





<b>TABLE 5.12-ST5-5</b>		
<b>STONE AVENUE SUB-AREA STANDARDS</b>		
<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Location (Distance from Property Line)</b>	-	-
<b>Street Setback (1)</b>	<u>20 Ft.</u>	<b>I</b>
<b>Alley Setback</b>	<u>5 Ft.</u>	<b>U</b>
<b>Side Setback</b>	<u>0 Ft.</u>	<b>V</b>
<b>Required Spaces</b>	-	-
<b>Off-street (2)</b>	<u>Commercial = 60% of UDC</u>	-
-	<u>Residential = 1/DU</u>	-
<b>Accessible (3,4)</b>	<u>Compliance with the accessible parking requirements in the UDC for the underlying zone.</u>	-
-	-	-
-	-	-
<b>Bicycle Facilities (3)</b>	<u>Compliance with the requirements in the UDC for the underlying zone.</u>	-
-	-	-
-	-	-
<b>Parking Area Access Lanes</b>	-	-
<b>Maximum Allowable Drive Width</b>	<u>24 Ft.</u>	<b>W</b>
<b>Parking Access Lanes</b>	<u>1 Drive/Primary Street (5)</u>	<b>X</b>
-	-	-

**B. Sixth Street Sub-Area (SSS)**


**1. Standards**

Figure 5.12-SSA-A captures the boundaries of the SSA and the boundaries of the Sixth Street Sub-Area. Sixth Street Sub-Area zoning option standards apply.

**2. Building Placement**

Building placement and setback requirements in the SSS are as shown in Figure 5.12-SSS-A and Table 5.12-SSS-1.

**FIGURE 5.12-SSS-A**



**TABLE 5.12-SSS-1**

**6TH STREET SUB AREA STANDARDS**

**BUILDING PLACEMENT STANDARDS**


**SPECIFIC REQUIREMENTS**

<b>Build to Line (Distance from Property Line)</b>			
6th Street and 6th Ave. (1,2)	0 Ft.	A	<b>1. Build-to requirements apply to: 1) 6th street frontage when building footprint exceeds 25% of lot area</b> <b>2. Street side facades must be built to Build to Line at a minimum of 75% of the new building frontage, to help define an urban street frontage, where build-to requirements apply.</b>
<b>Setback (Distance from Property Line)</b>			
Secondary Street (6th or 7th Ave.)	0 Ft.	B	
5th Street	Consistent with Prevailing	C	
Alley Side	0 Ft.	D	
Side Yard	0 Ft.	E	

**3. Building Heights, Floor Uses**

Building height and floor use requirements in the SSS are as shown in Figure 5.12-SSS-B and Table 5.12-SSS-2.

**FIGURE 5.12-SSS-B**



**TABLE 5.12-SSS-2**

**6TH STREET SUB-AREA STANDARDS**

<b>BUILDING HEIGHT</b>			<b>SPECIFIC REQUIREMENTS</b>
High-Rise Building Height (1)	90 Ft. Max or 8 Stories	<b>H</b>	1. High-rise building height is 90 ft. max. or 8 stories ( <b>H</b> ) for the remainder of the block.
Mid-Rise Building Height (2)	50 Ft. Max or 4 stories	<b>I, G</b>	
Low-Rise Building Height (3)	25 Ft. Max or 2 stories	<b>J, F</b>	2. Low-rise building height is 25 Ft. or 2 stories ( <b>J</b> ) for the first 50 Ft. ( <b>F</b> ) from the setback ( <b>B</b> ).

(Continued on next page)



**FIGURE 5.12-SSS-C**

<b>TABLE 5.12-SSS-3</b>		
<b>6TH STREET SUB-AREA STANDARDS</b>		
<b>LOT COVERAGE</b>	<b>SPECIFIC REQUIREMENTS</b>	
Maximum Lot Coverage (1)	100%	<p><b>1.</b> Covered by impervious surfaces such as, but not limited to buildings, drives, or parking.</p> <p><b>2.</b> Usable open space does not need to be located on the ground - green roof or terrace is acceptable</p> <p><b>3.</b> Usable open space may be any combination of private and common space.</p> <p><b>4.</b> Parking may not be counted as open space.</p> <p><b>5.</b> Adequate shade shall be provided for sidewalks and pedestrian pathways, using shade structures or vegetation.</p> <p><b>6.</b> Main entrance locations shall be directly accessed from a sidewalk along a street rather than from a parking lot.</p> <p><b>7.</b> Open space at multi-dwelling units is 30 Sq. Ft. per dwelling unit or 20% of lot area, whichever is greater.</p>
<b>OPEN SPACE</b>		
Open Space at Multi-Unit Dwellings (2,3,4)	30 Sq. Ft./DU or 20% of Lot Area (7)	
-	-	
Open Space Non-Residential (2,3,4)	Min. of 20% of Lot Area	
<b>PEDESTRIAN ACCESS (5)</b>		
Pedestrian Access to Open Space	Required	
Main Entrance Location (6)	Primary Street (Stone Ave.)	
-	-	
-	-	

5. Building Massing Standards


Building massing standards in the SSS are as shown in Figure 5.12-SSS-D and Table SSS-4.



**6. Parking Standards**

Parking standards in the SSS are as shown in Figure 5.12-SSS-E and Table 5.12-SSS-5.

**FIGURE 5.12-SSS-E**



<b>TABLE 5.12-SSS-5</b>		
<b>6TH STREET SUB-AREA STANDARDS</b>		
<b>PARKING</b>		<b>SPECIFIC REQUIREMENTS</b>
<b>Location (Distance from Property Line)</b>	-	-
<b>Street Setback</b>	<b>20 Ft.</b>	<b>T</b>
<b>Alley Setback</b>	<b>5 Ft.</b>	<b>U</b>
<b>Side Setback</b>	<b>0 Ft.</b>	<b>V</b>
<b>Required Spaces</b>	-	-
<b>Off-street (1,4)</b>	<b>Commercial = 0</b> <b>Residential = 1/DU</b>	-
<b>Accessible (2,3)</b>	<b>Compliance with the accessible parking requirements of the UDC for the underlying zone.</b>	-
<b>Bicycle Facilities (2)</b>	<b>Compliance with the requirements in the UDC for the underlying zone.</b>	-
<b>Parking Area Access Lanes</b>	-	-
<b>Maximum Allowable Drive Width</b>	<b>24 Ft.</b>	<b>W</b>
<b>Parking Access Lanes</b>	<b>1 Drive/Street (5)</b>	<b>X</b>

**5.12.179. IID DISTRICT TERMINATION**

The provisions of Section 5.12, Downtown Area Infill Incentive District, shall end on January 31, 2015, unless Mayor and Council extend the date by separate ordinance.

**5.12.180. ILLUSTRATIVE MAPS OF THE IID**

[INSERT MAP SHOWING THE VARIOUS SUBDISTRICTS AND AREA]

THE FOLLOWING AMENDMENTS WILL BE MADE TO SECTION 4.2 DEFINITIONS:

**11.4. OTHER TERMS DEFINED**

**11.4.1. PURPOSE**

This section provides definitions for terms that are not land uses and are not contained in Section 11.3 above.

**11.4.2. DEFINITIONS – A**


.....

**Adjacent**

Two or more parcels or lots sharing a common boundary or separated by an alley or other right-of-way 20 feet or less in width. Parcels or lots having only a common corner are considered adjacent. Within the Downtown Area Infill Incentive District, the term “adjacent” or “adjacency means:

1. Two or more parcels or lots sharing a common boundary or separated by an ally or a local or arterial street 30 feet or less in width. Parcels or lots having only a common corner are also considered adjacent.
2. Where the development parcel is an interior parcel, adjacent lots includes all residential lots or development on either side of the development parcel, those lots fronting on the same street in the same block as the development parcel, and all those lots on the opposite side of that street See Figure XXX, “Adjacent Properties);
3. Where the development parcel is a corner lot, the term “adjacent” includes all the residential corner lots or developments diagonally opposite the development parcel, fronting on the same two streets in the same block, and on the opposite sides of those streets as shown in the diagram below; (See Figure XXX “Corner Lot”)
4. Where the development parcel is adjacent to an HPZ, the term “adjacent” includes all lots across the street and diagonally across from the development parcel. (See Figure XXX “Historic District Boundary Lot).

**FIGURE XXX**




#### 11.4.8. DEFINITIONS – G

##### **Group Dwelling.**

Within the Downtown Area Infill Incentive District (IID) the term “group dwelling” means a structure that:


1. \_\_\_\_\_ meets the definition of “group dwelling” contained in UDC Section 11.3.7.B; and
2. \_\_\_\_\_ is greater than two stories or 25 in height.

# Downtown Infill Incentive District






# Downtown Infill Incentive District (with zoning and overlays): Central Detail



Rio Nuevo Area	<b>Zoning</b>
IID Sub-districts	C-1
Downtown Core	C-2
Greater Infill Incentive	C-3
<b>Mandatory Zoning Overlays</b>	HC-1
Neighborhood Preservation Zone (HPZ)	HC-3
Historic Preservation Zone (HPZ)	HO-3
	HR-3
	I-1
	O-3
	OCR-2
	PAD-2
	PAD-5
	R-2
	R-3
	HR-2



# Downtown Infill Incentive District (with zoning and overlays): South Detail

**Zoning**

- C-1
- C-2
- C-3
- HC-1
- HC-3
- HO-3
- HR-3
- I-1
- O-3
- OCR-2
- PAD-10
- PAD-2
- PAD-4
- PAD-5
- R-1
- R-2
- R-3
- HR-2

**Rio Nuevo Area**

**IID Sub-districts**


- Downtown Links
- Downtown Core
- Greater Infill Incentive

**Mandatory Zoning Overlays**


- Neighborhood Preservation Zone (HPZ)
- Historic Preservation Zone (HPZ)

**CITY OF TUCSON**

0 0.05 0.1 0.2 Miles



# Downtown Infill Incentive District National Register Historic Properties: North Detail



**IID Sub-districts**

- Greater Infill Incentive
- Downtown Links

**Individual NRHP Status**

- Eligible
- Ineligible

**National Register Historic Districts**


- Current
- Eligible/Pending

**Properties in HD**

- Contributor
- Non-Contributor

**Demolished Properties in HD**

- Contributor
- Non-Contributor
- Vacant



Greater Infill Incentive Sub-district


Miracle Mile HD (Pending)

Feldman's HD  
West University HD


Downtown Links Sub-district



# Downtown Infill Incentive District National Register Historic Properties: Central Detail



# Downtown Infill Incentive District National Register Historic Properties: South Detail



**Rio Nuevo Area**

**IID Sub-districts**

- Greater Infill Incentive
- Downtown Core

**Individual NRHP Status**

- Listed
- Eligible
- Ineligible
- Not Determined

**National Register Historic Districts**



- Current
- Eligible/Pending

**Properties in HD**

- Contributor
- Non-Contributor


**Demolished Buildings in HD**

- Contributor
- Non-Contributor
- Vacant



# The Cadence

- **Downtown Infill Incentive District**
  - Downtown Core Sub-district
- **Rio Nuevo Area**
  - Buildings 1 and 2
- **Downtown Tucson National Register Historic District (Pending)**
  - Building 2 in Pending District
  - No individually listed NRHP buildings
- **OCR-2 Zoning**






### Legend

	The Cadence	<b>Zoning</b>		C-2	<b>National Register Historic District</b>		CURRENT	<b>Individual NRHP Status</b>		Listed
	Rio Nuevo Area		C-3		ELIGIBLE		Ineligible		Ineligible	
<b>IID Sub-districts</b>			I-1		Contributor					
	Downtown Links		OCR-2		Non-Contributor					
	Downtown Core									





# The District

- **Downtown Infill Incentive District**
  - Downtown Links Sub-district
    - Stone-Sixth Area
- **Not in National Register Historic District**
  - Adjacent to Warehouse HD (current) and N 4<sup>th</sup> Avenue HD (eligible)
  - No individually listed NRHP buildings
- **Adjacent to West University HPZ**
- **C-3 and R-3 Zoning**



# The Junction

- **Downtown Infill Incentive District**
  - Downtown Links Sub-district
    - Iron Horse Area
  
- **Iron Horse Expansion National Register Historic District**
  - Demolished Contributing Properties
  - Demolished Non-contributing Properties
  
- **C-3 and R-3 Zoning**





**Legend**

 The Junction	<b>National Register Historic District Properties</b>
<b>Zoning</b>	 Contributor
 C-3	 Non-Contributor
 I-1	
 R-3	<b>Demolished Buildings in HD</b>
	 Contributor
	 Non-Contributor

# Trinity Church

- **Downtown Infill Incentive District**
  - Downtown Links Sub-district
    - 4<sup>TH</sup> Avenue Area
- **West University National Register Historic District**
  - Contributing Property
- **Historic Preservation Zone Overlay**
  - West University
- **HC-3 and HR-3 Zoning**





**Legend**

	Trinity Church		<b>National Register Historic District Properties</b>
	<b>IID Sub-districts</b>		Contributor
	Downtown Links		Non-Contributor
<b>Zoning</b>			<b>Demolished Buildings in HD</b>
	HC-1		Contributor
	HC-3		
	HR-2		
	HR-3		

# The Bum Steer

- **Downtown Infill Incentive District**
  - Greater Infill Incentive Sub-district
- **Not in National Register Historic District**
- **No individually listed NRHP buildings**
- **I-1 Zoning**



**Legend**

-  The Bum Steer
- IID Sub-districts**
-  Greater Infill Incentive
- Zoning**
-  C-2
-  I-1
-  R-2