

Notice is hereby given to the Infill Incentive District Design Review Committee and the general public that the Infill Incentive District Design Review Committee will hold the following meeting which will be open to the public.



INFILL INCENTIVE DISTRICT DESIGN REVIEW COMMITTEE

Planning and Development Services • P.O. Box 27210 • Tucson, AZ 85726-7210

MEETING NOTICE

Wednesday, June 23, 2021, 1:00 PM

Pursuant to safe practices during the COVID 19 pandemic, all in-person public meetings are cancelled until further notice. This meeting will be held virtually to allow for healthy practices and social distancing. All materials related to the agenda items noted below can be accessed at: www.tucsonaz.gov/pdsd/infill-incentive-district-design-review-committee. Meeting materials will also be presented as part of the virtual meeting.

To join the IID-DRC virtual meeting from your computer, tablet or smartphone:

Microsoft Teams meeting

Join on your computer or mobile app

[Click here to join the meeting](#)

Or call in (audio only)

[+1 213-293-2303,816669577#](tel:+12132932303816669577) United States, Los Angeles

Phone Conference ID: 816 669 577#

[Find a local number](#) | [Reset PIN](#)

[Learn More](#) | [Meeting options](#)

For wheelchair accommodations, materials in accessible formats, and/or materials in a language other than English, please contact María Gayosso at (520) 837-6972, specialdistricts@tucsonaz.gov or (520) 791-2639 for TDD, no later than Friday, June 18, 2021.

Para solicitar acomodamiento de sillas de ruedas, materiales es formatos accesibles, y/o materiales en español, por favor comuníquese con María Gayosso al (520) 837-6972, specialdistricts@tucsonaz.gov, a más tardar el Viernes 18 de Junio de 2021.

MEETING AGENDA

1. Call to Order / Roll Call
2. Approval of Legal Action Report of April 14, 2021 meeting **Action**
3. IID-20-04, The Corbett ([T20SA00241](#), [DP20-0125](#)) **Action**
 - a) Preliminary Staff Remarks
 - b) Project Presentation by Applicant
 - c) Design Professional Findings/Recommendations
4. IID-21-02, The Bautista ([T21PRE0091](#)) **Courtesy Review Only**
5. Call to the Audience (individuals may speak up to 3 minutes)
6. Future Agenda Items **Information Only**
7. Adjournment

Committee Members: Chris Gans; John Burr; Zachary Baker (Downtown Subdistrict only); Eric Barrett, Daniel Matlick (4th Ave Subdistrict only); Robin Shambach; Bill Viner.

Design Professionals: Corky Poster (IID-20-03), Richard Fe Tom (IID-21-02)

A quorum of the IID DRC is the Design Professional and at least two other members.

MEETING AGENDA

1. Call to Order / Roll Call

Chris Gans, Chair
Eric Barrett
John Burr, Vice Chair
Robin Shambach
Bill Viner
Corky Poster, Design Professional
Richard Fe Tom, Design Professional

2. Review and approval Legal Action Report for the April 14, 2021 meeting

– Action Item

3. Case # IID-20-03, The Corbett

– Action Item

Related Activity #: [T20SA00241](#), [DP20-0125](#), [T18CM05456](#)
320/340 N 6th Ave, 345 N 5th Ave, 210 E 7th St
I-1 zoning, Downtown Links Subdistrict, Warehouse Triangle Sub-area

The Applicant's Request:

The applicant is proposing to: 1) Rehabilitate the existing historic Corbett building (not under this review) for food service use; 2) A new single story, 4,000 square-foot building on the northeast corner of the property, also for a food service; 3) Three new outdoor patio areas to complement the food service uses on site; 4) A 181 space surface parking lot; and 5) A temporary event tent. This proposal is the first of two phases for this property. The applicant intends to return in the future to remove the surface parking and develop a mixed-use building in its place.

The applicant is requesting the IID-DRC to recommend for approval the following UDC modifications:

- a) **UDC 5.12.8.E – Motor vehicle parking. Total of zero on-site spaces are proposed.** Total required on-site parking is 334 spaces. UDC Section 5.12.11, allows for zero parking requirement for commercial uses within the Downtown Links Subdistrict of IID. Total proposed is 181.
- b) **UDC Section 5.12.9.C.5.b – Landscaping and screening. The project proposes to modify the traditional requirements for landscaping and screening.**

The Design Professional's Findings/Recommendations:

The project was reviewed by the City's Design Professional on April 30, 2021 and has recommended approval of the project.

The Tucson-Pima Historical Commission - Plans Review Subcommittee (PRS) Findings/Recommendations:

The PRS reviewed the project on May 27, 2021, and recommended approval as presented. The proposed work to the existing Corbett building has been previously approved under permit number [T18CM05456](#).

The IID-DRC's Purview:

In accordance with UDC Sections 5.12.6.B.4.c and 5.12.6.I.1, the IID-DRC reviews development projects submitted using the IID zoning option, and forwards a recommendation to the Planning & Development Services Department (PDS) Director. The IID-DRC reviews projects for compliance with IID standards and requirements specified in UDC Section 5.12, and may also comment on other aspects of the projects. Also, per UDC Section 5.12.6.I.2, the IID-DRC may continue the item being reviewed one time, unless the applicant asks for further continuances.

4. Case # IID-21-02, The Bautista

– Preliminary Review

Related Activity #: [T21PRE00941](#)

165 S Linda Av

C-2/C-3 zoning, Downtown Core Subdistrict

This is a courtesy review. The feedback from the IID-DRC is purely informational and no formal action will be taken.

The Applicant's Request:

The applicant is proposing a mixed-use 4 story building that will include a subsurface parking garage and pedestrian style retail pavilion with a connection to The Loop.

UDC modifications will be identified after the first review of a formal development package submittal.

5. Call to the Audience (individuals may speak up to 3 minutes)

6. Future Agenda Items – Information Only

7. Adjournment

ATTACHMENT A:

5.12.8. GENERAL IID ZONING OPTION DESIGN STANDARDS

An IID Plan under the IID zoning option design [standards](#) must demonstrate compliance with the following:

A. Streetscape Design

Streetscape design must comply with the [street](#) design [standards](#) in the Technical Manual and the Streetscape Design Policy.

1. Pedestrian-orientation

[Projects](#) shall be pedestrian-oriented and comply with all of the following [standards](#) :

- a. New construction shall have architectural elements/details at the first two floor levels;
- b. [Buildings](#) shall provide windows, window displays, or visible activity on the ground floor for at least 50 percent of frontage;
- c. A single plane of façade shall be no longer than fifty feet without architectural detail;
- d. Front doors shall be visible or identifiable from the [street](#) and visually highlighted by graphics, lighting, or similar features;
- e. Uses, such as Commercial Services or Retail Trade uses that encourage [street](#) level pedestrian activity are preferred on the first floor of a [structure](#) of a multistory [building](#);
- f. Construction and maintenance of sidewalks must be done in compliance with the [City's](#) Streetscape Design Policy. Existing sidewalk widths shall be maintained so as to provide effective, accessible, connectivity to [adjoining](#) properties. Sidewalks may be widened to accommodate a [project's](#) design characteristics. Where no sidewalks exist, sidewalks shall be provided. Outdoor seating and dining areas and landscaping may be located in the sidewalk area where safe and effective sidewalk width around the design feature can be provided;
- g. To the extent practicable, bus pull-outs shall be provided where bus stops are currently located; and
- h. If drive-through service is proposed, it shall not interfere with pedestrian access to the site from the [right-of-way](#).

2. Shade

a. Except as provided below, shade shall be provided for at least 50% of all sidewalks and pedestrian access paths as measured at 2:00 p.m. on June 21 when the sun is 82 degrees above the horizon. Shade may be provided by trees, arcades, canopies, or shade [structures](#) provided their location and design characteristics are compatible with the historic and design context of the [street](#) and the architectural integrity of the [building](#). The use of plantings and shade [structures](#) in the [City right-of-way](#) is permitted to meet this standard with the approval of the Transportation Department. The shade provided by a [building](#) may serve to meet this standard.

b. Exception

The PDSD Director may approve an IID Plan providing less than 50% shade where compliance is not feasible due to a [project site's](#) location and/or [building](#) orientation and the applicant has made a reasonable attempt to comply with this standard.

B. [Development Transition Standards](#)

The purpose of the [Development Transition Standards](#) is to mitigate excessive visual, noise, odor, vibration intrusion, and other similar public health and safety concerns that may be created by the proposed [project](#).

1. [Applicability](#)

Developing sites that [abut](#) an affected single family or duplex dwelling shall comply with this section. For purposes of the IID, the following terms and examples describe elements of applicable transitional areas:

- a. "Affected residential property" refers to an existing detached single-family or duplex dwelling that is [adjacent](#) to a developing site;
- b. "High density residential" refers to residential [development](#) that is neither existing single-family detached nor attached dwellings;
- c. Examples of applicable transitional areas include a nonresidential developing site [adjacent](#) to existing single-family detached or attached dwellings within a subdivision, or a developing high density residential site [adjacent](#) to existing single-family detached or attached dwellings within a subdivision; and,
- d. For [projects](#) within the DCS, the [Development Transition Standards](#) apply only to those [projects adjacent](#) to affected residential properties outside the DCS boundaries.

2. [Mitigation of Taller Structures](#)

Compliance with the following [standards](#) is required where the developing site has taller buildings than [adjacent](#) affected residential properties:

a. Within the GIS and DCS, the maximum building height is 25 feet within 30 feet of the property line adjacent to an affected residential property. Proposed buildings may be developed to the maximum height permitted by the underlying zone or as permitted by the IID Subdistrict, whichever is applicable, when the building is 30 feet or more from the property line adjacent to an affected residential property;

b. **Building Bulk Reduction**

If a building façade faces a property line adjacent to a single-family detached or duplex residential property, the PDS Director may require bulk reduction. The Design Professional shall make a finding and recommendation, after consulting with the DRC and/or Historic Commission if applicable, that the proposed design provides an effective way of breaking up the mass so the building mass of the façade is less imposing.

c. Windows at or above the second story of a structure shall be located or treated to reduce views into adjacent affected residential property's buildings and yard areas;

d. Balconies shall be oriented away from affected residential property or use a screening device to reduce views in to the rear or side yards of the affected residential property.

e. The developing site's buildings shall be oriented so as to reduce views onto an affected residential property; and

f. Buffers and/or screening consistent with the purpose of this section shall be provided between a developing site and affected residential properties and shall include features such as, but not limited to, landscaping, walls, and architecturally decorative features.

3. **Mitigation of Service Areas**

Potential nuisance or noisy areas shall be oriented away from affected residential property, such as by placing service areas for loading and garbage disposal between the developing site's buildings, behind opaque barriers, or by using architectural or landscaping treatments that effectively reduce nuisance impacts from service areas. The service area shall be mitigated to reduce the noise and view of the service features, reduce the emission of offensive odors to owners or occupants of adjacent properties or create a nuisance or hazard beyond the property lines of the project site, and prevent vibrations that are discernible beyond the property lines of the project site.

4. **Mitigation of Parking Facilities and Other Areas**

Where the site has parking areas or an area with noise and outdoor lighting features, the areas shall be screened from affected residential property by a combination of a wall or opaque non-chain link fence with a vegetative hedge or a row of trees that shall be dense enough to screen views onto the development site. An alternative treatment may be used, such as using architectural or landscaping treatments that effectively reduce nuisance impacts from parking facilities and other areas. Where there is a finding that the vegetative screen will be opaque, the requirement of a masonry wall may be waived by the PDS Director.

C. **Alternative Compliance**

1. The PDS Director may approve an urban design best practice option for compliance with Section 5.12.8.A, *Streetscape Design*, and Section 5.12.8.B, *Development Transition Standards*.

2. For purposes of this section, urban design best practices may include urban design studies approved for the City of Tucson, adopted urban design standards for a downtown area in an Arizona city of comparable size or a city in the Southwest of comparable size, books written by urban design experts or endorsed by a professional organization, such as the American Institute of Architects, addressing downtown development, or any comparable report, study, or standards recommended by the City's Design Professional and approved by the PDS Director.

D. **Utilities**

Plans shall include information on the layout and demonstrate availability of utilities such as water, wastewater, natural gas, electric, and telecommunication utilities.

E. **Parking**

1. Parking spaces may be located as follows:

a. On site; or

b. Off-site within ¼ of a mile of the project site under a shared parking agreement that is approved by the City.

2. Required vehicle and bicycle parking may be reduced pursuant to an IID Parking Plan in accordance with Section 7.4.5.A, except as modified as follows:

a. Section 7.4.5.A.3 in Permitted Uses and Types of Development does not apply. An IID Parking Plan may be used to reduce required residential parking.

b. Bike parking shall be provided when motor vehicle parking is provided. The PDS Director may reduce the required number of bike parking spaces depending on the use, setting, and intensity of the proposal.

c. The neighborhood meeting that is required for under Section 7.4.5.A.6.a may be held concurrently with the neighborhood meeting required by Section 5.12.6.B.

- d. Section [7.4.5.B](#), [Downtown Parking District](#), does not apply.
- 3. Where Parking is provided, the parking area must comply with the [standards](#) of Section [7.4.6.C](#) and D.
- 4. Parking must be in a [parking structure](#) with the ground floor of the [parking structure](#) screened from view.

a. **Exception**

Parking may be located on a surface parking lot if it is determined by the PDSO Director to be impracticable to be located elsewhere and other options are not available.

b. Parking may be located on a surface parking lot if it is determined by the PDSO Director to be impracticable to be located elsewhere and other options are not available. If located onsite, parking areas must be located at the rear or side of the [building](#).

c. [Changes of use](#) and expansion of existing [structures](#) may use the site's current parking configuration.

d. [Parking structures](#) shall be designed so that parked vehicles are screened from view through incorporation of design elements including, but not limited to, landscaping, pedestrian arcades, occupied space, or display space.

5. **Special IID Parking Agreement**

Where a developer can demonstrate to the satisfaction of the PDSO that the parking options provided for in this Section are not feasible, and the [City](#) makes a specific finding that the [project](#) will have significant economic [development](#) value for the IID Sub-District in which it will be located, the following parking options are allowed as follows:

a. A percentage of long-term residential parking may be located in a [City](#) public parking garage by an agreement with Park Tucson if the [project](#) is of significant economic benefit to the [City](#) to allow this option.

b. The agreement must be reviewed by PDSO, the [Design Professional](#), Park Tucson and approved by the [City](#) Manager.

F. **Multi-zone [Parcels](#)**

Where a [development parcel](#) contains more than one [zoning district](#), uses and [building](#) massing may be distributed across the [zoning districts](#) on the [parcel](#), provided that the [development](#) complies with the design [standards](#) in Section [5.12.8.B](#) to mitigate the impact of the new [development](#) on existing, less intensely developed [adjacent parcels](#).
(Am. Ord. 11246, 2/18/2015; Am. Ord. 11640, 4/23/2019)